

Axis Communications		JULY-2017, USD		
Product Name	Status	Product Number US	Product Description	MSRP
AXIS A8004 JUNCTION BOX		5801-131	AXIS A8004 Junction box offers neat and easy recessed installations of the AXIS A8004-VE Network video door station. Multiple mounting and wiring options along with a robust steel construction makes it suitable for most situations and wall types.	\$ 69.00
AXIS A9801 SECURITY RELAY		5801-141	AXIS A9801 Security relay box offer an easy and cost efficient way to improve security for doors controlled by an Axis network video door station. The product bridges the connection between door station and door lock and is placed on the secure side of the door. If an intruder attempt to tamper with the door station to access the door lock wires, AXIS A9801 Security relay will cut the connection and ensure that the door remains securely locked.	\$ 119.00
MOUNT KIT CODEBLUE/A8004		5507-471	Stainless steel adapter plate for mounting AXIS A8004-VE Network Video Door Station in Code Blue emergency stanchions and call boxes, combining intelligent video surveillance with emergency communication in a single device. The adapter plate is compatible with all Code Blue help points, suitable for new deployments and retrofitting existing installations.	\$ 119.00
AXIS A9188 NETWORK I/O RELAY MODULE		0820-001	AXIS A9188 Network I/O Relay Module is an intelligent module with 8 configurable I/Os and 8 form C relays and supports supervised inputs. Open API, including VAPIX, for software integration. High level of integration with AXIS A1001 Network Door Controller for elevator control for floor management etc. Supported by AXIS Video Hosting System, AXIS Camera Station and third party partner software. The module provides 12 and 24 V DC output to I/O devices and can extend the functionality of any Axis product where you need additional I/Os or relays. Powered by PoE+ or 12 and 24 V DC input	\$ 499.00
AXIS ACCESS CARD 1K, WHITE 200 pcs		5506-831	AXIS Access Card is a contactless Mifare 1K smart card that uses advanced radio frequency identification (RFID) technology to deliver secure and reliable physical access to premises. It is robust and IP68-rated, comes in a pack of 200 pcs.	\$ 359.00
AXIS A8105-E FLUSH MOUNT		5801-481	Nice and easy recessed mount of AXIS A8105-E Network video door station suitable for most wall types.	\$ 69.00
AXIS A9161 NETWORK I/O RELAY MODULE		0821-001	AXIS A9161 Network I/O Relay Module has 6 configurable I/Os with supervised inputs and a relay. The module reacts on inputs, such as signals from PIR motion detectors or switches, to trigger actions. Supplying power to I/O devices, it can extend the functionality of Axis products where additional I/Os or relays are needed. Its enclosure makes installation easy and flexible. -6 I/Os and 1 form C relays -12 and 24 V DC output/input or PoE+ -Based on Axis open platforms, VAPIX and ACAP -Used with AXIS Camera station or third-party software	\$ 249.00
AXIS A9188-VE NETWORK I/O RELAY MODULE		0831-001	AXIS A9188-VE Network I/O Relay Module comes with AXIS T98A15-VE Surveillance Cabinet making it outdoor-ready, vandal-resistant, and UL294-approved. With its 8 configurable I/Os and relays, its open platform enables a high level of integration with AXIS A1001 Network Door Controller and other facility systems. -8 I/Os with supervised inputs and 8 form C relays -UL294-approved with cabinet AXIS T98A15-VE Surveillance Cabinet -12 and 24 V DC output/input or PoE+ -Open API, support for VAPIX, ACAP -Used with AXIS Camera station or third-party software	\$ 799.00
AXIS A8004-VE ACCESSIBILITY KIT		5801-671	AXIS A8004-VE Accessibility kit is an easy way to improve access to your building and comply with regulations on barrier-free accessibility. It's designed as a new front plate that mounts on and connects directly to any AXIS A8004-E Network Video Door Station. The product includes an inductive loop for hearing aids, illuminated pictograms for user feedback and a tactile dot for the call button, all of which help to simplify interaction for people with impaired hearing or vision.	\$ 199.00

AXIS A1001 Network Door Controller		0540-001	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$ 599.00
AXIS A1001 BULK 10PCS Network Door Controller		0540-021	AXIS A1001 Network Door Controller is an open, non-proprietary platform for access management. The controller is installed by each door and data is automatically synchronized between the controllers in the system. The controller supports most Wiegand and RS 485 OSDP readers. The unit comes with a built-in software for basic access management for up to 33 controllers as well as an open API to meet the requirements for larger and more advanced installations. The plenum rated controller is designed for wall or ceiling mount indoors and supports Power over Ethernet IEEE 802.3af Class 3. It is fitted with 14 configurable input/outputs and 5 power outputs for door accessories including fault/tamper detection and support for Uninterruptible Power Supply (UPS).	\$ 5,990.00
AXIS A8004-VE		0673-001	AXIS A8004-VE Network Video Door Station is an open, IP-based door station for two-way communication, video and remote entry control. By combining exceptional audio capabilities, including a high performing solution for echo cancellation and noise suppression, with an integrated HDTV camera with WDR and excellent low-light performance, the unit offers reliable 24/7 identification and remote entry control also in the most demanding situations. Based on open IP standards and interfaces such as Onvif, PoE and SIP, AXIS A8004-VE Network Video Door Station offers great integration possibilities and is a perfect complement to any video surveillance system.	\$ 1,249.00
AXIS A8105-E		0871-001	AXIS A8105-E is a small and powerful network video door station. It operates as a communication device and full-fledged security camera at the same time, providing HDTV video, audiovisual identification, two-way communication and remote entry control as an intrinsic part of video surveillance. Open standards such as ONVIF and Session Initiation Protocol (SIP) in combination with its small size, give unique opportunities for system design, integration and installation. Wide Dynamic Range (WDR) and efficient noise cancellation ensure uncompromised performance in demanding situations, such as strong backlight or surrounding noise. Axis' Digital Corridor Format easily adjusts the viewing area to the location.	\$ 799.00
AXIS A4011-E READER		0745-001	AXIS A4011-E Reader is a generic touch-free reader with keypad and illuminated symbols. It is a perfect match to the Network Door Controller A1001. The reader is intended for both indoor and outdoor use and it supports most smart card formats with 13.56 MHz. The reader is certified according to UL294 and sold only in USA.	\$ 369.00
AXIS A4010-E READER WITHOUT KEYPAD	EOL	0946-001	AXIS A4010-E Reader is a generic touch-free reader without keypad and 2 LED feedback. It is a perfect match to the Network Door Controller A1001. The reader has a small form factor, intended for both indoor and outdoor use. It uses RS485 OSDP communication and supports most smart card formats with 13.56 MHz.	\$ 199.00
AXIS A4010-E READER WITHOUT KEYPAD		01023-001	AXIS A4010-E Reader is a generic touch-free reader without keypad and 2 LED feedback. It is a perfect match to the Network Door Controller A1001. The reader has a small form factor, intended for both indoor and outdoor use. It uses RS485 OSDP communication and supports most smart card formats with 13.56 MHz. This reader is a Mark II for 0946-001 with same functionality but no visible differences.	\$ 199.00

AXIS 4IN1 SECURITY SCREWDRIVER		5507-711	The AXIS 4-in-1 Security Screwdriver Kit is a great tool for installing Axis products. The kit features two double-sided insert bits type that match Axis products using tamper resistant torx and standard phillips head. The kit comes with a quick-release, non-slip rubber handle, and a velcro-sealed polyester pouch with belt clip. Insert bits material in chrome vanadium (TR10+PH1) and in stainless steel (TR20+TR30).	\$ 24.00
GASKET A CABLE 3,5-7MM 10PCS		5503-741	M20 Gasket for cable diameter 3,5mm to 7mm. 10 pcs.	\$ 9.00
ACC TOOL STEEL STRAP		21776	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67	\$ 145.00
GASKET B M20 CABLE 6-13MM 10PCS		5503-751	M20 Gasket for cable diameter 6-13mm, 10 pcs.	\$ 9.00
GASKET C M25 CABLE 8-17MM 10PCS		5503-791	M20 Gasket for cable 8-17mm, 10 pcs.	\$ 9.00
M3004-V/05-V FOCUS TOOL 2PCS		5503-581	Focus tool for AXIS M3004-V/M3005-V (2pcs)	\$ 11.00
CABLE GLAND A M20 5PCS		5503-761	M20 cable gland, 5 pcs.	\$ 9.00
LENS TOOL KIT AXIS M311X 2MM 4PCS		5503-561	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X cameras with 2mm lens. Content: Lens tool and Opening tool 4 pcs of each.	\$ 24.00
GASKET C M20 10PCS		5505-941	This gasket is specially made for flexible and easy installation. By using the included CONNECTOR GUARD A over the RJ45 connector, you do not need to re-terminate the network cable wich gives a much faster and more secure installation. Made for M20 holes and cables from 5 to 15mm in outer diameter. 10 pcs.	\$ 9.00
LENS TOOL AXIS M311X 4PCS		5502-771	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.	\$ 24.00
CABLE GASKET M20 3MM 10PCS		5506-421	M20 gasket for small cables like I/O and audio cables. 10 pcs	\$ 9.00
LENS TOOLKIT P39XX-R 4 PCS		5506-441	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS P39xx-R cameras with the standard lens and the 2.8 mm accessory lens. Content: Lens tool, Allen key and Opening tool. 4 pcs of each.	\$ 19.00
CABLE GLAND A M25 5PCS		5503-831	M25 Cable gland, 5 pcs.	\$ 19.00
CABLE GLAND M20x1.5 RJ45 5PCS		5503-951	M20 cable gland for RJ45. Ease of installation, no need of cutting the cable.	\$ 19.00
CABLE SEALING IP65 FOR Q8108-R		5502-711	Accessory cable sealing to meet IP65 rating for Q8108-R.	\$ 249.00
POWER SUPPLY DIN CP-D 12/2.1 25W		5505-731	DIN power supply. 12V DC, 2.1 A. For use in T98A to power cameras, media converters etc.	\$ 99.00
POWER SUPPLY PS24 240 W		01170-001	24V DC power supply with 240 W output power.	\$ 249.00
AXIS CONVERSION LENS 0.3X		5507-301	Wide angle conversion lens for AXIS Q1755 and Q1775.	\$ 219.00
ACC LENS CONVERTER 2.2X FOR Q1755		5500-511	Super telephoto conversion lens for AXIS Q1755. 2.2X. Converts AXIS Q1755PTZ lens to 102mm. For use in full focal length.	\$ 249.00
AXIS M3004-V/05-V LENS M12 6MM		5503-651	Optional lens, 6mm for M3004-V/M3005-V	\$ 49.00
AXIS M3006-V LENS M12 2.0MM		5503-941	Optional lens for AXIS M3006-V, 2.0mm, HFOV: 105°. Including lens tool.	\$ 99.00
AXIS M3006-V LENS M12 2.8MM		5503-981	Optional lens for AXIS M3006-V, 2.8mm. Including lens tool.	\$ 79.00
AXIS M3025-VE LENS M12 6MM		5504-551	Optional lens for AXIS M3025-VE, 6mm. Including focus ring.	\$ 49.00
ACC LENS M12 MEGAPIXEL 16MM 10PCS		5502-161	Megapixel lens 16mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 149.00
ACC LENS M12 MEGAPIXEL 2.8MM 10PCS		5502-101	Megapixel lens 2.8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 199.00
ACC LENS M12 MEGAPIXEL 3.6MM 10PCS		5502-151	Megapixel lens 3.6mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	\$ 149.00
AXIS WEATHERSHIELD K		5507-121	Weathershield for AXIS P14 Series designed for use in rainy and windy environments.	\$ 29.00
LENS M12 6MM 5PCS		5801-771	Accessory M12 6mm lens for AXIS Q6000-E MkII 5pcs	\$ 99.00
ACC LENS M12 MEGAPIXEL 6MM 10PCS		5502-111	Megapixel lens 6mm lens with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	\$ 149.00
ACC LENS M12 2.8MM F2.0 10 PCS		5504-951	Megapixel lens 2.8 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 115° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00
ACC LENS M12 6MM F1.6 10 PCS		5504-961	Megapixel lens 6 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 52° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00

ACC LENS M12 8MM F1.6 10 PCS		5504-971	Megapixel lens 8 mm, F1.6 with M12 thread for AXIS P39-R Series that provides 40° horizontal FOV with these cameras. With IR filter. 10 pieces.	\$ 199.00
ACC LENS M12 3.6MM F2.0 10PCS		5506-011	Megapixel lens 3.6 mm, F2.0 with M12 thread for AXIS P39-R Series that provides 87° horizontal FOV with these cameras. With IR filter. 10 pieces. Can be used as a spare part for AXIS P39-R or as a wider FOV option for P3905-RE.	\$ 199.00
AXIS LENS M12 2.1MM F2.2 10PCS		5901-371	Megapixel lens 2.1mm, F2.2 with M12 thread for AXIS P39-R Series that provides 149° horizontal FOV with these cameras. With IR filter. 10 pieces. Lens tool included.	\$ 199.00
LENS M12 16MM 5PCS		5801-781	Accessory M12 16mm lens for AXIS Q6000-E MkII 5pcs	\$ 99.00
ACC LENS M12 MEGAPIXEL 6PCS		5506-431	2 pieces each of 2.8 mm (F2.0), 6 mm (F1.6) and 8 mm (F1.6) Megapixel lenses with M12 thread. For use with AXIS P39-R cameras. Includes lens tools.	\$ 149.00
ACC LENS M12 MEGAPIXEL 8MM 10PCS		5502-411	Megapixel lens 8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	\$ 149.00
LENS M12 MEGAPIXEL 10PCS		5502-421	Mixed pack of M12 Megapixel lenses. Focal length: 2.8mm, 3.6mm, 6mm, 8mm and 16mm for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs=2 pcs of each lens.	\$ 149.00
Theia Fixedfocal Megapixel 1.7MM	EOL	5502-451	Wideangle lens without barrel distortion. CS mount Fixedfocal Lens 1.7 mm DC-Iris for AXIS P1343 and AXIS P1344.	\$ 248.00
THEIA LENS CS VARIF 1.8-3MM DC-IRIS	Price change	5503-161	Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	\$ 289.00
LENS CS VF 2.2-6MM F1.3 DC-I MP		5502-751	Varifocal 2.2-6mm DC-Iris Megapixel Lens, F1.3, CS mount for AXIS M1113/4	\$ 149.00
LENS CS 2.4-6MM MANUAL IRIS		5503-181	Manual iris lens, varifocal 2.4-6MM compatible with AXIS M1103 and M1104.	\$ 79.00
LENS FUJINON CS 2.2-6MM DC-IRIS B		5800-781	Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E, P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E.	\$ 149.00
Varifocal MegaPixel Lens 2.4-6mm		5500-871	CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for AXIS P1344 and AXIS 211M/223M. Includes CS mount ring for AXIS 223M.	\$ 199.00
LENS CS 3-10.5MM DC-IRIS		5506-961	Standard lens for AXIS M1124/-E, M1125/-E.	\$ 99.00
LENS CS 16MM F1.8 MP		5502-741	Fixed Iris Megapixel Lens 16mm, F1.8, CS mount for AXIS M1103/4	\$ 49.00
ACC LENS CS 9-20MM F=1.6 P-IRIS 5MP	EOL	5502-801	Varifocal 5 Mega Pixel P-Iris Lens 9-20mm, F1.6, CS mount, IR-corrected, for AXIS P1347 and AXIS P1346 firmware release 5.20 (or later)	\$ 349.00
LENS CS VARIF 9-40MM DC-IRIS D/N	Price change	5503-171	Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, P1354/-E, P1355/-E, P1357/-E, Q1602/-E, Q1604/-E.	\$ 259.00
LENS CS VARIF 9-40MM P-IRIS D/N	Price change	5504-901	Varifocal IR-corrected P-Iris tele lens compatible with AXIS AXIS P1355/-E, P1357/-E, AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E.	\$ 259.00
Varifocal MegaPixel Lens 5-50mm		5502-221	CS mount Varifocal Megapixel Lens 5-50mm DC Iris for AXIS P1344 and AXSIS 211M.	\$ 249.00
LENS COMPUTAR CS 12.5-50MM DC-IRIS		5800-791	Varifocal IR-corrected lens with DC-Iris. Compatible with e.g. AXIS P1353/-E, P1354/-E, Axis Q1602/-E, Q1604/-E.	\$ 249.00
LENS COMPUTAR CS 12.5-50MM P-IRIS		5800-801	Varifocal IR-corrected lens with P-Iris. Compatible with e.g. AXIS Q1602/-E, Q1604/-E, Q1614/-E, Q1615/-E, AXIS P1355/-E, P1357/-E.	\$ 249.00
LENS COMPUTAR i-CS 2.8-8.5MM		5901-101	Standard lens for AXIS Q1615 MkII with remote zoom based on the new standard i-CS.	\$ 229.00
LENS CS VF 15-50MM F1.5 DC-I MP		5502-761	Varifocal Mega Pixel DC-Iris Lens 15-50mm, F1.5, CS mount, for AXIS M1113/14	\$ 199.00
LENS CS 15-50MM F1.5 DC-I MP D/N		5503-421	Varifocal Megapixel DC-Iris Lens 15-50mm, F1.5, CS mount, Day/Night for AXIS Q1602.	\$ 199.00
LENS FUJINON C CS 8-80MM DC		5506-991	Varifocal IR-corrected lens with DC-Iris. For use with both C-mount and CS-mount cameras thanks to the included adapter. Compatible with e.g. AXIS Q1635.	\$ 349.00
AXIS LENS CLOTH 10PCS		5502-661	Axis accessory lens cloth. 10 pack	\$ 39.00
AXIS LENS CLOTH 50PCS		5502-721	Axis accessory lens cloth. 50 pack	\$ 169.00
ELECTRICAL SAFETY KIT A 120VAC		5503-521	Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door switch.	\$ 199.00
SURVEILLANCE STICKER ENG 10PCS		5502-811	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 8.00
SURVEILLANCE STICKER ENG 50PCS		5502-821	Axis branded sticker showing a Camera. Text: Video surveillance in operation	\$ 18.00
AXIS WEATHERSHIELD KIT C		5504-881	Heavy duty weathershield for wall mounted AXIS M3024-LVE/25-VE/26-VE and AXIS P32-VE fixed dome cameras.	\$ 34.00

AXIS PT IR ILLUMINATOR KIT C	New	5801-901	850nm IR LED illuminator kit compatible with AXIS T99A Positioning Units for visual cameras. Kit includes one pair of IR illuminators, one metal mounting bracket, and three different diverging lenses. Note: this is the same illuminator kit as used in AXIS Q8685-LE PTZ Network Camera.	\$ 1,799.00
AXIS WASHER KIT A		5505-921	Washer kit for spraying cleaning fluid on the windows of AXIS Q8631-E/Q8632-E and AXIS Q8665-E/Q8665-LE. The kit contains a 23 liter tank, pump for delivery up to 11m (36ft), tube, nozzle and mounting bracket for attaching the nozzle to the PT-head.	\$ 469.00
AXIS BIRD CONTROL SPIKE 10P		5801-121	Bird control spikes made of flexible UV-resistant polymer preventing birds from landing on cameras or mounts. Each module has five spikes and can be mounted on flat or curved surfaces using the pre-mounted adhesive or cable ties (not included). The modules can be connected lengthwise and/or widthwise to cover a larger area. 10 pcs.	\$ 24.00
AXIS SAFETY WIRE 3M 5P		5801-971	Stainless steel safety wire 3 m (10 ft) long, with a fixed loop in one end and an adjustable loop with a plated brass wire lock in the other. Suitable for both indoor and outdoor use.	\$ 34.00
AXIS T92E05 PROTECTIVE HOUSING		0344-001	Protective camera housing for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 199.00
AXIS T92E20 OUTDOOR HOUSING		0433-001	Outdoor PoE camera housing with window-camera heaters and fan for P13XX, M11XX, Q16XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket and screwdriver included.	\$ 329.00
AXIS T93C10 OUTDOOR HOUSING		5507-681	Outdoor camera housing for Axis cameras with EF lenses (e.g.: AXIS Q1659). Made of IK10 impact resistant thermoplastic with dual-layer UV protection. IP66, NEMA 4X rated and UL listed. Powered by 24 VDC (power supply not included). Heavy duty wall mount included.	\$ 1,299.00
AXIS T93C EXTENSION KIT	New	5901-471	Extension kit to allow mounting of longer lenses in AXIS T93C10 Outdoor Housing (e.g.: compatible with AXIS Q1659 55-250 mm). Includes built-in sunshield and front window. The extension kit provides an extra space of 80mm in length within the housing, giving a total length of 380mm for the camera and lens. The part of the lens within the extension kit can have maximum diameter of 75mm.	\$ 99.00
AXIS T93F05 PROTECTIVE HOUSING		5900-261	Fixed box protective camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 159.00
AXIS T93F10 OUTDOOR HOUSING 24VAC/12-24VDC		5900-271	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by 24 V AC or 12-24 V DC. Temperature range -40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 239.00
AXIS T93F20 OUTDOOR HOUSING POE		5900-281	Fixed box outdoor camera housing made of IK10 impact resistant and UV resistant polymer. IP66, NEMA 4X rated and UL listed. Powered by PoE IEEE802.3af. Temperature range -40C to -45C (-40F to 113F). Compatible with AXIS P13 Series and AXIS Q16 Series. AXIS T94Q01A Wall mount included.	\$ 239.00
AXIS T93G05 PROTECTIVE HOUSING		5506-491	Tailor-made light weight IP66- and IK10-rated housing for AXIS M1124/M1125. Operating temperature: -20 °C to 50 °C (-4 °F to 122 °F). Material: IK10 impact-resistant polymer. Wallmount included.	\$ 119.00
AXIS SUNSHIELD A		5504-941	Accessory sunshield and weather protection for AXIS T93F Housing Series	\$ 34.00
AXIS T96A05-V DOME HOUSING BLACK		5032-061	Black vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$ 129.00
AXIS T96A05-V DOME HOUSING WHITE		5032-051	White vandal resistant housing for AXIS M50 series. IK10 and IP66 rated.	\$ 129.00
AXIS T96B05 OUTDOOR HOUSING		5505-911	Outdoor housing for AXIS P39-R cameras. Enables P39-R cameras to be mounted outside vehicles such as buses, trams, trucks and emergency vehicles. Includes lens tool and top cover tool.	\$ 99.00

AXIS T98A15-VE SURVEILLANCE CABINET		5900-151	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	\$ 269.00
AXIS T98A16-VE SURVEILLANCE CABINET		5900-161	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M111X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E Q192X-E.	\$ 269.00
AXIS T98A17-VE SURVEILLANCE CABINET		5900-171	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/LVE.	\$ 269.00
AXIS T98A18-VE SURVEILLANCE CABINET		5900-181	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91B61 Wall bracket for use with AXIS P55, P56, Q60 and Q61-series or fixed dome pendant kits.	\$ 269.00
AXIS T98A19-VE SURVEILLANCE CABINET		5900-321	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS P5414-E/15-E.	\$ 269.00
AXIS T98A SUNSHIELD		5503-551	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	\$ 74.00
AXIS CABINET LOCK A		5505-651	Door lock for AXIS T98A surveillance cabinet. Uses a generic key but it is possible to change locking cylinder to a unique key solution (not supplied from Axis)	\$ 59.00
CORRIDOR FORMAT BRACKET A		5504-931	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F05 and AXIS T93F20 housings to enable a vertically oriented, "portrait"-shaped video stream from the camera. Integrated camera heater (only applicable when mounted in AXIS T93F20). Not for use with AXIS Q1635.	\$ 39.00
CORRIDOR FORMAT BRACKET B		5506-381	The corridor format bracket makes it possible to mount a camera rotated 90 degrees inside the AXIS T93F10 housing to enable a vertically oriented, "portrait"-shaped video stream from the camera. Integrated camera heater. Not for use with AXIS Q1635.	\$ 39.00
AXIS T92E CAMERA HOLDER PLATE C		5505-331	Camera holder plate for mounting an AXIS Q1614 in a AXIS T92E05 and AXIS T92E20 housing. Or change the camera unit inside an AXIS P135X-E outdoor camera.	\$ 19.00
AXIS T92E CAMERA CHANGE KIT A		5505-341	Kit for mounting an AXIS Q1614 in a AXIS T92E05/AXIS T92E20 housing produced before 2014. Or change the camera unit inside an AXIS P134X-E outdoor camera.	\$ 39.00
AXIS M3004-V/05-V BLACK COVER 10PCS		5503-591	Clip on black cover for AXIS M3004-V and AXIS M3005-V.	\$ 99.00
AXIS M3004-V/05-V WHITE COVER 10PCS		5503-601	Clip on white cover for AXIS M3004-V and AXIS M3005-V.	\$ 99.00
AXIS M3006-V/07-PV COVER BLACK 10PCS		5503-611	Clip on black cover for AXIS M3006-V and AXIS M3007-PV. 10 pcs.	\$ 99.00
AXIS M3006-V/07-PV COVER WHITE 10PCS		5503-621	Clip on white cover for AXIS M3006-V and AXIS M3007-PV. 10 pcs.	\$ 99.00
AXIS M3044-V/45-V/46-V VIEW PROT 5P		5507-441	Viewing protector that makes it harder to see where the camera is aiming. For use when the camera is used without dome. 5 pcs.	\$ 39.00
ACC CVER DME AXIS M301X MIX 10PCS		5502-341	Mixed covers with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. Includes 3 black, 3 silver, 3 gold and 1 white cover.	\$ 149.00
COVER AXIS M301X WHITE 10PCS		5502-171	White cover with clear bubble for AXIS M3011 and AXIS M3014. 10 pack. Sparepart	\$ 149.00

ACC CVER DME AXIS M301X BLCK 10PCS		5502-181	Black cover with clear bubble for AXIS M3011 and AXIS M3014. 10 pack	\$ 149.00
ACC CVER DME AXIS M301X SIL 10PCS		5502-191	Silver cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	\$ 149.00
ACC CVER DME AXIS M301X GOLD 10PCS		5502-201	Gold cover with clear bubble for AXIS M3011 and AXIS M3014 Network Cameras. 10 pack.	\$ 149.00
AXIS M3024/25/26/27 COVER WHT 10PCS		5504-071	White cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	\$ 129.00
AXIS M3024/25/26/27 COVER BLK 10PCS		5504-061	Black cover skins compatible with AXIS M3024/M3025/M3026/M3027 for covering screws or simplify the painting process.	\$ 129.00
AXIS M3044-V/45-V/46-V BL CASING 5P		5507-431	Black accessory casing for AXIS M3044-V/45-V/46-V. Replaces the white original casing. 5 pcs.	\$ 79.00
AXIS M30 VANDAL CASING A 5P	New	5901-131	Vandal-resistant (IK 08-rated) white casing with clear dome for M3047/48-P. 5 pcs.	\$ 99.00
AXIS M30 SM DETECT CASING A 5P	New	5901-151	Highly discreet white casing with smoke-detector look for AXIS M3047/48-P. 5 pcs.	\$ 79.00
AXIS M30 CASING B BLACK 5P	New	5901-121	Black accessory casing for AXIS M3047/48-P. Replaces the white original casing. 5 pcs.	\$ 79.00
AXIS SKIN COVER A BLACK 5P		5505-121	Skin covers compatible with AXIS Q3505-V for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 5 pcs	\$ 79.00
AXIS SKIN COVER B BLACK 5P	EOL	5505-201	Skin covers compatible with AXIS Q3505-VE for changing the appearance of the camera, simplify re-painting and covering screws. Black color. 5 pcs	\$ 79.00
AXIS SKIN COVER C BLACK 5P		5506-031	Skin covers compatible with AXIS P32-V cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 5 pcs	\$ 79.00
AXIS SKIN COVER D 5PCS		5506-161	Spare part skin covers for the AXIS P56 Series. Both the camera cover and the ring around the dome are included. 5 pcs.	\$ 129.00
AXIS P39-R SKIN COVER WHITE 10P		5505-991	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. White color. 10 pcs.	\$ 149.00
AXIS P39-R SKIN COVER BLACK 10P		5506-001	Skin covers compatible with AXIS P39-R cameras for changing the appearance of the camera, simplify re-painting or covering screws. Black color. 10 pcs.	\$ 149.00
AXIS F8214 DOME ACC 4PCS		5506-501	AXIS F8214 Dome Accessory (4 pieces). Dome accessory for use with AXIS F1004 Sensor Unit. Can be mounted on walls and ceilings. Can be used with or without bubble.	\$ 59.00
AXIS SMOKED DOME M3004/05 5PCS		5504-031	Smoked domes for AXIS M3004-V and and M3005 V. 5pcs.	\$ 229.00
AXIS M3006 SMOKED DOME 5PCS		5504-011	Original white top cover with smoked dome for AXIS M3006, 5pcs.	\$ 249.00
AXIS M3007 SMOKED DOME 5PCS		5504-021	Original white top cover with smoked dome for AXIS M3007, 5pcs.	\$ 249.00
AXIS M320X DOME KIT SM BLK		5503-191	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	\$ 29.00
AXIS M3025/26 SMOKED DOME 5PCS		5505-861	Smoked domes for AXIS M3025-VE, M3026-VE. 5 pcs.	\$ 249.00
AXIS M3044-V/45-V/46-V SM DOME 5P		5507-421	Smoked dome for AXIS M3044-V/45-V/46-V SM DOME. 5 pcs.	\$ 99.00
AXIS M3104/5/6-L BLACK CASING 5P		5801-401	Black accessory casing for AXIS M3104-L/05-L/06-L. Replaces the white original casing. 5 pcs.	\$ 79.00
AXIS M3104/5/6-LVE BLACK CASING 5P		5801-411	Black accessory casing for AXIS M3104-LV/5-LV/6-LV. Replaces the white original casing. 5 pcs.	\$ 89.00
AXIS P32 CASING A BLACK 5PCS		5901-461	Black accessory casing for AXIS P32-VE and P32-LVE outdoor cameras. Replaces the white original casing. Includes anti-loss screws, conduit side covers. 5 pcs per pack.	\$ 129.00
AXIS P32-V SMOKED DOME A 5P		5506-021	Smoked domes for AXIS P32-V Series, 5 pcs	\$ 169.00
AXIS P32-VE SMOKED DOME A 5P		5506-461	Smoked dome for AXIS P32-VE Series, 5 pcs	\$ 169.00
AXIS P3353/54 DOME KIT CL BLACK		5503-141	Black cover with clear dome for the AXIS P3343, P3344, P3353, P3354.	\$ 29.00
AXIS P3346 DOME KIT CL BLACK		5503-151	Black cover with clear dome for AXIS P3346.	\$ 29.00
AXIS P54 SMOKED DOME		5800-761	Smoked dome for AXIS P54-series.	\$ 49.00
AXIS P5624-E/35-E SMOKED DOME		5506-151	Smoked dome for AXIS P56 Series cameras.	\$ 49.00
TOP COVER AXIS M311X-R BL 10PCS		5700-661	Black top cover including dome and screws for AXIS M311X-R. 10 pcs. Approved for use in buses and trams. Not for trains.	\$ 249.00
AXIS P3364-LV DOME KIT BLACK		5504-401	Dome kit for AXIS P3364-LV. The dome is pre-mounted in a black top cover casing.	\$ 74.00
AXIS T94B02D PENDANT KIT 10PCS	New	01159-001	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/LVE, M30-V/WV and Companion dome cameras. 10-pack.	\$ 199.00
AXIS Q3505-V SMOKED DOME 5P		5505-601	Smoked dome for AXIS Q3505-V. 5 pcs	\$ 179.00
AXIS Q3505-VE SMOKED DOME 5P		5505-621	Smoked dome for AXIS Q3505-VE. 5pcs	\$ 199.00
AXIS Q36-VE SMOKED DOME		5801-501	Smoked dome for AXIS Q36 Series.	\$ 49.00
AXIS Q37 SMOKED DOME A		5901-431	Smoked dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ 59.00

AXIS Q603X-E CLEAR DOME		5503-001	Stand alone clear dome for the AXIS Q603X-E with slightly decreased optical quality compared to the HD dome version, but with the line higher up to enable greater tilt without distortion.	\$ 39.00
AXIS Q604X-S SMOKED DOME A		5504-791	Smoked dome for AXIS Q604X-S cameras	\$ 79.00
AXIS Q6114-E/15-E CLEAR DOME		5507-281	Standard clear dome for AXIS Q6114-E/Q6115-E.	\$ 59.00
AXIS Q6114-E/15-E CLEAR DOME 5P		5506-521	Standard clear dome for AXIS Q61 Series, 5 pcs	\$ 269.00
AXIS Q6128 HARD-COATED CLEAR DOME		5801-791	Hard coated scratch resistant clear dome for AXIS Q6128-E	\$ 89.00
AXIS Q8414-LVS IR WINDOW B 5P		5506-371	Accessory IR window without microphone hole. 5 pcs.	\$ 119.00
AXIS Q8414-LVS SMOKED DOME 5P		5506-301	Smoked dome for hiding the direction of the camera. Compatible with AXIS Q8414-LVS. 5 pcs.	\$ 99.00
ACC DOME AXIS 212PTZ-V GLASS CLEAR		5502-091	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	\$ 69.00
AXIS Q3505-SVE CLEAR DOME 2P		5506-701	Standard clear dome for AXIS Q3505-SVE. 2pcs	\$ 89.00
ACC DOME AXIS 216FD-V GLASS CLEAR		5005-051	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	\$ 69.00
AXIS Q3505-SVE SMOKED DOME 2P		5506-791	Accessory smoked dome for AXIS Q3505-SVE. 2pcs	\$ 89.00
ACC TOP CLEAR ASS 216FD BLACK		5500-821	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	\$ 29.00
ACC DOME AXIS 23XD+ SMOKED COVER		5500-201	Smoked plastic dome for AXIS 231/232D+ dome cameras	\$ 28.00
ACC DOME UPGR KIT AXIS 233D CL/SM		5500-601	Clear and Smoked plastic dome for AXIS 233D dome cameras	\$ 69.00
CLEAR BUBBLE FUSIONDOMES		25741	Clear Bubble for AXIS Pendant Fusion Dome (Spare Part)	\$ 69.00
SMOKED BUBBLE FUSIONDOMES		25740	Smoked Bubble for AXIS Pendant Fusion Domes (Spare Part)	\$ 69.00
EX POWER SUPPLY UL	Built to order	5801-931	The power supply is UL certified and made of epoxy powder coated copper free aluminum with stainless steel cover bolts and hinges. It is pre-mounted with fuses, terminals, RJ45 coupler and 115/230 V AC transformer, which provides 24 V AC for Explosion Protected Cameras. The cabinet has 3 open 3/4"NPT cable entries and a fourth plugged entry and is Class I, Div 1 & 2, Class II, Div 1 & 2, Class 3, cUL to CSA C22.2 No. 30, No. 25 and NEMA 3 & 4 certified for temperatures between -40°C and +55°C. Weight is 67.3 lb (30.5 kg).	\$ 7,199.00
EX POLE BRACKET XF40	Built to order	5507-191	The Electro-polished 316L stainless steel pole bracket is specifically designed for top mounting installations of XF40 and suitable for onshore, offshore, marine and heavy industrial applications. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 1.1kg.	\$ 449.00
EX WALL MOUNT XF40	Built to order	5507-201	Electro-polished 316L stainless steel wall mount for XF40, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Bracket Pole Clamp Adaptor XF40 EX for pole mounting. It features a swivel movement of pan ±90° and tilt ±45° and its weight is 2.5 kg.	\$ 899.00
EX WALL MOUNT XF60	Built to order	01171-001	Electro-polished 316L stainless steel wall mount for XF60, designed for onshore, offshore, marine and heavy industrial applications. Can also be used in conjunction with Ex pole mount XF40, for pole mounting. It features a swivel movement of pan ±90° and tilt 60° down.	\$ 999.00
EX WALL MOUNT XP40	Built to order	5507-211	Electro-polished 316L stainless steel wall mount for XP40, designed for onshore, offshore, marine and heavy industrial applications. Weight 14 kg.	\$ 799.00
EX POLE MOUNT XF40	Built to order	5507-221	Pole mounting explosion protected fixed network cameras is made simple using this electro-polished 316L stainless steel Ex Pole mount XF40, accompanied by the requisite Ex Wall Mount XF40. The Ex Pole Mount XF40 is specifically designed to mount Ex Wall Mount XF40 to poles of a diameter from 90mm to 120mm. Weight 4.2 kg.	\$ 599.00
ACC PL ADAPTER FLAT AXIS M311X 10PCS		5502-541	Optional plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	\$ 29.00
ADAPTER CURV L GREY M311X 10PCS		5503-061	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$ 29.00
ACC AXIS 213 WALL BRACKET		5500-071	AXIS 213 WALL BRACKET allows mounting the AXIS 213 PTZ Network Camera on a wall, or other vertical surface.	\$ 49.00
MOUNT CLAMP AXIS M10		5502-381	Clamp to mount AXIS M10 series. 1 pcs.	\$ 4.00
MOUNT CLAMP AXIS M10 10PCS		5502-391	Clamp to mount AXIS M10 series. 10 pack.	\$ 29.00
M10 STAND EXTENSION 10CM 10PCS		5502-701	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.	\$ 29.00

ACC RACK HOLDER 2400/2401 EUR		19273	19" Rack mount holder for up to 8 2401/2400 Video Servers.	\$ 449.00
AXIS T8640 WALL MOUNT BRACKET		5026-411	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	\$ 13.00
AXIS T8640 DIN RAIL CLIP		5026-431	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	\$ 22.00
AXIS T8642 MOUNTING KIT A		5506-291	Kit for mounting an AXIS T8642 e.g. inside an AXIS Q8414-LVS. Kit contents: cable tie 432mm (17 in) long, BNC male to female angled adapter and network cable 135 mm (5.3 in) long.	\$ 14.00
AXIS T8640 RACK MOUNT BRACKET		5026-421	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	\$ 62.00
AXIS T90A61 BRACKET SINGLE		5013-611	Mounting bracket for one AXIS T90A illuminator.	\$ 49.00
AXIS T90A62 BRACKET TWIN		5013-621	Mounting bracket for two AXIS T90A illuminators.	\$ 65.00
AXIS T90A63 BRACKET WALL L MOUNT		5013-631	L shaped wall bracket which provides up/down and left/right adjustment when used with the standard bracketry on AXIS T90A series illuminators.	\$ 39.00
AXIS T90A66 BRACKET POLE CLAMP		5013-661	Pole bracket for AXIS T90A illuminators.	\$ 89.00
AXIS T91A02 DIN RAIL CLIP 77MM		5017-027	DIN rail clip for AXIS Q7401, AXIS P8221 and AXIS 7701.	\$ 12.00
AXIS T91A02 DIN RAIL CLIP 86MM		5017-028	DIN rail clip for AXIS M7014 and AXIS P7214	\$ 12.00
AXIS T91A03 DIN RAIL MOUNT		5503-194	DIN rail clip for AXIS Q7424-R.	\$ 19.00
AXIS T91A04 CAMERA HOLDER 3/4" NPS		5017-041	Holding device for pendant mounted cameras. For use with 3/4" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$ 29.00
AXIS T91A05 CAMERA HOLDER 1.5" NPS		5017-051	Holding device for pendant mounted cameras. For use with 1.5" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	\$ 29.00
AXIS T91A06 PIPE ADAPTER 3/4-1.5"		5503-091	Pipe adapter step up from 3/4" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	\$ 12.00
AXIS T91A10 MOUNTING KIT		5507-331	Plastic mounting kit with stand and clamp for flexible mounting of Axis products with tripod thread.	\$ 19.00
AXIS T91A11 STAND WHITE		5017-111	Plastic camera stand. Original stand for the AXIS M11-series.	\$ 15.00
AXIS T91B21 STAND WHITE		5506-611	White aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 29.00
AXIS T91B21 STAND BLACK		5506-621	Black aluminum stand for wall or hard ceiling mount. A cable hole in the base of the stand makes it possible to hide the hole in the wall out of which the cable is routed. A snap on cover gives a clean look without visible screws. Compatible with all standard tripod thread cameras e.g. AXIS M11, P13, Q16 series.	\$ 29.00
AXIS T91A27 POLE MOUNT 10PCS		5503-971	Pole mount bracket compatible with all cameras with standard tripod threading (1/4"-20 UNC)	\$ 29.00
AXIS T91A47 POLE MOUNT 60-110MM		5504-701	AXIS T91A47 Pole Mount for Indoor and outdoor installations, for poles between 60-110 mm (2.4"-4.3") in diameter. AXIS T91A47 is compatible with all outdoor fixed and thermal cameras and most fixed outdoor dome cameras such as the AXIS P33-VE.	\$ 69.00
AXIS T91A47 POLE MOUNT 110-400MM		5504-581	AXIS T91A47 Pole Mount for Indoor and outdoor installations, for poles between 110-400 mm (4.3"-15.7") in diameter. AXIS T91A47 is compatible with all outdoor fixed and thermal cameras and most fixed outdoor dome cameras such as the AXIS P33-VE.	\$ 79.00
AXIS T91A57 POLE MOUNT 60-400MM		5507-341	Aluminum pole mount with stainless steel straps for poles between 60-400 mm (2.4"-15.7") in diameter. AXIS T91A57 is compatible with AXIS T91G61 Wall mount and AXIS T98A Surveillance Cabinet Series.	\$ 89.00
AXIS T91B61 WALL MOUNT	EOL	5504-621	Chromated and powder coated aluminum wall mount for AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 99.00
AXIS T91C61 WALL MOUNT STAINLESS STEEL		5504-691	Stainless steel wall mount bracket for AXIS Q60-S. AXIS T94S01D pendant kit is included.	\$ 449.00
AXIS T91D61 WALL MOUNT		5504-821	Chromated and powder coated aluminum wall mount with 1.5" NPS thread for fixed dome pendant kits. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal and conduit hole cover. Color: White	\$ 84.00

AXIS T91E61 WALL MOUNT		5506-481	Wall mount with internal cable canal for dome cameras with 1.5" NPS thread, compatible with Axis pendant kits. IK10 and NEMA 4X rated. Powder coated aluminum for indoor and outdoor installations.	\$ 39.00
AXIS T91G61 WALL MOUNT		5506-951	The aluminum IP66, NEMA 4X and IK10 rated AXIS T91G61 Wall Mount is designed to accommodate and safely protect accessories e.g. a midspan inside the mount. Quickly and easily connect power and data via the pre-mounted IP66 rated RJ45 connector. Compatible with AXIS Q3709, AXIS P55, P56, Q60 and Q61 Series cameras.	\$ 175.00
AXIS T91H61 WALL MOUNT		5507-641	AXIS T91H61 Wall Mount is designed with a built-in RJ45 cable and connection, and spacious compartment for connectivity accessories such as midspans and media converters. The wall mount is impact-resistant (IK10) and weather-resistant (IP66, NEMA 4X) for indoor and outdoor use. The 1.5" NPS thread mount ensures compatibility with all pendant kits for Axis fixed dome cameras.	\$ 175.00
AXIS T91F61 WALL MOUNT STAINLESS STEEL		5506-681	Wall mount for AXIS Q3505-SVE, made of stainless steel.	\$ 399.00
AXIS T91L61 WALL-AND-POLE MOUNT		5801-721	Wall-and-Pole Mount for Axis PTZ and multi-sensor cameras. Built-in Ethernet cable with an IP66 RJ45 connector for quick installation with protection against dust and water. Connect PoE via either RJ45 or IDC (insulation-displacement contact) connectors. Suitable for both indoor and outdoor environments. Separate stainless steel straps required for pole installation.	\$ 99.00
AXIS T91D62 TELESCOPIC PARAPET MNT		5507-271	Made for parapet and wall installations. Telescopic arm with adjustable length between 783 mm (30.1 in) to 1033 mm (40.7 in) for compensating different parapet thicknesses or obstructive elements on the facade of the building. It can Swivel round its own axis 180 degrees, allowing mounting/maintain the camera easily and safely from the rooftop. The mount is intended for outdoor fixed and PTZ dome cameras supporting 1.5" NPS thread. A retrofit mounting bracket (optional accessory) makes it possible to reuse holes drilled for Pelco's PTZ dome parapet mount.	\$ 349.00
AXIS T91D62 ADAPTER MOUNTING BRACKET		5507-501	Retrofit adapter mount bracket for re-using holes drilled from Pelco's PTZ dome parapet mount, or for increasing the attachment area towards the parapet.	\$ 59.00
AXIS T91B62 PARAPET MOUNT		5504-631	Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 189.00
AXIS T91B50 TELESCOPIC CEIL MNT		5507-451	Indoor/outdoor telescopic ceiling mount. Expands between 1 m (39") and 2 m (79"). Features a swivel action to prevent breaking if hit by forklifts or high vehicles. Can be mounted on a sloped ceiling. Accessory extension pipes (Not included) for a maximum length of 5 m (197"). Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 199.00
AXIS T91B51 CEILING MOUNT		5507-461	The indoor/outdoor ceiling mount is ideal for low ceiling installations such as parking houses, with swivel action to prevent breaking if hit. Can be mounted in a sloped ceilings/soffits to compensate angles up to 45 degrees. Available accessory extension pipes (Not included) of 30 cm (12") or 1 meter (39") to enable correct camera height for the specific environment. Compatible with all Axis pendant kits featuring a 1,5" NPS thread and the AXIS T91A05 Camera holder for fixed cameras.	\$ 119.00
AXIS T91B52 EXTENSION PIPE 30 CM		5507-491	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 30 cm (12").	\$ 34.00
AXIS T91B52 EXTENSION PIPE 100 CM		5507-481	Extension pipe for AXIS T91B50 and AXIS T91B51. Length 100 cm (39").	\$ 49.00
AXIS T91B63 CEILING MOUNT		5504-641	Chromated and powder coated aluminum ceiling mount 75 cm / 29.5 inch compatible with fixed dome pendant kits and AXIS P55-series and AXIS Q60-series PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White	\$ 119.00

AXIS T91A64 BRACKET CORNER		5017-641	Corner Bracket. Requires AXIS T91A61 Wall Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	\$ 79.00
AXIS T91D67 POLE MOUNT		5801-711	Chromated and powder coated aluminum pole mount with 1.5" NPS thread for fixed dome pendant kits. Room for cable routing inside. Includes insect-proof cable gasket and 1 pair of stainless steel straps for poles with diameter up to 400mm (15.7"). White in color. Requires mounting tool for straps tensioning (Part no: 21776).	\$ 84.00
AXIS T91A67 MOUNT POLE	EOL	5017-671	Pole Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776	\$ 99.00
AXIS T91C67 POLE BRACKET STAINLESS STEEL		5505-001	Stainless steel pole mount for AXIS Q60-S	\$ 149.00
AXIS T91F67 POLE MOUNT STAINLESS STEEL		5506-691	Pole bracket for AXIS Q35-SVE MkII made of marine-grade stainless steel. Includes 1 pair of straps in marine-grade stainless steel (SS316L). Straps can be tightened with Mounting tool for pole bracket straps (sold separately). Compatible with AXIS T91F61 Wall mount.	\$ 139.00
AXIS T91A6 PIPE SEAL 1PCS		5503-781	Pipe seal for AXIS T91A6, to protect from dust, water and bugs.	\$ 11.00
AXIS T94B02L CHANGE KIT 2P		5801-831	Kit for mounting an AXIS M3044-V/45-V/46-V in AXIS T94B01L Recessed mount. 2pcs	\$ 19.00
AXIS T93C WALL-POLE CONDUIT BACKBOX		5901-421	Aluminum conduit back box for wall or pole mount. Space for outdoor power supply, and electrical connection boxes. Steel straps for pole mount are sold separately. Recommended to use with POWER SUPPLY PS24 240W (not included).	\$ 199.00
AXIS T94A01C ATTACHMENT KIT		5901-301	For attaching AXIS Q61 PTZ network camera to AXIS Q6000-E MkII PTZ network camera.	\$ 99.00
AXIS T94A01D PENDANT KIT		5502-431	Pendant kit for the AXIS Q60-series and AXIS P55 series PTZ Network Cameras, enables mount on standard "1,5" NPT threaded brackets. White.	\$ 49.00
AXIS T94A01F CEILING BRACKET		5506-181	Bracket for mounting an AXIS P56 Series camera in a hard ceiling. For indoor and outdoor installations. 3/4" conduit hole, compatible with ACI adapters.	\$ 29.00
AXIS T94A02F CEILING BRACKET		5801-601	Aluminum ceiling bracket for Axis PTZ cameras and AXSI Q37 Series for indoor or outdoor use. 3/4" conduit hole on the side.	\$ 34.00
AXIS T94A01L RECESSED MOUNT		5505-721	Outdoor recessed mount for AXIS Q60-E cameras. Can be mounted in panels, wood or pre-made holes solid concrete. The mount is very sturdy and made of aluminum and stainless steel. It supports the IK10 impact rating of the camera and has two 3/4" conduit holes for a plenum rated and rodent safe installation.	\$ 249.00
AXIS T94A02L RECESSED MOUNT		5506-171	Outdoor recessed mount for AXIS P56 cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00
AXIS T94A03L RECESSED MOUNT		5506-841	Recessed mount for AXIS P5514/-E and P5515/-E cameras. Also suitable indoor for recessed camera installations in plenum as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00
AXIS T94A04L RECESSED MOUNT		5801-611	Indoor and outdoor recessed mount for AXIS Q61 Series. Suitable indoor for recessed camera installations in air handling spaces as the back box is made of metal and has a 3/4" hole for cable protection conduits.	\$ 139.00
AXIS T94B01D PENDANT KIT	EOL	5503-871	Pendant kit for mounting the camera on 1.5" NPS threaded brackets. The mount includes a Network Cable Coupler Indoor, and is designed with generous space for extra cable slack or other connectivity devices. Compatible with AXIS M3004-V, AXIS M3005-V, and AXIS M30-WV wireless cameras (when Ethernet cable is not used).	\$ 25.00
AXIS T94K02L RECESSED MOUNT	New	01155-001	Indoor recessed mount compatible with mid-size indoor dome cameras such as: AXIS P32-V/-LV, AXIS P33/-V and AXIS Q35-V/-LV series. Suitable for indoor installations in plenum spaces.	\$ 79.00
AXIS T94B02D PENDANT KIT		5507-361	Pendant kit for wall mount or ceiling mount. Compatible with Axis mounting accessories with 1.5" NPS thread. 3/4" threaded pipes can also be used with a nut for securing. Compatible with the small form factor of AXIS M20, M31-LV/-LVE, M30-V/-WV and Companion dome cameras. Single pack.	\$ 29.00

AXIS T94B01L RECESSED MOUNT	EOL	5503-891	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3004-V/5-V	\$ 69.00
AXIS T94B02L RECESSED MOUNT		5507-391	Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$ 69.00
AXIS T94B01M J-BOX/GANG BOX PLATE	EOL	5503-861	Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. An indoor RJ45 network cable coupler is included. Compatible with AXIS M3004/05/44/45/46-V and -WV.	\$ 19.00
AXIS T94B03L RECESSED MOUNT		5801-861	Indoor recessed mount for drop ceiling installations. The aluminum casing makes it suitable for use in air handling spaces. Compatible with AXIS M2025/26 and AXIS Companion Bullet.	\$ 69.00
AXIS T94B02M J-BOX/GANG BOX PLATE		5801-421	Bracket for mounting a camera on a 4" square, 4" octagon, single or double-gang junction box. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$ 24.00
AXIS T94B01P CONDUIT BACK BOX		5507-401	Conduit back box for 1/2" or M20 pipes. Features the 1/2" ACI interface to enable use of ACI adapters. There is an integrated female tripod thread for use of standard camera stands or holders. Compatible with AXIS M3044-V/M3045-V/M3046-V.	\$ 19.00
AXIS T94B01S MNT BRACKET BLACK 10PCS		5504-531	Black mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	\$ 49.00
AXIS T94B01S MNT BRACKET WHITE 10PCS		5503-911	White mount bracket for mounting on standard tripod threading (1/4"-20 UNC) or single-gang junction box. Compatible with AXIS M3004-V/5-V.	\$ 49.00
AXIS T94D01S MT BRACKET FL WT 10PCS		5504-911	White plastic adapter for mounting AXIS P3904-R and AXIS P3905-R on flat surfaces. Does not fit with AXIS P3915-R. Used when the cable must enter from the side. 10 pack.	\$ 29.00
AXIS T94D02S MT BRACKET CU WT 10PCS		5504-921	White plastic adapter for mounting AXIS P3904-R, AXIS P3905-R and AXIS P3915-R on curved surfaces. 10 pack.	\$ 29.00
AXIS T94F01D PENDANT KIT		5503-881	Indoor pendant kit for AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE. to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes. The camera network cable fits into the product and a RJ45 network cable coupler is included.	\$ 39.00
AXIS T94F02D PENDANT KIT		5900-021	Outdoor pendant kit for M3024-LVE/M3025-VE, P14 Series, to enable use of AXIS T91A Brackets or 1.5"(NPT or NPS threaded) pipes.	\$ 39.00
AXIS T94F01L RECESSED MOUNT		5503-901	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3006-V/M3007-PV,AXIS M3024-LVE/M3025-VE/M3026-VE.	\$ 89.00
AXIS T94F02L RECESSED MOUNT		5504-871	Indoor recessed mount for drop ceiling installations. RJ45 network cable coupler included. Compatible with AXIS M3007-P	\$ 89.00
AXIS T94F01M J-BOX/GANG BOX PLATE		5503-921	Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. RJ45 network cable coupler included. Compatible with. Compatible with AXIS M3006/7, AXIS M3024-LVE/3025-VE/3026-VE, P14 Series.	\$ 29.00
AXIS T94F01P CONDUIT BACK BOX		5504-041	Backbox for AXIS M3006-V, AXIS M3007-P/PV, AXIS M3024-LVE/3025-VE/3026-VE/3027-PVE, P14 Series, which enables safe cabling through 1/2" (M20) conduits.	\$ 29.00
AXIS T94F02S MOUNTING BRACKET		5507-131	Standard plastic mounting bracket for AXIS P1405, P1425, P1427, P1428.	\$ 19.00
AXIS T94G01P CONDUIT BACK BOX		5505-181	Back box for 3/4" (M25) conduits/cable protection pipes. Compatible with AXIS Q1765-LE and AXIS Q1931-E.	\$ 29.00
AXIS T94H05L RECESS MOUNT-L	EOL	5504-051	Recessed mount for AXIS P3364-L. For indoor use in drop ceilings installations.	\$ 69.00
AXIS T94H01P CONDUIT BACKBOX		5034-111	Vandal resistant aluminum back box accessory for AXIS P33-V series indoor cameras (except P3301/04) which enables safe cabling through 3/4" conduits.	\$ 39.00
AXIS T94K01D PENDANT KIT		5505-081	Indoor pendant kit for AXIS P32-V Series- AXIS P33-V and AXIS Q3505-V, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 39.00
AXIS T94M02L RECESSED MOUNT	New	01156-001	Outdoor recessed mount for mid-size outdoor dome cameras such as: AXIS P32-VE/-LVE, P33-VE/-LVE and Q35-VE/-LVE series. Suitable for outdoor installations in roof overhangs and soffits. Also suitable for indoor installations in plenum spaces.	\$ 109.00
AXIS T94K01L RECESSED MOUNT		5505-571	Indoor recessed mount compatible with AXIS P32-V Series, AXIS P33-V Series and AXIS Q3505 V.	\$ 79.00

AXIS T94M01D PENDANT KIT		5505-091	Outdoor pendant kit for AXIS Q3505-VE compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 59.00
AXIS T94N01G POLE MOUNT	New	5901-341	Stainless steel pole mount designed for use with heavier Axis products such as positioning cameras and positioning units. IK10. Includes 3pcs stainless steel straps included for pole diameter 60-400mm (2.4-15.7in) and sealing gaskets for multiple cable entries with protection against insect infestation.	\$ 199.00
AXIS T94M01L RECESSED MOUNT		5505-581	Outdoor recessed mount for AXIS P32-VE Series, P33-VE Series and Q3505-VE	\$ 109.00
AXIS T94M02D PENDANT KIT		5507-511	AXIS T94M02D comprises a weather shield and a mounting adapter for AXIS P3707-PE Network Camera. The mounting adapter is compatible with 1.5-inch NPS thread. The kit enables AXIS P3707-PE to mounted on poles, parapets and outer corners using many AXIS T91 mounting accessories.	\$ 99.00
AXIS T94J01A WALL MOUNT	New	5901-331	Aluminum wall mount for Axis positioning cameras and positioning units. Robust and impact-resistant. Compatible with Axis ACI 3/4" conduit adapters, and offers multiple cable entries. Cables can be routed through the back or, by using a conduit connection, from each side or from the bottom. Suitable for indoor and outdoor use.	\$ 199.00
AXIS T94P01B CORNER BRACKET		5504-711	Corner mount for AXIS P5414-E/15-E, AXIS Q1765 LE, AXIS Q1931-E and AXIS P33-VE series.	\$ 79.00
AXIS T94Q01A WALL MOUNT		5505-241	Wall mount compatible with all Axis outdoor fixed box cameras and housings. Corrosion tested according to NEMA 4X, UL listed and IK10 rated.	\$ 44.00
AXIS T94Q01F CEILING AND COLUMN MNT		5507-591	The powder-coated aluminum AXIS T94Q01F for AXIS fixed box outdoor ready cameras and housings, can be used for both ceiling/soffit and column/parapet installations. This allows Axis' fixed camera housings to be mounted under hard surfaces such as ceilings, beams, soffits and canopies. It can also be mounted on pole or column tops, parapets and other horizontal building structures. Re-direction and maintenance of the camera is easy thanks to the swivel arm feature. The cable is routed through the pipe, and is never exposed to weather or potential vandalism. Cable conduits and Axis' conduit adapters (3/4" dimension) are used for cable protection when routed from the side.	\$ 109.00
AXIS T94R01B CORNER BRACKET		5507-601	The powder-coated aluminum AXIS T94R01B Corner Bracket is used for attaching the wall mount of Axis' camera housing to the outer corners of a building. AXIS T94R01B Corner Bracket is compatible with AXIS T91E61 Wall Mount for fixed dome cameras. Small-size fixed dome and bullet-style cameras can also be mounted, thanks to the included and commonly used hole pattern of a single gang junction box.	\$ 59.00
AXIS T94R01P CONDUIT BACK BOX		5505-141	Back box to enable external cable entry or use of cable protection equipment. Hole for 3/4 inch conduits or M25 cable protection pipes. Compatible with AXIS T94Q01A Wall mount, all AXIS M11-E/P13-E/Q16-E/Q1755-E/Q1910-E/21-E/22-E outdoor fixed box camera wall mounts and AXIS T92E Series and AXIS T93E05 Fixed camera housings.	\$ 34.00
AXIS T94S01D PENDANT KIT STAINLESS STEEL		5504-681	Stainless steel pendant kit for AXIS Q60-S with 1.5" NPT female thread.	\$ 129.00
AXIS T94S01L RECESSED MOUNT		5507-671	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-V/-LV series.	\$ 42.00
AXIS T94S01L RECESSED MOUNT 10P		5901-361	Indoor recessed mount for drop ceiling installations. Single-screw ceiling attachment for quick and easy installation. Not suitable for air-handling (plenum) spaces. Compatible with AXIS P32-V/-LV series. 10-pack.	\$ 399.00
AXIS T94T01D PENDANT KIT		5505-871	Outdoor pendant kit for AXIS P32-VE Series, compatible with Axis ceiling-/wall mounts, AXIS T91A67 Pole mount and 1.5" NPS threaded pipes.	\$ 49.00
AXIS T94U01D PENDANT KIT		5506-651	Pendant kit for AXIS Q3505-SVE, without weather shield, mainly for indoor use made of stainless steel.	\$ 379.00
AXIS T94U02D PENDANT KIT		5506-661	Outdoor pendant kit with weather shield for AXIS Q3505-SVE, made of stainless steel.	\$ 419.00
AXIS T94V01D PENDANT KIT		5801-431	Pendant kit for indoor and outdoor use for the AXIS Q36-VE Series compatible with Axis ceiling-/wall-/pole mounts with 1.5" NPS thread.	\$ 89.00

AXIS T94V01L RECESSED MOUNT		5801-441	Recessed mount for indoor and outdoor use for the AXIS Q36-VE Series. The metal back box makes the mount suitable for air handling spaces.	\$ 109.00
AXIS T95A64 BRACKET CORNER		5010-641	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$ 89.00
AXIS T95A67 BRACKET POLE		5010-671	Pole bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	\$ 129.00
VT CEILING BRACKET BALL JOINT WCM5A	EOL	0217-061	Stylish round tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 119.00
VT CEILING BRACKET INT CABLE WCM4A	EOL	0217-051	Stylish round tubing ceiling bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 109.00
VT COLUMN MOUNT BALL JOINT WFWCA	EOL	0217-071	Column mount with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 99.00
VT CORNER MOUNT WCWA	EOL	0217-101	Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 59.00
VT WALLBRACKET BALLJOINT WBJA	EOL	0217-021	Wall bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 24.00
VT WALLBRACKET INTERNA CABLE WBOVA1	EOL	0217-031	Wall bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	\$ 36.00
WALL MOUNT AXIS PS24		5000-011	Metal box to mount AXIS PS24 to a wall.	\$ 79.00
AXIS PS-24 Pole bracket		21764	Outdoor pole mount bracket for PS-24 and AXIS T97A10. Requires the Wall Mount AXIS PS-24 (5000-011) and a mounting tool for straps (21776 or similar).	\$ 45.00
YP3040 WALL BRACKET		5502-471	Wall bracket for YP3040 Pan Tilt Motor. White	\$ 49.00
AXIS WALL BRACKET K		5503-491	Bracket for mounting an AXIS Q87-E on a wall.	\$ 119.00
AXIS COLUMN BRACKET K		5506-411	New improved bracket for mounting an AXIS Q87-E on top of a column/pole or parapet.	\$ 119.00
AXIS T91A03 DIN RAIL CLIP 5PCS		5800-511	The clip, made of steel, enables mounting on a standard 35mm DIN rail. It includes 2 cable ties. Compatible with AXIS T8120/T8133 midspans and AXIS T8604 / T8605 converters. Weight: 17 g (0.6 oz.). 5-pack.	\$ 19.00
AXIS MIDSPAN DIN CLIP A		5503-931	Din clip for AXIS midspan T8123, T8124 and T8125	\$ 19.00
P1204 MOUNTING KIT 5-P		5800-421	Original mounting kit for AXIS P1204. Kit contents: Sensor unit cover skin, bracket, angled bracket and camera holder. 5 pack.	\$ 49.00
P1214/-E MOUNT KIT INC HOUS 5-P		5800-431	Original mounting kit for AXIS P1214/-E. Kit contents: sensor unit housing, flush wall mount bracket. 5 pack.	\$ 99.00
P1214/-E MOUNT KIT EXC HOUS 5-P		5800-461	Mounting kit for AXIS P1204/E. Kit contents: Flush mount wall bracket. 5 pack.	\$ 29.00
STAND M10 SERIES 7CM		5700-481	Plastic stand for the AXIS M10-series	\$ 13.00
DROP CEILING KIT CL AXIS P3346	EOL	5502-781	Drop ceiling mount for AXIS P3346, AXIS P3367-V and AXIS P3384-V including clear bubble. For indoor use	\$ 69.00
DROP CEILING KIT SM AXIS P3346	EOL	5502-791	Drop ceiling mount for AXIS P3346, AXIS P3367-V and AXIS P3384-V including smoked bubble. For indoor use	\$ 69.00
DROP CEILING KIT CL AXIS P3343/4	EOL	5502-361	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including clear transparent bubble. For indoor use	\$ 69.00
DROP CEILING KIT SM AXIS P3343/4	EOL	5502-371	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including smoked transparent bubble. For indoor use	\$ 69.00
AXIS P32/P33 PENDANT KIT	EOL	5502-351	Indoor pendant kit with standard 1.5" NPS thread. Aluminum Compatible with indoor models of AXIS P32 and AXIS P33 fixed dome network camera series. Suitable for use with AXIS T91 mounting accessories with 1.5" pipe threading. Material: Aluminum; Color: Axis white.	\$ 25.00
ACC MOUNTING BRACKET AXIS P3343		5502-401	Mounting plate for AXIS P3343/-V, AXIS P3344/-V, AXIS P3353, AXIS P3354, AXIS P3363-V and AXIS P3364-V. Used when mounted on a single or double gang box.	\$ 29.00
AXIS P33XX-VE 3/4" NPS CONDUIT ADAPTER		5503-711	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	\$ 39.00
AXIS P33XX-VE 3/4" NPS COND ADPT 4P		5503-721	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection. Four complete units.	\$ 144.00
AXIS P33XX-VE 3/4" NPS ADAPT		5503-131	Stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	\$ 29.00

PENDANT KIT AXIS P334X-VE		5502-321	With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE, AXIS P3344-VE, AXIS P3346-VE, AXIS P3363-VE and AXIS P3364-VE, AXIS P3367-VE, AXIS P3384-VE Fixed Dome Network Cameras on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	\$ 49.00
POLE MOUNT BRACKET F		5503-631	Polemount bracket for AXIS T8123-E and AXIS T8124-E outdoor midspans.	\$ 59.00
ADAPTER AXIS 209 TO M31/P39 50 PCS		5503-192	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 PCS	\$ 249.00
AXIS P33XX-VE CABLE COVER 4 PCS		5503-731	Aluminum cable cover for AXIS P33XX-VE cameras. 4 pcs.	\$ 59.00
AXIS ACI COND ADAP 3/4" U-SHAPE 30MM 5PCS		5505-191	Mechanical adapter that provides a U-shaped 30mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS P54-series, AXIS P32-VE Series (requires AXIS ACI Mounting Bracket A), AXIS Q3505-VE, AXIS T91B6X mounts and AXIS AXIS T94R01P Conduit Back Box. 5 pcs.	\$ 24.00
AXIS ACI CONDUIT BRACKET A 5P		5505-971	Cable protection attachment bracket for AXIS P32-VE Series. Compatible with 3/4" Conduits, M25 pipes and AXIS ACI adapters. 5pcs.	\$ 39.00
AXIS ACI CONDUIT BRACKET B 5P		5506-041	Cable protection attachment bracket for AXIS P32-V Series. Compatible with 1/2" Conduits, M20 pipes and AXIS ACI adapters. 5pcs.	\$ 19.00
AXIS ACI CONDUIT ADAPTER 1/2"-3/4" A 2P		5505-541	Step up ACI adapter for attaching 3/4" conduits or M25 pipes to AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 2 pcs	\$ 39.00
PL ADAPTER FLAT L GREY M311X 10 PCS		5503-071	Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	\$ 29.00
AXIS ACI COND ADAP 1/2 " U-SHAPE 20MM 5P		5505-521	Mechanical adapter that provides a U-shaped 20mm wide cable entry for use when a U-shape cable protection is required. The adapter is compatible with AXIS products with a 1/2" conduit interface such as AXIS P32-V series (requires AXIS ACI conduit bracket B) and AXIS Q3505-V. 5 pcs	\$ 19.00
AXIS ACI COND ADAP 1/2"-3/4" NPS 2P		5505-591	Threaded stainless steel step up ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 1/2" conduit interface such as AXIS Q35-V series. 2 pcs	\$ 69.00
AXIS ACI CONDUIT ADAPTER 3/4" NPS 2P		5505-641	Threaded stainless steel ACI adapter for attaching 3/4" NPS conduits to AXIS products with a 3/4" conduit interface such as AXIS Q35-VE series. 2 pcs	\$ 99.00
AXIS F8001 SURFACE MOUNT		5505-791	Bracket to mount and secure an F Series main unit onto a surface. Withstands vibrations and secures all cables to/from the main unit.	\$ 39.00
ACC PL ADAPTER CURVED AXIS M311X 10PCS		5502-551	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	\$ 29.00
AXIS RACK SLIDE RAILS A		5504-781	Rack slides for AXIS Q7920 Video Encoder Chassis	\$ 69.00
AXIS F7315 CABLE WHITE 15M 4PCS		5506-821	AXIS F7315 comes in packs of four. 15-m (49 ft.) white cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit.	\$ 99.00
AXIS F7308 CABLE BLACK 8M 4PCS		5506-921	AXIS F7308 comes in packs of four. 8-m (26 ft.) black cable with an RJ12 contact for connection to an AXIS F1004 Sensor Unit. Used as a spare part for the original cable that comes with AXIS F1004 Sensor Unit.	\$ 39.00
AXIS F8002 DIN RAIL CLIP		5505-801	DIN clip + angled mounting bracket. Allows an AXIS F Series main unit to be mounted on a DIN rail with the short side against the rail to minimize used space. Main unit can be mounted with cables going in any of three directions (up, down or out from the rail).	\$ 39.00
AXIS F8401 CLEAR LENS PROTECTOR 5PCS		5505-841	Lens protection for AXIS F1005-E. The lens protector is screwed onto the threaded front part of the sensor unit to protect the lens. Comes in pack of 5 units.	\$ 79.00
AXIS F8201 VARI-ANGLE MT BRACK 5PCS		5505-811	Mounting bracket for AXIS F1005-E, AXIS F1015 and AXIS 1035-E. Allows the sensor unit to be fixed and angled into various directions to get the desired view. Comes in pack of 5 pcs.	\$ 29.00
AXIS F8202 STRAIGHT MT BRACKET 5PCS		5505-821	Mounting bracket that allows the pinhole sensor unit of AXIS F1025 to be mounted onto a flat surface with the cone being flush with opposite surface. Comes in pack of 5 pcs.	\$ 29.00
AXIS F8203 FIXED MT BRACKET 5PCS		5505-831	Metal bracket for stable mounting of AXIS F1005-E, F1015 and F1035-E. Variety of holes for screws for flexible mounting. Comes in pack of 5 units.	\$ 149.00

AXIS F8204 MOUNTING BAND 10 PCS		5506-571	Stainless steel band for flexible mounting of AXIS F Series Sensor units and AXIS P12 sensor units. Sold in 10-pack. 10 x M20 x 1.5 nuts to lock the band to the sensor unit are included. Works with all AXIS P12 Sensor Units and all AXIS F Series Sensor units except AXIS F1015.	\$ 39.00
AXIS F8206 PINHOLE MT BRACKET 5PCS		5507-621	Mounting bracket that allows AXIS F1004 Pinhole Sensor Unit and the sensor unit for AXIS P1264 to be mounted behind a thin metal/plastic/glass panel. Comes in pack of 5 pcs.	\$ 29.00
AXIS F8211 PINHOLE TRIM RING 10PCS		5507-101	Trim ring for discreet mounting of AXIS F1025 Sensor Unit behind a thin surface. 10 PCS.	\$ 59.00
AXIS F8212 TRIM RING 10PCS		5507-111	Trim ring for discreet mounting of AXIS F1005-E, F1035-E, P1214-E and P1224-E behind a surface. 10 PCS.	\$ 99.00
AXIS F8224 RECESSED MOUNT 4PCS		5506-511	AXIS F8224 Recessed Mount (4 pieces). Recessed mount accessory for use with AXIS F1004 Sensor Unit. Can be mounted in a ceiling.	\$ 59.00
AXIS F8205 BULLET ACCESSORY		5506-211	Bullet-style camera accessory for AXIS F1005-E. AXIS F1005-E provides 113° horizontal FOV. Comes with c-clamp and a stand.	\$ 24.00
AXIS F8215 VARIFOCAL BULLET ACC		5506-221	Varifocal bullet-style camera accessory for AXIS F1015. AXIS F1015 provides 58-108° horizontal FOV. Comes with c-clamp and a stand.	\$ 24.00
AXIS F8225 PINHOLE ACCESSORY		5506-531	Discreet accessory for ceiling mount of AXIS F1025 (pinhole). AXIS F1025 provides 92° horizontal FOV. Used to get overview of rooms or of a door. Can easily be repainted to fit ceiling color.	\$ 39.00
AXIS F8235 FISHEYE ACCESSORY		5506-541	Discreet accessory to mount a AXIS F1035-E in a ceiling. Perfect for overview in small rooms or in parts of a larger room. Can easily be repainted to fit ceiling color.	\$ 39.00
AXIS F9201 SILVER HEIGHT S. HOUSING		5506-271	Height strip housing for use with an AXIS F Series Main Unit and AXIS F1025 Sensor Unit. Can also be used with AXIS P1204 and AXIS P1264. Comes with both a metric and an imperial height strip. Silver aluminium housing.	\$ 99.00
AXIS F9201 BLACK HEIGHT S. HOUSING		5506-261	Height strip housing for use with an AXIS F Series Main Unit and AXIS F1025 Sensor Unit. Can also be used with AXIS P1204 and AXIS P1264. Comes with both a metric and an imperial height strip. Black aluminium housing.	\$ 99.00
AXIS T99A10 24V AC/DC	New	01226-001	High accuracy outdoor positioning unit with AXIS T93F10 camera housing. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC. Recommended for AXIS P13 and Q16 network camera series. Optional wall mount and pole mount accessories available separately.	\$ 1,999.00
YP3040 PAN-TILT MOTOR	New	5901-201	YP3040 PAN TILT MOTOR is a compact positioning unit for use with AXIS fixed and thermal cameras with pan-tilt support. An additional adapter is included for greater product compatibility. Suitable for indoor and outdoor use. IP66-rated. 24VAC input. Recommended to use with AXIS PS24 power supply. YP3040 Wall Bracket is required for wall mount.	\$ 499.00
YP3040 PAN-TILT MOTOR		5502-461	YP3040 PAN TILT MOTOR is a compact PT motor for use with AXIS Q1755 Network Cameras and AXIS Q19 Series Network Thermal Cameras. Indoor and outdoor use. IP66-rated. 24VAC input. Compatible with AXIS T92A Housing and AXIS T92E Housing. YP3040 Wall bracket required. AXIS PS24 recommended.	\$ 499.00

AXIS Q1659 55-250MM F/4-5.6	New	01118-001	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	\$ 5,199.00
AXIS C3003-E NETWORK HORN SPEAKER		0767-001	<p>AXIS C3003-E delivers high sound pressure and clear voice in demanding outdoor environments. The self-contained network speaker installs and powers with a single network cable. It integrates in your video management or VoIP system (SIP) and ensures reliability through the Auto Speaker Test.</p>	\$ 499.00
AXIS C1004-E NETW CAB SPEAKER BLACK		0923-001	<p>AXIS C1004-E Network Cabinet Speaker (black) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.</p>	\$ 549.00
AXIS C1004-E NETW CAB SPEAKER WHITE		0833-001	<p>AXIS C1004-E Network Cabinet Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C1004-E is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.</p>	\$ 549.00
AXIS C2005 NETW CEILING SPEAK WHITE		0834-001	<p>AXIS C2005 Network Ceiling Speaker (white) is an all-in-one speaker system connected with a single network cable. It delivers out-of-the-box-ready high-quality sound without any need for fine-tuning. Background music can be played via the preinstalled AXIS Audio Player application. You can create and schedule your own playlists from an onboard SD card or from audio streaming services. AXIS C2005 is also perfect for voice announcements (scheduled or live calls). The speakers can be zoned together thanks to built-in audio synchronization technology.</p>	\$ 399.00
XF40-Q1765 CSA	Built to order	0835-041	<p>Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-1500. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR-dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.</p>	\$ 6,999.00

XF40-Q1765 -60C CSA	Built to order	0835-051	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to CSA. Certification part code 1410-15-00. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. It supports Onvif, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,599.00
XF40-Q1765 CLCUS	Built to order	0835-141	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to cLCus. Certification part code 1410-15-00. Oxalis housing with 3/4" NPT, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif,WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 6,999.00
XF40-Q1765 -50C UL	Built to order	01111-001	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-15. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,899.00
XF60-Q1765 -50C 110V UL	Built to order	01124-001	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL2410-02. Oxalis explosion-protected housing with three 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps.It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 8,399.00
XF40-Q1765 -60C CLCUS	Built to order	0835-151	Explosion-protected 316L stainless steel fixed network camera certified for hazardous areas according to cLCus. Certification part code 1410-15-00. Oxalis housing with 3/4" NPT, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 7,599.00

XP40-Q1765 -50C UL	Built to order	01113-001	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,699.00
XP40-Q1765 -50C 110V UL	Built to order	01126-001	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to UL. Certification part code Oxalis-UL1410-25/UL2420-01. Oxalis explosion-protected housing with 3/4" NPT cable entries, Axis 1080p HDTV camera inside with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67 rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110VAC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,999.00
XP40-Q1765 CSA	Built to order	0836-041	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 17,499.00
XP40-Q1765 -60C CSA	Built to order	0836-051	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to CSA. Certification part code 1410-25/2420-01. Oxalis housing, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 18,499.00
XP40-Q1765 CLCUS	Built to order	0836-141	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to cLCus. Certification part code 1410-25/2420-01. Oxalis housing with 3/4" NPT, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, WDR- dynamic contrast, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -40°C to +60°C (-40°F to +140°F). Powered by 24 V AC(Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 17,499.00

XP40-Q1765 -60C CLCUS	Built to order	0836-151	Explosion-protected 316L stainless steel PTZ network camera certified for hazardous areas according to cLCUs. Certification part code 1410-25/2420-01. Oxalis housing with 3/4" NPT, Axis 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Continuous 360° pan, ±90° tilt and 64 preset positions. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. It supports Onvif, AXIS Video motion detection and active tampering alarm. IP66 and IP67-rated and operating temperature in -60°C to +40°C (-76°F to +104°F). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 18,499.00
XF60-Q2901 UL 8.3FPS 19MM -50C 110V	Built to order	01135-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. It supports ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 21,799.00
XF40-Q2901 UL 8.3FPS 19MM -50C	Built to order	01133-001	Explosion-protected 316L stainless steel Temperature Alarm Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL1410-TI-50. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Oxalis explosion-protected housing with three 3/4" NPT cable entries and Axis Temperature Alarm camera inside with 336x256 resolution and 17° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in max. resolution at 8.3 fps. Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 20,999.00
XP40-Q1942 UL 8.3FPS 19MM -50C	Built to order	01142-001	Explosion-protected 316L stainless steel PT Thermal Network camera certified for hazardous areas according to UL. Certification part code UL1410-10-TI-50/UL2420-01. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 24 V AC (Power supply not included). Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 29,499.00

XP40-Q1942 UL 8.3FPS 19MM -50C 110V	Built to order	01144-001	Explosion-protected 316L stainless steel PT Thermal Network Camera certified for hazardous areas according to UL. Certification part code OXALIS-UL2410-TI-50. Oxalis explosion-protected housing with two 3/4" NPT cable entries and Axis Thermal Network Camera inside with 640x480 resolution and 32° angle of view. Continuous 360° pan, ±90° tilt and 64 preset positions. At least 3 individual streams in H.264 and Motion JPEG: simultaneous, individually configured streams in maximum resolution at 8.3 fps. It supports Electronic Image Stabilization, Zipstream, ONVIF, Video motion detection and Shock detection. IP66 and IP67-rated and operating temperature in -58°F to +158°F (-50°C to +70°C). Powered by 110 V AC. Includes a removable sunshield and AXIS Surveillance microSDXC™ Card 64 GB.	\$ 29,999.00
AXIS P8804 STEREO SENSOR KIT		01007-001	AXIS P8804 Stereo Sensor Kit provides synched stereo imaging from two AXIS F1004 Sensor Units and an AXIS F34 Main Unit. Using analytics software from an Axis partner, AXIS P8804 enables the creation of a 3D depth map that facilitates precision counting for applications such as people counting, queue management and heat mapping. The kit is designed to be mounted indoors in ceilings—either recessed in a drop ceiling for a discreet installation, or surface-mounted with the included adapter. It is ideal for use, for example, in stores. The main unit is powered with PoE (class 3) or an optional PSU. Sold without analytics SW. The product can currently not be found on axis.com, but is available on Axis' partner pages (http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&mid=4454).	\$ 499.00
AXIS P8535 SILVER IMPERIAL		0711-001	HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a separate main unit. Silver aluminum housing with an imperial height indicator. When mounted on a wall, it serves as an eye-level camera for face identification. WDR – Forensic Capture, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Two-way audio. Power over Ethernet and 8-28 V DC, Input/Output ports and SD card slot for Edge storage.	\$ 799.00
AXIS P8535 BLACK IMPERIAL		0712-001	HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a separate main unit. Black aluminum housing with an imperial height indicator. When mounted on a wall, it serves as an eye-level camera for face identification. WDR – Forensic Capture, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Two-way audio. Power over Ethernet and 8-28 V DC, Input/Output ports and SD card slot for Edge storage.	\$ 799.00
AXIS P8535 SILVER METRIC		0713-001	HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a separate main unit. Silver aluminum housing with a metric height indicator. When mounted on a wall, it serves as an eye-level camera for face identification. WDR – Forensic Capture, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Two-way audio. Power over Ethernet and 8-28 V DC, Input/Output ports and SD card slot for Edge storage.	\$ 799.00
AXIS P8535 BLACK METRIC		0714-001	HDTV 1080p height strip camera with a pinhole sensor unit inside the height strip and a separate main unit. Black aluminum housing with a metric height indicator. When mounted on a wall, it serves as an eye-level camera for face identification. WDR – Forensic Capture, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Two-way audio. Power over Ethernet and 8-28 V DC, Input/Output ports and SD card slot for Edge storage.	\$ 799.00
AXIS M3046-V 1.8MM	New	01116-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed 1.8mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 3 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00

AXIS M1025 BULK 10PCS		0555-024	AXIS M1025 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included.	\$ 2,949.00
AXIS M1045-LW		0812-004	Small, wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$ 229.00
AXIS M1065-L		0811-001	Small, full-featured indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Powered over Ethernet (PoE) or by accessory power supply. Includes wall, corner bracket and table top bracket for easy mounting. Power supply not included.	\$ 279.00
AXIS M1065-LW		0810-004	Small, full-featured wireless indoor cube camera for day & night surveillance. 2.8mm fixed lens with 110° HFOV. Automatic IR cut filter. IR illumination up to 10 meters (33 feet) . Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Built-in microphone and mini-speaker, integrated PIR motion sensor. Connects over wireless LAN (IEEE 802.11a/b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes wall, corner bracket and table top bracket for easy mounting. Power supply included.	\$ 299.00
AXIS M1124		0747-001	HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	\$ 349.00
AXIS M1124 BULK 10PCS		0747-021	AXIS M1124 in 10-pack. Cannot be sold separately as single packs.	\$ 3,449.00
AXIS M1124 BAREBONE		0747-031	AXIS M1124 Barebone. No lens.	\$ 329.00
AXIS M1124-E		0748-001	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight,HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan not included.	\$ 449.00
AXIS M1125		0749-001	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Includes stand. Power supply not included.	\$ 419.00

AXIS M1125 BULK 10PCS		0749-021	AXIS M1125 in 10-pack. Cannot be sold separately as single packs.	\$ 4,149.00
AXIS M1125 BAREBONE		0749-031	AXIS M1125 Barebone. No lens.	\$ 399.00
AXIS M1125-E		0750-001	Outdoor, NEMA 4X, IP66 and IK10-rated, lightweight,HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 3-10.5 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps. WDR – Forensic Capture and Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. I/O for alarm/event handling. MicroSD/MicroSDHC memory card slot for optional local video storage. Power over Ethernet or 8-28 VDC input. Operation in -20°C to +50°C. Powered by IEEE 802.3af midspan. Includes a wall bracket, Torx T20 screw driver and IP66- rated cable glands. Midspan not included.	\$ 519.00
AXIS M1145		0590-001	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	\$ 499.00
AXIS M1145 BULK 10PCS		0590-021	AXIS M1145 in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 4,949.00
AXIS M1145-L		0591-001	HDTV camera for day and night surveillance with varifocal 3-10.5mm P-iris lens. Remote 3.5 x optical zoom and focus with automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p or 2MP resolution at 30 fps. Video motion detection and active tampering alarm and I/O ports. OptimizedIR, a power-efficient LED technology that provides an adaptable angle of IR illumination up to 15 meters (50 feet) MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	\$ 549.00
AXIS M1145-L BULK 10PCS		0591-021	AXIS M1145-L in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 5,449.00
AXIS M2025-LE		0911-001	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 329.00
AXIS M2025-LE BLACK		0988-001	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated Built-in IR illumination and WDR – Forensic Capture. Fixed lens with 115° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 329.00
AXIS M2025-LE BULK 10PCS		0911-021	AXIS M2025-LE in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,249.00
AXIS M2026-LE		0912-001	Day/night, compact and outdoor-ready bullet style HDTV camera, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 399.00

AXIS M2026-LE BLACK		0989-001	Day/night, compact and outdoor-ready bullet style HDTV camera in black color, IP66- and IK08-rated. Built-in IR illumination and WDR. Fixed lens with 130° HFOV. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP / QuadHD resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and corridor format. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F). Midspan not included.	\$ 399.00
AXIS M2026-LE BULK 10PCS		0912-021	AXIS M2026-LE in 10-pack/bulk. Cannot be sold separately as single packs.	\$ 3,949.00
AXIS P1214		0532-001	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00
AXIS P1214 BULK 10 PCS		0532-021	AXIS P1214 in pack of 10 units	\$ 4,949.00
AXIS P1214-E		0533-001	Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00
AXIS P1214-E BULK 10 PCS		0533-021	AXIS P1214-E in pack of 10 units	\$ 4,949.00
AXIS P1224-E		0654-001	Miniature HDTV camera for discreet indoor/outdoor surveillance with 145° horizontal field of view. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	\$ 499.00
AXIS P1244		0896-001	AXIS P1244 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Sensor Unit. The camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Comes with a kit for flush mount installation in ceiling/wall.	\$ 299.00
AXIS P1254		0924-001	AXIS P1254 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Bullet Sensor Unit that enables easy mounting on walls or ceilings and with the ability to tilt and rotate The camera provides HDTV 720p resolution and 102° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance.	\$ 299.00
AXIS P1264		0925-001	AXIS P1264 Network Camera is a modular camera based on a small-sized main unit (AXIS P12 Mk II) and AXIS F1004 Pinhole Sensor Unit that is designed for extremely discreet indoor installations. The camera provides HDTV 720p resolution and 57° horizontal FoV. Supports multiple streams in H.264 and Motion JPEG, Axis' Zipstream technology for lower bandwidth and storage needs, and edge storage using microSD card or NAS. The main unit is powered with PoE. The sensor unit has a pigtail with a detachable cable (8 m/26 ft.) for easy installation and maintenance. Bracket included for mounting behind thin metal, plastic or glass panel.	\$ 299.00

AXIS P1364		0689-001	HDTV 720p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis’ Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	\$ 649.00
AXIS P1364 BULK 10PCS		0689-021	AXIS P1364 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 6,399.00
AXIS P1364-E		0739-001	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 720p, day/night, fixed network camera with CS-mount varifocal 2.8-8.5 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 60 fps. WDR- Forensic Capture Lightfinder and Axis’ Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, intrusion switch, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 899.00
AXIS P1364 BAREBONE		0689-041	AXIS P1364 Barebone. No lens. No power supply.	\$ 549.00
AXIS P1364 BAREB BULK 10PCS		0689-051	AXIS P1364 Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 5,489.00
AXIS P1365 Mk II		0897-001	HDTV 1080p resolution, day/night, fixed camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 60 fps. WDR – Forensic Capture, Lightfinder and Axis’ Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Includes stand with cable management. Power supply not included.	\$ 749.00
AXIS P1365-E Mk II		0898-001	Outdoor, NEMA 4X, IP66/67 and IK10-rated, lightweight, HDTV 1080p, day/night, fixed network camera with CS-mount varifocal 2.8-8 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 60 fps. WDR - Forensic Capture, Lightfinder and Axis’ Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -40°C to +50°C. Powered by IEEE 802.3af midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66/67- rated cable glands. Midspan not included.	\$ 999.00
AXIS P1365 Mk II BULK 10PCS		0897-021	AXIS P1365 Mk II in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 7,399.00
AXIS P1365 Mk II BAREB		0897-041	AXIS P1365 Mk II Barebone. No lens. No power supply.	\$ 649.00
AXIS P1365 Mk II BAREB BULK 10PCS		0897-051	AXIS P1365 Mk II Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 6,489.00

AXIS P1357		0526-001	5MP resolution, day/night, fixed camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Power over Ethernet. Power supply not included.	\$ 899.00
AXIS P1357-E		0530-001	Outdoor, IP66-rated, 5MP, day/night, fixed network camera with varifocal 2.8-8 mm P-iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. WDR- dynamics contrast. Video motion detection and active tampering alarm. Two-way audio. MicroSD/MicroSDHC memory card slot for optional local video storage, serial port for RS422/485 communication. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123/-E High PoE Midspans. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	\$ 1,149.00
AXIS P1357 BULK 10PCS		0526-021	AXIS P1357 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 8,899.00
AXIS P1357 BAREBONE		0526-041	AXIS P1357 Barebone. No lens. No power supply.	\$ 799.00
AXIS P1357 BAREB BULK 10PCS		0526-051	AXIS P1357 Barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 7,989.00
AXIS P1405-LE Mk II		0961-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-10 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 25/30 fps. Video motion detection, active tampering alarm, corridor format, Zipstream technology and WDR – Forensic Capture. microSD/SDHC memory card slot for edge storage. Built-in IR illumination covering up to 10 meters (33 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -10 °C to 50 °C (14 °F to 122 °F).	\$ 599.00
AXIS P1425-LE	EOL	0623-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3 10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR – Dynamic Contrast. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 15 meters (50 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F).	\$ 699.00
AXIS P1425-LE Mk II		0960-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3 10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 20 meters (66 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 140 °F).	\$ 649.00

AXIS P1435-E	EOL	0776-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66 -rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).	\$ 749.00
AXIS P1435-LE		0777-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3 10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 30 meters (100 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).	\$ 749.00
AXIS P1435-LE 22MM		0890-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 10-22 mm P-iris lens . Remote 2 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 50/60 fps. Video motion detection, active tampering alarm, corridor format, Lightfinder, Zipstream technology and WDR – Forensic Capture. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 50 meters (164 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 60 °C (-22 °F to 140 °F).	\$ 749.00
AXIS P1427-E	EOL	0624-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-9.8 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 5 MP resolution at 12.5 fps.Video motion detection, active tampering alarm, corridor format and WDR – Dynamic Contrast. I/O ports, microSD/SDHC memory card slot for edge storage. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F).	\$ 749.00
AXIS P1427-LE		0625-001	Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 2.8-9.8 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 5 MP resolution at 12.5 fps.Video motion detection, active tampering alarm, corridor format and WDR – Dynamic Contrast. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 15 meters (50 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F).	\$ 749.00
AXIS P1428-E		0637-001	Compact and outdoor-ready 4K Ultra HD camera for day and night surveillance, IP66-rated, varifocal 3.3-9.8 mm P-iris lens . Remote 3 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max 8.3 MP/4K Ultra HD resolution at 30 fps.Video motion detection, active tampering alarm and WDR – Dynamic Contrast. I/O ports, microSD/SDHC memory card slot for edge storage. Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F).	\$ 999.00

AXIS Q1604	EOL	0439-001	HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-Iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	\$ 999.00
AXIS Q1604 BULK 10PCS	EOL	0439-021	AXIS Q1604 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 9,849.00
AXIS Q1604-E	EOL	0463-001	Outdoor, IP66-rated HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-Iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Arctic Temperature Control, Operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with High PoE Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,299.00
AXIS Q1604 BAREBONE	EOL	0439-041	AXIS Q1604 Barebone in single pack. No lens. No power supply.	\$ 899.00
AXIS Q1604 BAREB BULK 10PCS	EOL	0439-031	AXIS Q1604 barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 8,989.00
AXIS Q1615 Mk II		0883-001	HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-Iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Power over Ethernet or 8-28 V DC input. Includes stand for wall and ceiling mount. Power supply not included.	\$ 999.00
AXIS Q1615 Mk II BAREBONE		0883-041	AXIS Q1615 Mk II Barebone in single pack. No lens. No power supply.	\$ 899.00
AXIS Q1615-E Mk II		0884-001	Outdoor, NEMA 4X, IP66 and IK10-rated, HDTV, Day/night fixed camera providing WDR – Forensic Capture and Lightfinder for demanding light conditions. Varifocal 2.8-8.5 mm i-CS lens with remote zoom and focus for installation. Support for P-Iris and DC-Iris lenses, multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps second and 720p/1MP resolution at 120 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Scene profiles. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Serial port for RS485/RS422 communication. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,299.00

AXIS Q1635		0661-001	1/2" sensor, day/night, fixed camera with varifocal DC-iris lens and remote back focus, support for P-Iris lenses. Support for multiple, individually configurable H.264 and Motion JPEG streams; HDTV 1080p or 2 MP resolution at 50/60 frames per second. WDR-Forensic Capture and Lightfinder technology for demanding lighting conditions. Electronic image stabilization and a defogging functionality to improve video quality. Video motion detection, active tampering alarm and shock detection. Two-way audio with built-in microphone, audio detection and I/O for alarm/event handling. Serial port for RS485/RS422 communication. Memory card slot for optional local video storage. Power over Ethernet or 8-28 V DC input. Power supply not included.	\$ 1,449.00
AXIS Q1635-E		0674-001	1/2" sensor, outdoor, IP66-rated, HDTV, day/night, fixed camera with varifocal 4.4-10 mm P-Iris lens and remote back focus. Support for DC-iris, multiple, individually configurable H.264 and Motion JPEG streams; HDTV 1080p or 2 MP resolution at 50/60 frames per second. WDR - Forensic Capture and Lightfinder technology for demanding lighting conditions. Electronic image stabilization and a defogging functionality to improve video quality when the camera is subject to vibration. Video motion detection, active tampering alarm and shock detection. Two way audio, audio detection and I/O for alarm/event handling. Serial port for RS485/RS422 communication. Memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to 60°C (-22 °F to 140 °F) when powered by IEEE 802.3af midspan or -40°C to 60°C (-40 °F to 140 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,749.00
AXIS Q1635 BULK 10PCS		0661-021	AXIS Q1635 in 10-pack. Cannot be sold separately as single packs. No power supplies.	\$ 14,349.00
AXIS Q1635 BAREBONE		0661-031	AXIS Q1635 Barebone in single pack. No lens. No power supply.	\$ 1,249.00
AXIS Q1635 BAREB BULK 10PCS		0661-041	AXIS Q1635 barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	\$ 12,489.00
AXIS Q1659 10-22MM F/3.5-4.5		0967-001	Professional photography meets video surveillance AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances. It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes. AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements. > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing	\$ 5,899.00

<p>AXIS Q1659 24MM F/2.8</p>		<p>0962-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 4,999.00</p>
<p>AXIS Q1659 35MM F/2</p>		<p>0963-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 5,999.00</p>
<p>AXIS Q1659 50MM F/1.4</p>		<p>0964-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 5,399.00</p>

<p>AXIS Q1659 85MM F/1.2</p>		<p>0965-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 8,149.00</p>
<p>AXIS Q1659 100MM F/2.8</p>		<p>0966-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 6,499.00</p>
<p>AXIS Q1659 70-200MM F/2.8</p>		<p>0968-001</p>	<p>Professional photography meets video surveillance</p> <p>AXIS Q1659 Network Camera offers ultra-high image resolution for surveillance in superb detail at 8 frames per second, achieving unprecedented levels of detail for observing open spaces and across long distances.</p> <p>It features digital single-lens reflex (DSLR) imaging technology and offers a choice of Canon EF/EF-S lenses, depending on individual user needs. Equipped with an EF lens mount, the camera enables easy lens changes.</p> <p>AXIS Q1659 is compatible with a broad number of video management systems, and it supports Zipstream that significantly reduces bandwidth and storage requirements.</p> <ul style="list-style-type: none"> > 20 MP resolution > Canon EF mount and EF/EF-S lenses > Axis' Zipstream technology > PoE and SFP slot for optional fiber connectivity > Optional accessory housing 	<p>\$ 8,399.00</p>
<p>AXIS Q1765-LE</p>		<p>0509-001</p>	<p>Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. Two way audio and I/O with multi-connector cable (not included). MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield, integrated wall/ceiling mount. Power supply or midspan not included.</p>	<p>\$ 1,399.00</p>

AXIS Q1765-LE PTMOUNT		0644-001	Outdoor, IP66 and NEMA 4X-rated, 1080p HDTV camera with 18x optical zoom, auto focus and day/night mode. Integrated IR LED illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 25/30 fps. WDR- dynamic contrast. Video motion detection and active tampering alarm. Serial port supporting RS422/485 communication for connection to a pan-tilt motor. MicroSD/MicroSDHC memory card slot for optional local video storage. Operation in -40°C to +50°C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes a removable sunshield. Power supply, midspan or pan-tilt motor not included.	\$ 1,399.00
AXIS Q1775		0751-001	1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SDHC/SDXC memory card slot for optional local video storage. Operation in 0 °C to +50 °C. Powered by PoE (IEEE 802-3af), 8-28 V DC or 20-24 V AC. Includes stand for wall or ceiling mount. Power supply not included.	\$ 1,299.00
AXIS Q1775-E		0752-001	Outdoor, IP66- and NEMA 4X-rated, 1080p HDTV camera with 10x zoom, auto focus and day/night mode. Multiple, individually configurable H.264 and Motion JPEG streams; max. HDTV 1080p resolution at 50/60 fps. WDR-Dynamic Capture (130dB@ 30 fps and 90dB@ 60 fps). Video motion detection, Gatekeeper functionality and active tampering alarm. Two way audio in 48KHz, I/O and serial port for RS485/RS422 communication. SD/SDHC/SDXC memory card slot for optional local video storage. Arctic Temperature Control, operation in -30°C to 50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40 °C to 50 °C (-40 °F to 122 °F) with PoE+ Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	\$ 1,599.00
AXIS Q1941-E 7MM 30 FPS		0786-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E 7MM 8.3 FPS		0782-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E 13MM 30 FPS		0787-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00

AXIS Q1941-E 13MM 8.3 FPS		0783-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E 19MM 30 FPS		0877-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E 19MM 8.3 FPS		0876-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E 35MM 30 FPS		0788-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00
AXIS Q1941-E 35MM 8.3 FPS		0784-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00
AXIS Q1941-E 60MM 30 FPS		0789-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00

AXIS Q1941-E 60MM 8.3 FPS		0785-001	Outdoor thermal network camera for wall and ceiling mount, 384x288 resolution, 8.3 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00
AXIS Q1941-E PT MOUNT 7MM 30 FPS		0973-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E PT MOUNT 7MM 8.3 FPS		0969-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 7 mm lens with 55° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E PT MOUNT 13MM 30 FPS		0974-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E PT MOUNT 13MM 8.3 FPS		0970-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 13 mm lens with 28° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E PT MOUNT 19MM 30 FPS		0979-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00

AXIS Q1941-E PT MOUNT 19MM 8.3 FPS		0978-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 19 mm lens with 19.4° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 2,799.00
AXIS Q1941-E PT MOUNT 35MM 30 FPS		0975-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00
AXIS Q1941-E PT MOUNT 35MM 8.3 FPS		0971-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 35 mm lens with 10.7° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 3,799.00
AXIS Q1941-E PT MOUNT 60MM 30 FPS		0977-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 30 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00
AXIS Q1941-E PT MOUNT 60MM 8.3 FPS		0972-001	Outdoor Thermal Network Camera for positioning unit, 384x288 resolution, 8.3 fps, and 60 mm lens with 6.2° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,299.00
AXIS Q1942-E 10MM 30 FPS		0916-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00

AXIS Q1942-E 10MM 8.3 FPS		0915-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E 19MM 30 FPS		0918-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E 19MM 8.3 FPS		0917-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 19 mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E 35MM 30 FPS		0920-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00
AXIS Q1942-E 35MM 8.3 FPS		0919-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 35 mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00
AXIS Q1942-E 60MM 30 FPS		0922-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 30 fps, and 60 mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00

AXIS Q1942-E 60MM 8.3 FPS		0921-001	Outdoor thermal network camera for wall and ceiling mount, 640x480 resolution, 8.3 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, audio, I/O ports and local storage. It includes Video motion detection, audio detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, IP67, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00
AXIS Q1942-E PT MOUNT 10MM 30 FPS		0981-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E PT MOUNT 10MM 8.3 FPS		0980-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 10mm lens with 63° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E PT MOUNT 19MM 30 FPS		0983-001	Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E PT MOUNT 19MM 8.3 FPS		0982-001	Q1942-E PT mount 19mm Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 19mm lens with 32° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 4,999.00
AXIS Q1942-E PT MOUNT 35MM 30 FPS		0985-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00

AXIS Q1942-E PT MOUNT 35MM 8.3 FPS		0984-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 35mm lens with 17° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 5,999.00
AXIS Q1942-E PT MOUNT 60MM 30 FPS		0987-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 30 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00
AXIS Q1942-E PT MOUNT 60MM 8.3 FPS		0986-001	Outdoor Thermal Network Camera for positioning unit. 640x480 resolution, 8.3 fps, and 60mm lens with 10° angle of view. It supports Electronic Image Stabilization, Zipstream, ONVIF, H.264, PoE and local storage. It includes Video motion detection, shock detection and support for AXIS Camera Application Platform enabling installation of AXIS Perimeter Defender and third-party applications. IP66, NEMA 4X rated and UL listed. This product is subject to export control regulations. You should always consult and comply with the regulations of the appropriate local export control authorities.	\$ 7,499.00
AXIS Q2901-E 9MM 8.3 FPS		0645-001	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$ 5,199.00
AXIS Q2901-E PTMOUNT 9MM 8.3 FPS		0646-001	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 35° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$ 5,199.00
AXIS Q2901-E 19MM 8.3 FPS		0647-001	AXIS Q2901-E Temperature alarm camera for wall and ceiling mount, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, audio, local storage, I/O, PoE, shock detection, AXIS Video Motion Detection 3.0, audio detection and AXIS Camera Application Platform.	\$ 5,199.00

AXIS Q2901-E PTMOUNT 19MM 8.3 FPS		0648-001	AXIS Q2901-E PT Mount Temperature alarm camera ready for pan/tilt motor head, IP66-rated, 336x256 resolution, 8.3 fps, and 17° angle of view. The product contains U.S.-origin controlled technology/component, the US Export Administration Regulations (EAR) are always applicable to the product. You should comply at all times with all applicable national and international (re-) export control regulations. Six temperature alarm zones, isothermal palettes and spot temperature. It supports ONVIF, H.264, local storage, RS422/RS485, PoE, shock detection, AXIS Video Motion Detection 3.0, and AXIS Camera Application Platform.	\$ 5,199.00
AXIS F34 MAIN UNIT		0778-001	AXIS F34 Main Unit. 4-channel main unit to be used with any of AXIS F Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Supports edge storage through NAS or SD cards (optional). Two SD card slots. Power over Ethernet or 8-28 V DC input. Power supply not included.	\$ 399.00
AXIS F41 MAIN UNIT		0658-001	AXIS F41 Main Unit. To be used with any of AXIS F Series Sensor Units. Supports full HDTV 1080p and WDR - Forensic Capture. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD card (optional). PoE and 8-28 V DC support.	\$ 449.00
AXIS F44 DUAL AUDIO INPUT		0936-001	AXIS F44 Dual Audio Input Main Unit. 4-channel main unit to be used with any of AXIS F Series Sensor Units. Supports 1080p in 15/12.5 fps or 720p in full frame rate. Two way audio, 4 configurable I/Os with 12 V output and RS232. Supports Edge Storage through NAS or SD cards (optional). Two SD card slots. PoE and 8-28 V DC support. Comes with a stereo-to-mono adapter cable that allows two audio inputs. This article replaces AXIS F44 Main Unit (0659-00x) and the US version of AXIS F44 Dual Audio Input (0936-004).	\$ 549.00
AXIS F1004 SENSOR UNIT		0765-001	AXIS F1004 Sensor Unit with a fixed lens. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. A flush ceiling/wall mount kit is included.	\$ 99.00
AXIS F1004 BULLET SENSOR UNIT		0935-001	AXIS F1004 Bullet Sensor Unit with a fixed lens. Bullet-style mechanics enabling easy mounting on walls or ceilings and with the ability to tilt and rotate. Provides HDTV 720p and 102° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit.	\$ 119.00
AXIS F1004 PINHOLE SENSOR UNIT		01003-001	AXIS F1004 Pinhole Sensor Unit. Pinhole lens for extremely discreet surveillance. Provides HDTV 720p and 57° horizontal FOV. Pigtail for a detachable 8-m (26-ft.) cable for connecting to an AXIS F Main Unit. Comes with a mounting bracket for the sensor unit.	\$ 119.00
AXIS F34 SURVEILLANCE SYSTEM		0779-004	AXIS F34 Surveillance System. Includes one AXIS F34 Main Unit, 4 x AXIS F1004 Sensor Units, 4 x AXIS F8214 Dome Accessory, 4 x AXIS F8224 Recessed Mount, 4 x AXIS F7315 Cable White 15 m (49 ft) for connecting sensor units to the main unit and 2 x AXIS Surveillance microSDXC card 64 GB. Comes with a power supply.	\$ 799.00
AXIS F1005-E SENSOR UNIT 3M		0675-001	AXIS F1005-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 249.00
AXIS F1005-E SENSOR UNIT 12M		0676-001	AXIS F1005-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 269.00
AXIS F1015 SENSOR UNIT 3M		0677-001	AXIS F1015 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 279.00

AXIS F1015 SENSOR UNIT 12M		0678-001	AXIS F1015 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Vari-focal lens that provides 53° - 108° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 299.00
AXIS F1025 SENSOR UNIT 3M		0735-001	AXIS F1025 Sensor Unit with a 3 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$ 249.00
AXIS F1025 SENSOR UNIT 12M		0734-001	AXIS F1025 Sensor Unit with a 12 meter cable to the main unit. To be used with AXIS F Series Main Units. Pinhole lens that provides 92° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8202 Straight Mounting Bracket.	\$ 269.00
AXIS F1035-E SENSOR UNIT 3M		0737-001	AXIS F1035-E Sensor Unit with a 3 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 249.00
AXIS F1035-E SENSOR UNIT 12M		0736-001	AXIS F1035-E Sensor Unit with a 12 meter cable to the main unit. IP66 rated. To be used with AXIS F Series Main Units. Fisheye lens that provides 194° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit. Includes one AXIS F8201 Vari-angle Mounting Bracket.	\$ 269.00
AXIS F4005-E DOME SENSOR UNIT		0775-001	AXIS F4005-E Dome Sensor Unit with a 12-meter (39-feet) cable to an AXIS F Series Main Unit. Comes with a clear dome cover and damask at the back that makes it IK09 and IP66 rated. Fixed lens that provides 110° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$ 289.00
AXIS F4005 DOME SENSOR UNIT		0798-001	AXIS F4005 Dome Sensor Unit with a 12-meter (39-feet) cable to an AXIS F Series Main Unit. Recessed dome without a clear dome cover. Fixed lens that provides 113° horizontal FOV. Full HDTV 1080p resolution and support for WDR - Forensic Capture together with AXIS F41 Main Unit.	\$ 279.00
AXIS F8804 STEREO SENSOR UNIT		0948-001	AXIS F8804 Stereo Sensor Unit is made up of two AXIS F1004 Sensor Units and provides synchronized stereo imaging when used with an AXIS F34 or AXIS F44 Main Unit. When combined with analytics software from an Axis partner, the units enable the creation of a three-dimensional depth map that facilitates precision counting for applications such as people counting, queue management and heat mapping. The stereo sensor unit is designed to be mounted indoors in ceilings – either recessed in a drop ceiling for a discreet installation, or surface-mounted with the included adapter. It is ideal for use, for example, in stores. The product can currently not be found on axis.com, but is available on Axis' partner pages (http://www.axis.com/partner_pages/news_prod_tech.php?t=cv&mid=4454).	\$ 229.00
AXIS FA54 MAIN UNIT		0878-004	AXIS FA54 is a modular camera Main Unit and can stream full frame rate HDTV 1080p videos from four sensor units simultaneously using one IP address. It has an HDMI port for connection to a surveillance or public view monitor, Forensic WDR (wide dynamic range) that is optimized for low light and motion, Axis Zipstream, two microphone inputs and one audio out, I/O port and two micro SD card slots for local storage.	\$ 449.00
AXIS FA1105 SENSOR UNIT		0913-001	AXIS FA1105 is a discreet indoor sensor unit with 111° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a small hole visible for the lens. AXIS FA1105 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 139.00

AXIS FA1125 SENSOR UNIT		0914-001	AXIS FA1125 is an extremely discreet indoor, pin hole lens, Sensor Unit with a 91° horizontal field of view, for use with an AXIS FA Main Unit. It can be installed in tight places and flush-mounted in a wall, ceiling or metal panel with only a pinhole visible for the lens. AXIS FA1125 provides a 1080p resolution and Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8 m (26 ft.) cable for connection to a main unit.	\$ 149.00
AXIS FA4115 SENSOR UNIT		01001-001	AXIS FA4115 is a compact varifocal dome sensor unit with 53° to 99° horizontal field of view for use with an AXIS FA Main Unit. AXIS FA4115 provides a 1080p resolution a Forensic WDR (wide dynamic range) that is optimized for low light and motion. The unit comes with a mounting bracket and an 8-m (26 ft.) cable for connection to a main unit.	\$ 179.00
AXIS M3047-P	New	0808-001	Ultra-compact, indoor fixed mini dome with 6 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 30 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.	\$ 469.00
AXIS M3014		0285-001	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet. Midspan not included.	\$ 349.00
AXIS M3014 BULK 10PCS		0285-021	AXIS M3014 in 10-pack. Cannot be sold separately as single packs. No Midspans	\$ 3,439.00
AXIS M3044-V		0802-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 199.00
AXIS M3044-WV		0803-004	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.	\$ 229.00
AXIS M3045-V		0804-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 269.00
AXIS M3045-WV		0805-004	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Power supply included.	\$ 299.00

AXIS M3048-P	New	01004-001	Ultra-compact, indoor fixed mini dome with 12 MP sensor, fixed lens and tamper-resistant casing for easy mounting on wall or ceiling. Provides 360°/180° overview in up to 30 fps and dewarped panorama, quad, corner, corridor or digital PTZ views in up to 15 fps. Multiple, individually configurable H.264 and Motion JPEG streams. Client dewarping also supported. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. HDMI output (micro). Memory card slot for optional local video storage. Environment-friendly, PVC-free with recycled plastics. Power over Ethernet. Midspan not included.	\$ 669.00
AXIS M3046-V		0806-001	Ultra-compact, indoor fixed mini dome with dust- and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP at 30 fps with WDR. HDMI output (micro). Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00
AXIS M3007-P		0543-001	Ultra-discreet, smoke detector-like indoor fixed mini dome with tamper-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. The camera comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet for easy installation. Midspan not included.	\$ 549.00
AXIS M3007-PV		0515-001	Compact, indoor fixed mini dome with dust- and vandal-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Easy mounting on wall or ceiling. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	\$ 549.00
AXIS P3227-LV	New	0885-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 779.00
AXIS P3227-LVE	New	0886-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 5 MP at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 899.00
AXIS M3024-LVE		0535-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens and built-in IR illumination. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included	\$ 549.00

AXIS M3025-VE		0536-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	\$ 549.00
AXIS M3026-VE		0547-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation. Fixed, 106° lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps or 3 MP resolution at 20 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	\$ 649.00
AXIS M3027-PVE		0556-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.	\$ 749.00
AXIS M3037-PVE		0548-001	Compact, day/night fixed mini dome in a vandal-resistant casing for outdoor or indoor installation, offering 360°/270°/180° panoramic views as well as quad and digital PTZ views. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. Two-way, echo-free audio communication with built-in microphone and speaker. SIP support for IP phone system integration. Memory card slot for optional local video storage. Video motion detection, active tampering alarm and I/O for alarm/event handling. Comes with a 2 m (6.6 ft.) cable with a male RJ-45 network connector and is powered using Power over Ethernet. Midspan not included.	\$ 799.00
AXIS M3104-L		0865-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 249.00
AXIS M3104-LVE		0866-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 299.00
AXIS M3105-L		0867-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 319.00
AXIS M3105-LVE		0868-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and WDR – Forensic Capture. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 369.00

AXIS M3106-L		0869-001	Day/night, compact mini dome with flat-faced design for indoor use. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 419.00
AXIS M3106-LVE		0870-001	Day/night, compact mini dome in a vandal-resistant, outdoor-ready, flat-faced design. Built-in IR illumination and fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max 4 MP resolution at 30 fps with WDR. Axis' Zipstream technology for reduced bandwidth and storage needs. Memory card slot for optional local video storage. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	\$ 469.00
AXIS P3214-V	EOL	0612-001	Day/night fixed dome with a discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 499.00
AXIS P3215-V	EOL	0614-001	Day/night fixed dome with a discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max full HDTV 1080p/2MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 599.00
AXIS P3224-V MKII		0950-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 419.00
AXIS P3224-LV MKII		0990-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 2.8-10 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 499.00
AXIS P3225-V MKII		0952-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 499.00

AXIS P3225-VE MKII		0953-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 619.00
AXIS P3225-LV MKII		0954-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust and IK08 vandal-resistant indoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 579.00
AXIS P3228-LV	New	0887-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. Discreet, dust- and IK08 vandal-resistant indoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 979.00
AXIS P3228-LVE	New	0888-001	Day/night fixed dome with support for Forensic WDR, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3.5-10 mm P-Iris lens with remote zoom and focus simplifying the installation. Multiple, individually configurable H.264 and Motion JPEG streams. 4K (8MP) at 30 fps with WDR. Zipstream for reduced bandwidth and storage. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,099.00
AXIS S9101	New	01173-004	Compact Desktop Terminal with micro form factor to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, international keyboard and mouse.	\$ 1,399.00
AXIS S9201	New	01174-004	All-in-one Desktop Terminal with a 22 inch monitor for system overview, to be used with AXIS S1032 or AXIS S1048 recording servers. The terminal is preloaded with AXIS Camera Station software and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, as well as a universal keyboard and a computer mouse.	\$ 1,899.00
EXT. WARRANTY AXIS M3046-V 1.8MM	New	01116-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 23.00

AXIS P3354 12MM		0467-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 599.00
AXIS P3354 6MM		0465-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 599.00
AXIS P3364-V 12MM		0471-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 699.00
AXIS P3364-V 6MM		0481-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 699.00
AXIS P3364-LV 12MM		0486-001	Light-sensitive, day/night fixed dome in a discreet, vandal-resistant indoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included.	\$ 799.00
AXIS P3364-LV 6MM		0485-001	Light-sensitive, day/night fixed dome in a discreet, vandal-resistant indoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included.	\$ 799.00
AXIS P3384-V		0511-001	Day/night fixed dome with support for WDR – dynamic capture in a discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 899.00

AXIS P3364-VE 12MM		0484-001	Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.	\$ 899.00
AXIS P3364-VE 6MM		0482-001	Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.	\$ 899.00
AXIS P3364-LVE 12MM		0473-001	Light-sensitive, day/night fixed dome in a vandal-resistant, outdoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes 5m Ethernet cable with mounted gasket.	\$ 999.00
AXIS P3364-LVE 6MM		0476-001	Light-sensitive, day/night fixed dome in a vandal-resistant, outdoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes 5m Ethernet cable with mounted gasket.	\$ 999.00
AXIS P3384-VE		0512-001	Day/night fixed dome with support for WDR – dynamic capture in a vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.	\$ 1,099.00
AXIS P3365-V		0586-001	Day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max full HDTV 1080p/2MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 799.00

AXIS P3365-VE		0587-001	Day/night fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max full HDTV 1080p / 2MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	\$ 999.00
AXIS P3367-V		0406-001	5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	\$ 999.00
AXIS P3367-VE		0407-001	5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	\$ 1,199.00
AXIS P3904-R		0640-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 720p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 449.00
AXIS P3904-R BULK 10 PCS		0640-021	AXIS P3904-R (RJ45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 4,265.00
AXIS P3904-R BULK 50 PCS		0640-031	AXIS P3904-R (RJ45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 21,299.00
AXIS P3904-R M12		0638-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 720p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 449.00
AXIS P3904-R M12 BULK 10 PCS		0638-021	AXIS P3904-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 4,265.00
AXIS P3904-R M12 BULK 50 PCS		0638-031	AXIS P3904-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 21,299.00
AXIS P3905-R		0641-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 549.00
AXIS P3905-R BULK 10 PCS		0641-021	AXIS P3905-R (RJ-45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,215.00
AXIS P3905-R BULK 50 PCS		0641-031	AXIS P3905-R (RJ-45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 25,999.00
AXIS P3905-R M12		0639-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 549.00

AXIS P3905-R M12 BULK 10 PCS		0639-021	AXIS P3905-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,215.00
AXIS P3905-R M12 BULK 50 PCS		0639-031	AXIS P3905-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 25,999.00
AXIS P3915-R		0643-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. Audio-in and I/O. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 599.00
AXIS P3915-R BULK 10 PCS		0643-021	AXIS P3915-R (RJ-45) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,690.00
AXIS P3915-R BULK 50 PCS		0643-031	AXIS P3915-R (RJ-45) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 28,399.00
AXIS P3915-R M12		0642-001	Fixed dome mobile surveillance camera with rugged design. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. Audio-in and I/O. microSD card slot for Edge storage support. Includes lens tool and top cover tool. Midspan not included.	\$ 599.00
AXIS P3915-R M12 BULK 10 PCS		0642-021	AXIS P3915-R (M12) in 10-pack/bulk. No midspans or mounting adapters included.	\$ 5,690.00
AXIS P3915-R M12 BULK 50 PCS		0642-031	AXIS P3915-R (M12) in 50-pack/bulk. No midspans or mounting adapters included.	\$ 28,399.00
AXIS P3905-RE		0662-001	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool.	\$ 649.00
AXIS P3905-RE BULK 10PCS		0662-021	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. Male RJ-45 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. 10 PCS.	\$ 6,299.00
AXIS P3905-RE M12		0663-001	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool.	\$ 649.00
AXIS P3905-RE M12 BULK 10PCS		0663-021	Fixed dome mobile surveillance camera for outdoors use on buses, trams, trucks and emergency vehicles. IP69K and IK09 rated. Fixed 6 mm lens providing 55° horizontal FOV. Flat, discreet and tamper-resistant casing. Supports H.264 and Motion JPEG streams; max 1080p resolution at 30/25 fps. Video motion detection and active tampering alarm. M12 network connector, Power over Ethernet. microSD card slot for Edge storage support. Includes lens tool and top cover tool. 10 PCS.	\$ 6,299.00
AXIS Q3504-V		0665-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust- and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 799.00

AXIS Q3504-VE		0667-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 720p at 30 fps with WDR, and up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 949.00
AXIS Q3505-V 9MM MkII		0872-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 899.00
AXIS Q3505-V 22MM	EOL	0617-001	Day/night fixed dome with support for WDR – Forensic Capture in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps. Electronic image stabilization. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 999.00
AXIS Q3505-V 22MM MkII		0873-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in a discreet, dust and IK10 vandal-resistant indoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 999.00
AXIS Q3505-VE 9MM MkII		0874-001	Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.	\$ 1,049.00

<p>AXIS Q3505-SVE 9MM MKII</p>		<p>0773-001</p>	<p>Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 3-9 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.</p>	<p>\$ 1,349.00</p>
<p>AXIS Q3505-VE 22MM</p>	<p>EOL</p>	<p>0619-001</p>	<p>Day/night fixed dome with support for WDR – Forensic Capture in an IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p/2MP resolution at up to 60 fps. Electronic image stabilization. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and weather shield against sun, rain or snow.</p>	<p>\$ 1,149.00</p>
<p>AXIS Q3505-SVE 22MM MKII</p>		<p>0774-001</p>	<p>Day/night fixed dome in a stainless steel (marine-grade SS 316L) outdoor casing with nylon dome cover, offering high corrosion resistance and IK10+ (50 joules) vandal resistance. Support for WDR – Forensic Capture and Lightfinder. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in extended temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.</p>	<p>\$ 1,449.00</p>
<p>AXIS Q3505-VE 22MM MkII</p>		<p>0875-001</p>	<p>Day/night fixed dome with support for WDR – Forensic Capture and Lightfinder in an IK10+ vandal-resistant outdoor casing. Varifocal 9-22 mm P-Iris lens with remote zoom and focus for installation or monitoring. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p video at 30 fps with WDR, and 1080p at up to 60 fps or 720p at up to 120 fps with WDR disabled. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. Electronic image stabilization. Memory card slot for optional local video storage. Operation in -50 °C to 60 °C (-58 °F to 140 °F) powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall or junction boxes and weather shield against sun, rain or snow.</p>	<p>\$ 1,149.00</p>

AXIS Q3615-VE		0743-001	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; HDTV 1080p at up to 60 fps. Zipstream for reduced bandwidth and storage. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.	\$ 1,349.00
AXIS Q3617-VE		0744-001	Day/night fixed dome with 1/2" sensor, providing WDR – Forensic Capture and Lightfinder for demanding light conditions. IK10 vandal-resistant outdoor casing. Pan/tilt/roll/zoom for remote installation and readjustment. Motorized varifocal 4.1-9 mm P-Iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; up to 4MP @ 30 fps with WDR, 6 MP @ 20 fps without WDR. Zipstream for reduced bandwidth and storage needs. Video motion detection, shock detection and active tampering alarm. Electronic image stabilization. Memory card slot for optional local video storage. Operation in wide temperature range powered by standard Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes and substantial weather shield against sun, rain or snow.	\$ 1,549.00
AXIS P3707-PE		0815-001	Flexible multisensor fixed camera with four 1080p sensors. The lenses can be adjusted to provide a 108° to 54° horizontal field of view for either a wide, panoramic view, or detailed, zoomed-in views. The lenses can be rotated to support vertically oriented scenes in Axis' Corridor Format. Supports individually configurable video streams from each camera head, as well as quad view streaming, enabling 4x 1080p resolution videos at 12.5/15 fps or 4x 720p resolution videos at full frame rate. Axis' Zipstream technology is supported to lower bandwidth and storage requirements. PoE Class 2.	\$ 1,199.00
AXIS Q3708-PVE		0801-001	180° multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. 3 x QHD resolution, up to 15MP total in 4:3 format. WDR Forensic Capture, Zipstream and one single IP address. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$ 1,999.00
AXIS Q3709-PVE		0664-001	Multi-sensor, day/night fixed dome in an IK10 vandal-resistant outdoor casing. Fixed focal, multi-megapixel lenses, focused from factory. Multiple, individually configurable H.264 and Motion JPEG streams; high-quality 4K video in 30 fps from each of 3 sensors and up to 33 MP resolution in total, together providing a 180° view. Video motion detection and active tampering alarm. Operation in wide temperature range powered by standard Power over Ethernet Plus. Midspan not included. Designed for pendant or wall mount arm with same bayonet joint interface as Axis' PTZ domes. Includes weather shield against sun, rain or snow, easily repaintable to blend in with the environment.	\$ 2,399.00
AXIS Q8414-LVS METAL		0709-001	AXIS Q8414-LVS Network Camera Metal is a brushed stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5–6 mm, 105°–49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$ 1,299.00

AXIS Q8414-LVS WHITE		0710-001	AXIS Q8414-LVS Network Camera White is a powder coated stainless steel indoor corner camera with an anti-grip/anti-ligature design to prevent self-harm. Ideal for correctional facilities and psychiatric wards. It supports IK10+ 50 joules impact rating. It is IP66- and NEMA 4X-rated for easy and safe cleaning. Superb images day and night with Lightfinder technology and has built-in invisible IR LED (940 nm). It delivers HDTV 720p or 1.3 Megapixel video, supporting a lens with: P-Iris, varifocal 2.5-6 mm, 105°-49° horizontal angle of view, F1.2. It offers 3 masks and I/O ports. Built-in surface mounted high quality microphone.	\$ 1,299.00
AXIS 214 PTZ 60HZ	EOL	0246-004	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.	\$ 1,299.00
AXIS Q8631-E 24V AC 35MM 8.3 FPS	EOL	0722-001	High speed and precision PT-head design thermal PT camera with 384x288 thermal imaging resolution. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 6,999.00
AXIS Q8631-E 24V AC 35MM 30 FPS	EOL	0725-001	High speed and precision PT-head design thermal PT camera with 384x288 thermal imaging resolution. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 6,999.00
AXIS Q8631-E 120V AC 35MM 30 FPS	EOL	0727-001	High speed and precision PT-head design thermal PT camera with 384x288 thermal imaging resolution. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 120V AC.	\$ 6,999.00
AXIS Q8632-E 120V AC 35MM 30 FPS	EOL	0733-001	High speed and precision PT-head design thermal PT camera with 640x480 thermal imaging resolution. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 120V AC.	\$ 10,999.00
AXIS Q8632-E 24V AC 35MM 8.3 FPS	EOL	0728-001	High speed and precision PT-head design thermal PT camera with 640x480 thermal imaging resolution. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 10,999.00
AXIS Q8685-E 24V AC/DC		0862-001	High accuracy outdoor PTZ positioning camera. HDTV 1080p video, 30x optical zoom, focus recall, extreme light sensitivity and Axis Zipstream. Responsive absolute positioning with high-speed and ultra-smooth pan and tilt capabilities. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC.	\$ 3,599.00
AXIS Q8685-LE 24V AC/DC		0864-001	High accuracy outdoor PTZ positioning camera with IR illuminators. HDTV 1080p video, 30x optical zoom, built-in IR pass filter for sharper images in mixed lighting conditions. IR range up to 500m. Integrated long-life silicone wiper for remote maintenance, and integrated SFP slot for long-distance fiber connection. IK10, IP66, NEMA 4X rated and UL listed. Ready for column-mount. Powered by 24 V AC/DC.	\$ 5,199.00
AXIS M5013		0398-001	Ceiling-mount mini PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	\$ 449.00
AXIS M5013-V		0552-001	Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included.	\$ 549.00

AXIS M5014		0399-001	Ceiling-mount mini PTZ dome camera with HDTV 720p resolution, 16:9 format and 3x digital zoom.1280x720 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	\$ 499.00
AXIS M5014-V		0553-001	Vandal resistant IP66- and IK10-rated. Hard ceiling-mount PTZ dome camera with HDTV 720p resolution and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. Only PoE, midspan not included.	\$ 599.00
AXIS P5414-E 60HZ		0588-001	Intelligent Direct Drive PTZ camera with HDTV 720p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.	\$ 1,599.00
AXIS P5415-E 60HZ		0589-001	Intelligent Direct Drive PTZ camera with HDTV 1080p, day/night and 18x zoom, designed for mounting on a wall or building. No extra bracket are needed, build in junction box. Audio In/Out, full size SD card, 24 V DC, 4 configurable I/Os and Ethernet connector with PoE. Repaintable sunshield covering the entire unit. Power supply not included.	\$ 1,999.00
AXIS Q8665-E 24V AC	EOL	0715-001	High speed and precision PT-head design PTZ camera with integrated wiper. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 4,999.00
AXIS Q8665-E 120V AC		0717-001	High speed and precision PT-head design PTZ camera with integrated wiper. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 100°/s, tilt speed: 0.02°/s to 40°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 120V AC.	\$ 4,999.00
AXIS P5512 60HZ	EOL	0409-001	Compact pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling and transparent cover smoked and clear. I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	\$ 1,099.00
AXIS Q8665-LE 24V AC	EOL	0718-001	High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 40°/s, tilt speed: 0.02°/s to 30°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). Power input 24V AC.	\$ 5,999.00
AXIS Q8665-LE 120V AC		0720-001	High precision PT-head design PTZ camera with integrated wiper and IR illuminators enabling a viewing range in darkness up to 150m. HDTV 1080p resolution and 18x optical zoom. Pan speed: 0.02°/s to 40°/s, tilt speed: 0.02°/s to 30°/s. Continuous pan rotation, 360° endless and +90° to -40° tilt. IP66-rated and NEMA 4X-rated, operating temperature -40 °C to 55 °C (-40 °F to 131 °F). External power supply with power input 120V AC and integrated light sensor for IR illuminator control included.	\$ 6,499.00
AXIS P5512-E 60HZ	EOL	0411-001	Outdoor, IP66-rated pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 30 fps. Simultaneous H.264 and Motion JPEG. Power over Ethernet IEEE 802.3af, (midspan not included), clear and smoked dome bubble included. Brackets AXIS T91A are sold separately.	\$ 1,499.00
AXIS P5514 60HZ		0769-001	Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	\$ 999.00

AXIS P5514-E 60HZ		0771-001	Compact outdoor PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 720P (1280x720) resolution at 60 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included	\$ 1,199.00
AXIS P5515 60HZ		0770-001	Compact PTZ camera, 360° pan with auto-flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling, smoked and clear transparent cover. IP51 protection, SD-card slot, 4 I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	\$ 1,199.00
AXIS P5515-E 60HZ		0772-001	Compact outdoor PTZ camera, 360° pan with auto flip, HDTV camera including 12x optical zoom, auto-iris, automatic day/night, and autofocus zoom lens. Up to 1080P (1920x1080) resolution at 30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE. SD-card slot, IP66, Advanced Gatekeeper. Midspan and mounting brackets are not included	\$ 1,399.00
AXIS P5522 60 Hz	EOL	0420-004	PTZ camera with 18x optical zoom, D1 resolution (720x480) and IP51 classification in H.264 and Motion JPEG, Day & Night. Two way audio, four I/O and external power with multi-connector cable (not included) Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings.	\$ 1,499.00
AXIS P5522-E 60 Hz	EOL	0422-004	Outdoor PTZ camera with 18x zoom, D1 resolution (720x480) and IP66 classification in H.264 and Motion JPEG, Day & Night. Includes High PoE midspan, smoked and clear dome covers. Brackets are sold separately	\$ 1,899.00
AXIS P5532 60HZ	EOL	0310-004	PTZ camera with 29x optical zoom, D1 resolution (720x480) and IP51 classification. H.264 and Motion JPEG, Day & Night, WDR, EIS. Two way audio, four I/O and external power with multi-connector cable (not included) Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings.	\$ 1,799.00
AXIS P5532-E 60HZ	EOL	0312-004	Outdoor ready PTZ camera with 29x optical zoom, D1 resolution (720x480), IP66 and NEMA 4X classification. H.264 and Motion JPEG, Day & Night, WDR, Electronic Imaging Stabilization. Includes High PoE midspan, smoked and clear dome covers. Mounting brackets are not included.	\$ 2,199.00
AXIS P5534 60HZ	EOL	0314-004	HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Two way audio, four I/O and external power with multi-connector cable (not included) Includes HiPoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings	\$ 1,999.00
AXIS P5534-E 60HZ	EOL	0316-004	HDTV 720p compliant outdoor-ready, PTZ camera with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper. Includes High PoE 30 W midspan, smoked and clear dome. Mounting brackets are not included.	\$ 2,399.00
AXIS P5544 60HZ	EOL	0443-004	PTZ dome camera with 360-degree panoramic view, 18x optical zoom for indoor use. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes PoE+ midspan, clear dome covers and mounting kit for hard and drop ceilings	\$ 2,999.00
AXIS P5624-E MK II 60HZ		0932-001	PTZ camera with continues 360° pan for both indoor and outdoor with 23x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264, Motion JPEG and Axis Zipstream and Focus Recall, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. Mounting brackets and Midspan are not included.	\$ 1,599.00

AXIS P5635-E MK II 60HZ		0929-001	PTZ camera with continues 360° pan for both indoor and outdoor with 30x optical zoom Autofocus and Focus Recall. HDTV 1080p @ 30fps (1920x1080) in H.264, Motion JPEG and Axis Zipstream. Two-way audio, 4xI/O, 24V and PoE, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD card slot. Mounting brackets, Midspan/Power supply and connector or cable for audio, I/O and 24V are not included.	\$ 1,999.00
AXIS Q6000-E 60HZ MK II		01006-001	Outdoor-ready 360° situational awareness camera, comprising 4x2MP sensors @ 30fps in H.264 Zipstream and Motion JPEG. Tilttable sensors with exchangeable lenses. Designed to be integrated with any AXIS Q60-E series camera for large area coverage and simultaneous zoomed-in view, using the one-click PTZ control feature. Full size SD-card slot. No extra equipment required, as it uses the same brackets, power supply and network cable as the connected AXIS Q60-E.	\$ 1,599.00
AXIS Q6042 60HZ	EOL	0558-004	IP52, PTZ dome camera with 36x optical zoom. WDR, EIS. Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Shock detection, autotracking, tour recording. Full size SD slot. Two way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings	\$ 2,449.00
AXIS Q6042-E 60HZ	EOL	0560-004	Outdoor-ready, IP66, IK10 and NEMA 4X classification, PTZ dome camera with 36x optical zoom. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). WDR, EIS. Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. Power through High PoE only. Includes clear transparent dome cover and High PoE midspan. No mounting bracket included (several different accessories available).	\$ 2,999.00
AXIS Q6042-C 60HZ	EOL	0562-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 36x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. WDR, Active Gatekeeper, Tour recording and autotracking, EIS, Auto day/night mode down to 0.5 lux in color and 0.008 lux in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, Extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available).	\$ 3,499.00
AXIS Q6042-S 60HZ	EOL	0579-001	Stainless steel, (SS-316L) pressurized (5psi) High performance PTZ dome camera with 36x optical zoom. with IP66, IK10 and NEMA 4X classification. WDR, EIS. Auto day/night functionality; min. illumination down to 0.5 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, extended D1 resolution (752x480) @ 30 fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. . Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Mounting brackets and power adapter are not included (several different accessories available).	\$ 5,499.00
AXIS Q6044 60HZ	EOL	0570-004	HDTV 720p compliant, high-speed PTZ dome camera with 30x optical zoom for indoor use. HDTV 720p @ 30 fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, Automatic Defogging, shock detection. Full-size SD slot. Two-way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings.	\$ 2,849.00

AXIS Q6044-E 60HZ	EOL	0572-004	HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection, Arctic Temperature Control enables operation and start up from from -50 °C to +50 °C (-58 °F to 122 °F). Active Gatekeeper, tour recording and autotracking. Includes High PoE midspan and clear dome cover. Mounting brackets are not included (several different accessories available)	\$ 3,399.00
AXIS Q6044-C 60HZ	EOL	0574-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 30x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C HDTV 720p compliant @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection. Active Gatekeeper, tour recording and autotracking. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available).	\$ 3,899.00
AXIS Q6044-S 60HZ	EOL	0581-001	Stainless steel, (SS-316L) pressurized (5psi) HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. WDR, EIS, automatic defogging, shock detection. Active Gatekeeper, tour recording and autotracking. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Mounting brackets and power adapter are not included (several different accessories available).	\$ 5,799.00
AXIS Q6045 MkII 60HZ	EOL	0692-004	HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@30fps 720p@60fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52. Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings	\$ 3,049.00
AXIS Q6045-E MkII 60HZ	EOL	0694-004	Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080)@30fps, 720P60fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan are included. Brackets are not included (several different accessories available).	\$ 3,599.00
AXIS Q6045-C Mk II 60HZ	EOL	0696-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720p@60fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included. (several different accessories available).	\$ 4,099.00

<p>AXIS Q6045-S Mk II 60HZ</p>		<p>0698-001</p>	<p>Stainless steel, (SS-316L) pressurized (5psi) Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, 720@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 7 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Brackets and power adapter are not included (several different accessories available).</p>	<p>\$ 5,999.00</p>
<p>AXIS Q6052 60HZ</p>		<p>0900-004</p>	<p>IP52, PTZ dome camera with 36x optical zoom. Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, autotracking, Active Gatekeeper, tour recording. Full size SD slot. Two way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings</p>	<p>\$ 2,099.00</p>
<p>AXIS Q6052-E 60HZ</p>		<p>0902-004</p>	<p>Outdoor-ready, IP66, IK10 and NEMA 4X classification, PTZ dome camera with 36x optical zoom. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Lightfinder, Focus recall, Zipstream, WDR, EIS. Auto day/night functionality; min. illumination down to 0.15 lux in color and 0.008 in black/white. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, D1 resolution @ 60 fps in H.264 and Motion JPEG. Shock detection, Autotracking, Active Gatekeeper, tour recording. Full size SD slot. Power through High PoE only. Includes clear transparent dome cover and High PoE midspan. No mounting bracket included (several different accessories available).</p>	<p>\$ 2,599.00</p>
<p>AXIS Q6054 60HZ</p>		<p>0904-004</p>	<p>HDTV 720p compliant, high-speed PTZ dome camera with 30x optical zoom for indoor use. HDTV 720p @ 30 fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Continuous 360° rotation and 220° tilt with E-flip. Focus recall, Zipstream, WDR, EIS, Automatic Defogging, shock detection. Full-size SD slot. Two-way audio, four I/Os and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings.</p>	<p>\$ 2,349.00</p>
<p>AXIS Q6054-E 60HZ</p>		<p>0906-004</p>	<p>HDTV 720p compliant, outdoor-ready, high-speed PTZ dome camera with 30x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66, IK10 and NEMA 4X classification. Continuous 360° rotation and 220° tilt with E-flip. Focus recall, Zipstream, WDR, EIS, automatic defogging, shock detection, Arctic Temperature Control enables operation and start up from from -50 °C to +50 °C (-58 °F to 122 °F). Active Gatekeeper, tour recording and autotracking. Includes High PoE midspan and clear dome cover. Mounting brackets are not included (several different accessories available</p>	<p>\$ 2,799.00</p>
<p>AXIS Q6055 60HZ</p>		<p>0908-004</p>	<p>HDTV 1080p compliant, high-speed PTZ dome camera with 32x optical zoom for indoor use. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Continuous 360° rotation and 220° tilt with E-flip. Day & Night, IP52, Zipstream, Shock detection, autotracking, tour recording and Active Gatekeeper. Two-way audio, I/O and external power with multi-connector cable (not included). Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection Includes High PoE midspan, smoked and clear dome covers, and mounting kits for hard and drop ceilings</p>	<p>\$ 2,549.00</p>

AXIS Q6055-E 60HZ		0910-004	Top performance HDTV 1080p compliant, outdoor-ready, IP66, IK10 and NEMA 4X-rated PTZ dome camera with 32x optical zoom and Zipstream. Arctic Temperature Control enables operation and start up from -50 °C to +50 °C (-58 °F to 122 °F). Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080)@30 fps, 720P@60fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Power through High PoE only. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Clear transparent dome cover and High PoE midspan are included. No mounting bracket included (several different accessories available).	\$ 3,099.00
AXIS Q6055-C 60HZ		0943-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 32x optical zoom. IP66-, MIL-, IK10 and NEMA 4X-rated. Temperature range -20 °C to +75 °C. Auto day/night functionality. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps. 720P@60 fps. Shock detection, autotracking, tour recording and Active Gatekeeper. Highlight compensation. Basic built-in analytics: object removed, fence detector, object counter, enter/exit detection, video motion detection. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 24 V in. Power supply and brackets are not included. (several different accessories available).	\$ 4,099.00
AXIS Q6114-E 60HZ		0650-004	Lightfinder HDTV PTZ for outdoor as well as indoor use. HDTV 720p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions, without distortion. 130db WDR, EIS, automatic defog, Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan included.	\$ 2,699.00
AXIS Q6115-E 60HZ		0652-004	Top of the line PTZ with HDTV PTZ for outdoor as well as indoor use. HDTV 1080p resolution in 60fps with 30x zoom and top performance. Perfect image quality in all directions without distortion. 115dbWDR, EIS, automatic defog, Advanced gate keeper. With its compact size and repaintable surface, it will easily blend into the surroundings. Midspan included.	\$ 2,999.00
AXIS Q6128-E 60HZ		0799-004	Compact, top performance 4K Comparable with SMPTE 2036 3840x2160 resolution in 30fps, (8MP). With 12x optical zoom for outdoor as well as indoor use. Day/night, Automatic defog, DNR 2D/3D and EIS. IP66, Active gatekeeper, tour recording and autotracking. Perfect image quality in all directions, without distortion, repaintable surface. Mounting brackets are not included (several different accessories available). Midspan included.	\$ 3,199.00
AXIS Q6155-E 60HZ		0934-004	Compact top performance HDTV PTZ for outdoor and indoor use with unique Laser Focus giving perfect focus. HDTV 1080p resolution in 30fps, perfect image quality in all directions without distortion due to Axis' Sharpdome technology. Repaintable surface, will easily blend into the surroundings. 30x zoom 120dbWDR, EIS, automatic defog, Advanced gate keeper and Lightfinder. Midspan included	\$ 3,199.00
AXIS V5914 60HZ		0632-004	Generic PTZ camera with 30x zoom, autofocus and HDTV 720p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 296M Power supply and wall mount bracket are included.	\$ 1,999.00
AXIS V5915 60HZ		0634-004	Generic PTZ camera with 30x zoom, autofocus and HDTV 1080p resolution at 60/fps for live streaming of video and audio. "Video conference" design, smooth pan and tilt, WDR, EIS. HDMI, 3G-SDI, XLR-3 for studio connectivity. CD-audio quality in stereo. Compliance with SMPTE 274M Power supply and wall mount bracket are included.	\$ 2,599.00
CANON SUNSHADE COVER SC640-VB		0723C001	Sunshade cover for VB-H651LVE/VE outdoor Domes. Includes securing bolts for easy installation.	\$ 84.00
CANON SMOKED DOME UNIT DU10-S-VB		0721C001	Smoked dome cover for VB-R1xVE & VB-R1x PTZ Domes	\$ 81.00
CANON SMOKED DOME UNIT DU640-S-VB		0722C001	Smoked dome cover for VB-H651VE/V & VB-M64xVE/V domes	\$ 44.00

CANON PENDANT MOUNTING KIT PC30-VB		9919B001	Indoor pendant mounting cap for VB-S30D/S31D/S80xD mini-domes. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$ 71.00
CANON WALL MOUNTING KIT WM10-VB		0720C001	Wall mount bracket for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box, right angle extender and PA10-15-VE bayonet camera fitting - 215mm stand-off.	\$ 456.00
CANON PLEN REC MOUNTKIT SR640-P-VB		0717C001	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$ 350.00
CANON HEATER UNIT HU641-VB		0724C001	Optional heater element for VB-H651VE/M641VE outdoor Domes. Requires 24V AC power.	\$ 128.00
CANON PLE. REC MOUNT KIT SR30-P-VB		1065C001	Indoor plenum recessed ceiling mount kit for VB-S30D/S31D/S80xD mini-domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$ 121.00
CANON CEILIN MOUNT COV S SS40-S-VB		4962B001	Indoor surface mount ceiling cover (Silver) for VB-H43/M42 PTZ's Comprising of a metal mounting plate and "skirt" cover - Silver	\$ 62.00
CANON CEILING MOUNTING KIT CM10-VB		0711C001	Ceiling mount Back Box for VB-R1xVE outdoor PTZ Domes. Consisting of heavy duty metal hinged cable box and PA10-15-VE bayonet camera fitting - 342mm drop.	\$ 367.00
CANON RECESSED MOUNT KIT SR600-VB		5091B001	Indoor recessed ceiling mount kit for VB-H630VE/D & VB-M620VE/D domes.	\$ 81.00
CANON 1.5 IN PIPE ADPT PA10-15-VB		0718C001	1.5inch Pipe Adaptor for VB-R1xVE outdoor PTZ Domes with standard NPSM screw thread and bayonet camera fitting - 100mm long.	\$ 86.00
CANON PLEN REC MOUNT KIT SR11-P-VB		0716C001	Indoor plenum recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of fire resistant in-ceiling cage and cover - Titanium White	\$ 538.00
CANON REC MOUNT KIT SR640-S-VB		0715C001	Indoor recessed ceiling mount kit for VB-H651V/M64xV domes. Comprising of in-ceiling cage and cover - Titanium White	\$ 276.00
CANON CONDUIT BOX CB740-VB		0712C001	Conduit box for VB-H76x/H751LE/M74x outdoor bullets.	\$ 118.00
CANON PENDANT MOUNTING KIT PC640-VB		0719C001	Indoor pendant mounting cap for VB-R13/11 indoor PTZ Domes, VB-H65x/M64x domes, and VB-H76x/H751LE/M74x bullets. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Titanium White.	\$ 89.00
CANON CONDUIT ADAPTER CA640-VB		0713C001	Conduit adaptor for VB-M64xVE outdoor Domes.	\$ 103.00
CANON REC MOUNT KIT SR11-S-VB		0714C001	Indoor recessed ceiling mount kit for VB-R13/R11 indoor PTZ Domes. Comprising of mounting template, in-ceiling cage and cover - Titanium White	\$ 328.00
CANON JUNCT BOX MOUNT KIT PS600-VB		5004B001	Indoor junction box mounting plate for VB-H630VE/D & VB-M620VE/D domes.	\$ 34.00
CANON CEILIN MOUNT COV B SS40-B-VB		4962B002	Indoor surface mount ceiling cover (Black) for VB-H43B/M42B PTZ's. Comprising of a metal mounting plate and "skirt" cover - Black	\$ 62.00
CANON HEATER UNIT HU600-VB		5092B001	Optional heater element for VB-H630VE/M620VE outdoor Domes. Requires 24V AC power.	\$ 143.00
CANON INDOOR DOME HOUSING DR41-C-VB		6816B001	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Clear Dome - Silver	\$ 172.00
CANON INDOOR DOME HOUSING DR41-S-VB		6816B002	Indoor recessed ceiling mount kit for VB-H43(B) & VB-M42(B) PTZ's. Comprising of in-ceiling cage and Smoked Dome - Silver	\$ 172.00
CANON PENDANT MOUNTING KIT PC600-VB		9918B001	Indoor pendant mounting cap for VB-H43(B), VB-M42(B) PTZ's, VB-H630VE/D & VB-M620VE/D domes. Comprising of 1.5inch NPSM threaded pipe adaptor / cover - Silver.	\$ 101.00
CANON SURFACE MOUNT SPACER SS30-VB		9920B001	Indoor surface mount wall/ceiling spacer for VB-S30D/S31D/S80xD mini-domes.	\$ 42.00
CANON MOUNT KIT JUNCT BOX PS30-VB		9921B001	Indoor junction box mounting plate for VB-S30D/S31D/S80xD mini-domes.	\$ 42.00
CANON A-BK3S(OW)		1381V106	Pole Mount Adapter and 59" length Non-Tool Stainless Clamp (Minimum Pole Diameter 4")	\$ 122.00
CANON A-SWD5VCHB		1381V120	A-SWD5VC with Heater & Blower	\$ 349.00
CANON A-SWD5ZW600		2178V433	Wall bracket kit for VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600	\$ 248.00
CANON A-SWD5WB3		2787V308	Wall bracket for VB-H43, VB-H41, VB-M42, VB-M40, VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$ 104.00
CANON A-ODW7C12S(OW)		1923V398	A-ODW7C12(OW) with sunshield	\$ 618.00
CANON A-ODW7T12(OW)		1923V397	Wall mount 7" tinted vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50IR w/VB-EX50, and VC-C50IR	\$ 468.00
CANON A-CA15G		1381V127	Ceiling mount adapter	\$ 36.00

CANON A-SY15		1381V128	Sunshield	\$ 43.00
CANON A-SWD5ZWB		1968V994	Wall bracket for A-SWD5V & A-SWD5Z	\$ 205.00
CANON A-CM3		1381V107	Corner Mount Adapter	\$ 104.00
CANON A-VC50BRK		1381V108	Adapter bracket for VC-C50iR	\$ 31.00
CANON A-ODW5C12S(OW)		3067V203	A-ODW5C12(OW) with sunshield	\$ 511.00
CANON A-SWD5ZC		2064V111	Tough Dome Lite. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$ 205.00
CANON A-BK4		3063V605	Pole Mount Adapter and Stainless U-Bolt for 1 1/2" NPT (2x) (Pole Diameter 1.5" - 2.0")	\$ 102.00
CANON A-ODW5C12(OW)		3067V202	Wall mount 6" clear dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00
CANON A-SWD5ZWB-2		2038V642	Attachment Plate for A-SWD5ZWB (Required if installing VB-M641, VB-M640, VB-H630, VB-H610, VB-M620, and VB-M600)	\$ 56.00
CANON A-ODW5T(OW)		3067V201	Wall mount 6" tinted dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00
CANON A-ODW5TS(OW)		3067V212	A-ODW5T(OW) with sunshield	\$ 511.00
CANON A-ODW5T12S(OW)		3067V205	A-ODW5T12(OW) with sunshield	\$ 511.00
CANON A-H24		2038V640	Additional Heater for A-ODW	\$ 32.00
CANON A-OH15FBHSET-S(OW)		2038V641	Outdoor camera housing with heater & blower and Wall bracket in Stainless for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 287.00
CANON A-RCP5C		2030V463	Replacement capsule, 5" Clear (for A-ODW5 / A-ID5 / A-SWD5)	\$ 97.00
CANON A-ODW5C(OW)		3067V199	Wall mount 6" clear dome 24VAC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 406.00
CANON A-RCP7C		2030V464	Replacement capsule, 7" Clear (for A-ODW7 / A-ID7)	\$ 102.00
CANON A-CM100NPT		1381V101	Ceiling mount bracket for 1 1/2" NPT. Steel construction with powder coat finish	\$ 101.00
CANON A-SWD5ZT		2064V112	Tough Dome Lite. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate)	\$ 205.00
CANON A-RCP5VT		2384V845	Replacement capsule, 5" Tinted (for A-SWD5V / A-SWD5Z)	\$ 97.00
CANON A-BK3(OW)		2120V066	Pole Mount Adapter and 59" length Non-Tool Aluminum Clamp (Minimum Pole Diameter 4")	\$ 75.00
CANON A-SWD5BH2		2120V067	Blower & Heater for A-SWD5, A-SWD5Z, A-SWD5V	\$ 90.00
CANON A-RCP5VC		2384V844	Replacement capsule, 5" Clear (for A-SWD5V / A-SWD5Z)	\$ 97.00
CANON A-ODW5CS(OW)		3067V200	A-ODW5C(OW) with sunshield	\$ 511.00
CANON A-CP100NPT		1381V102	Coupling for dome housing for 1 1/2" NPT. Steel construction with powder coat finish	\$ 64.00
CANON A-RCP5T		1381V103	Replacement capsule, 5" Tinted (for A-ODW5 / A-ID5 / A-SWD5)	\$ 95.00
CANON A-ID7TF		1381V112	Indoor tinted recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 181.00
CANON A-ID7CF		1381V111	Indoor clear recessed 7" dome for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50FSi, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 181.00
CANON A-ODW7C12(OW)		1923V396	Wall mount 7" clear vandal dome 12VDC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00
CANON A-OH15F		1588V039	Outdoor camera housing with Wall bracket for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 165.00
CANON A-SWD5WB		1381V123	Wall bracket for A-SWD5	\$ 102.00
CANON A-SWD5VT		1381V119	Tough Dome. Vandal surface mount dome 5" tinted for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$ 256.00
CANON A-SWD5VTHB		1381V121	A-SWD5VT with Heater & Blower	\$ 349.00
CANON A-ODW7T12S(OW)		1923V399	A-ODW7T12(OW) with sunshield	\$ 618.00
CANON A-RCP7T		1381V104	Replacement capsule, 7" Tinted (for A-ODW7 / A-ID7)	\$ 102.00
CANON A-VSM4TL		1381V125	Vandal Resistant M4 Screws & Tool Set; consists of 7 vandal resistant M4 screws and 1 tool	\$ 22.00

CANON A-OH15FBHSET(OW)		1381V126	Outdoor camera housing with heater & blower and Wall bracket in Steel for VB-H730F, VB-H710F, VB-M720F, VB-M700F, and VB-C50FSi	\$ 238.00
CANON A-ODW7C(OW)		1381V097	Wall mount 7" clear vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00
CANON A-PS2412SWD5		1381V122	24VAC-12VDC Converter (for A-SWD5)	\$ 106.00
CANON A-SWD5CA		1381V124	Ceiling adapter for A-SWD5 (Pipe is not provided)	\$ 102.00
CANON A-PS2412		1381V105	24VAC-12VDC Converter (for A-ODW / A-ID / A-OH15)	\$ 106.00
CANON A-ODW7CS(OW)		1381V099	A-ODW7C(OW) with sunshield	\$ 618.00
CANON A-ODW7T(OW)		1586V919	Wall mount 7" tinted vandal dome 24VAC with heater & blower (0.126" thickness polycarbonate capsule, IP66 or IPX4 selectable) for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR w/VB-EX50, and VC-C50iR	\$ 468.00
CANON A-ODW7TS(OW)		1586V921	A-ODW7T(OW) with sunshield	\$ 618.00
CANON A-CM100		1381V100	Narrow ceiling mount bracket. Steel construction with powder coat finish	\$ 115.00
CANON A-ODW5T12(OW)		3067V204	Wall mount 6" tinted dome 12VDC with heater & blower (IP66 or IPX4 selectable) for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 401.00
CANON A-SWD5C		3067V206	Surface mount dome 6" clear for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 129.00
CANON A-SWD5T		3067V207	Surface mount dome 6" tinted for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 129.00
CANON A-SWD5CHB		3067V208	A-SWD5C w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00
CANON A-SWD5THB		3067V209	A-SWD5T w/ heater and blower for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 225.00
CANON A-ID5T5		3067V210	Indoor tinted recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00
CANON A-ID5C5		3067V211	Indoor clear recessed 6" dome for VB-M50, VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR	\$ 137.00
CANON A-SWD5VC		1381V118	Tough Dome. Vandal surface mount dome 5" clear for VB-H43, VB-H41, VB-M42, VB-M40, VB-C60, VB-C300, VB-C500D, VB-C50iR, and VC-C50iR. (Capsule made of 0.118" thickness Polycarbonate with Cast Aluminum Body)	\$ 256.00
CANON 12VDC TO POE MIDSPAN		2776V312	Single port midspan PoE compliant power injector, 12VDC, IEEE 802.3af (15W) compliant for VB cameras with a power consumption under 12 watts. (Power supply not included)	\$ 60.00
CANON ITS-S-RK RECESSED KIT		2943V528	Recessed Mounting Kit for VB-S30D, VB-S31D, VB-S800D, VB-S805D	\$ 109.00
CANON PA-V18 US		8362B001	EAC certified encapsulated AC Adapter (12V DC Power supply) with US plug	\$ 67.00
CANON HEATER UNIT HU652-VB		1498C001	Optional heater element for VB-H652LVE outdoor Dome. Requires AC24V power	\$ 150.00
CANON SMOKED DOME UNIT DU652-S-VB		1497C001	Smoked Dome Unit for VB-H652LVE outdoor dome	\$ 65.00
CANON PENDANT CAP PC30VE-VB		1736C001	Indoor Pendant mounting Cap for VB-S30VE/S800VE mini-domes	\$ 54.00
CANON CONDUIT BOX CB30VE-VB		1735C001	Conduit Box for VB-S30VE/S800VE mini-domes	\$ 80.00
CANON WEATHER SHIELD WS700-VB		2206C001	Weather Shield for VB-M741LE/M740E, VB-H751LE/H761LVE/H760VE	\$ 28.00
CANON NETWORK CAMERA VB-S905F		9901B001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9), digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 5 in-built video & audio intelligent analytic functions. Powered by PoE. (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.48
CANON NETWORK CAMERA VB-S900F		8821B001	Indoor compact fixed box network camera. Fixed 2.7mm wide angle lens (96.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 429.31

CANON NETWORK CAMERA VB-M741LE		0312C001	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,199.26
CANON NETWORK CAMERA VB-M740E		0313C001	Outdoor fixed box network camera. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 835.00
CANON NETWORK CAMERA VB-M720F		9909B001	Indoor fixed box network camera with remote zoom configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 599.08
CANON NETWORK CAMERA VB-H730F		9905B001	Indoor fixed box network camera with remote Zoom configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports, and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 649.15
CANON NETWORK CAMERA VB-S910F		1389C001	Indoor compact fixed box network camera. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White.	\$ 439.00
CANON NETWORK CAMERA VB-H761LVE		1062C001	Outdoor vandal resistant fixed box network camera with IR LED illumination up to 60m. 20x optical zoom, auto focus, day/night switching, Enhanced Digital Zoom capabilities and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK09-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,451.00

CANON NETWORK CAMERA VB-H760VE		1063C001	Outdoor vandal resistant fixed box network camera. 20x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK09-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE(Power supply not included) and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 1,308.00
CANON NETWORK CAMERA VB-H751LE		1386C001	Outdoor fixed box network camera with IR LED illumination up to 30m. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE), 24V AC	\$ 1,319.00
CANON NETWORK CAMERA VB-S800D		8820B001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 398.75
CANON NETWORK CAMERA VB-M641VE		0308C001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU641-VB sold separately.	\$ 1,069.11
CANON NETWORK CAMERA VB-M641V		0309C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 8 in-built video & audio intelligent analytic functions, and linked events. IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 759.49
CANON NETWORK CAMERA VB-S805D		9900B001	Indoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (95° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 349.06

CANON NETWORK CAMERA VB-M640VE		0310C001	Outdoor vandal resistant fixed dome network camera with PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IP66, NEMA250 and IK10-rated and operating temperature in -10° C to +55° C (-14° F to +131° F). Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Pigtail cable connection. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 769.05
CANON NETWORK CAMERA VB-M640V		0311C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 6 in-built video intelligent analytic functions. IK10-rated. Powered by PoE (Power supply not included) and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Supplied with wall/ceiling mounting plate.	\$ 619.46
CANON NETWORK CAMERA VB-M620VE		9907B001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. IP66 and IK10-rated and operating temperature in -30° C to +50° C (-22° F to +122° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver. Optional heater unit HU600-VB sold separately.	\$ 718.59
CANON NETWORK CAMERA VB-H651V		1385C001	Indoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IK10-rated. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting.	\$ 888.85
CANON NETWORK CAMERA VB-H630VE		9903B001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. IP66 and IK10-rated and operating temperature in -30° C to +50° C (-22° F to +122° F) with optional heater fitted. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver. Optional heater unit HU600-VB sold separately.	\$ 879.22
CANON NETWORK CAMERA VB-H630D		9904B001	Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 719.02
CANON NETWORK CAMERA VB-M620D		9908B001	Indoor fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 579.24

CANON NETWORK CAMERA VB-H651VE		1384C001	Outdoor vandal resistant fixed dome network camera with remote PTRZ configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with	\$ 1,231.00
CANON NETWORK CAMERA VB-S800VE		1388C001	Outdoor compact fixed dome network camera. Fixed 2.7mm wide-angle lens (93.8° AOV 16:9), digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$ 505.00
CANON NETWORK CAMERA VB-S31D		8819B001	Indoor compact network camera with lite-PT operation. Fixed 2.7mm wide angle lens (95.0° AOV 16:9) and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 569.13
CANON NETWORK CAMERA VB-S30D		8818B001	Indoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, and digital night mode. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 598.78
CANON NETWORK CAMERA VB-R13VE		1381C001	Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. 12cm Pigtail cable connection. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,678.61
CANON NETWORK CAMERA VB-R13		1383C001	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$ 2,918.76

CANON NETWORK CAMERA VB-R12VE		1382C001	Outdoor vandal resistant PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, day/night switching and Enhanced Digital Zoom capabilities. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,399.40
CANON NETWORK CAMERA VB-R11VE		0305C001	Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. 12cm Pigtail cable connection. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 2,855.75
CANON NETWORK CAMERA VB-R11		0306C001	Indoor PTZ Dome network camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 9 in-built video & audio intelligent analytic functions, and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes ceiling plate for easy surface mounting.	\$ 2,689.44
CANON NETWORK CAMERA VB-R10VE		0307C001	Outdoor vandal resistant network PTZ Dome camera with 360° endless rotation, auto-flip, and auto-tracking capabilities. 30x optical zoom, auto focus and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology. 7 in-built video intelligent analytic functions. IP66, NEMA250, IK10-rated and operating temperature in -50° C to +55° C (-58° F to +131° F). Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Requires WM10-VB Wall mount, CM10-VB Ceiling mount, or PA10-15-VB Pipe mount - sold separately.	\$ 3,029.10
CANON NETWORK CAMERA VB-M50B		1064C001	Indoor PTZ network camera with 348° rotation and large aperture lens ideal for low light applications. 5x optical zoom, auto focus, day/night switching and Clear IR Mode. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 9 in-built video & audio intelligent analytic functions and linked events. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Only available in Black.	\$ 3,399.35

CANON NETWORK CAMERA VB-M42B		9906B002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (B).	\$ 1,509.00
CANON NETWORK CAMERA VB-M42S		9906B001	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max 1.3MP 720p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 1,509.00
CANON NETWORK CAMERA VB-H652LVE		1061C001	Outdoor vandal resistant fixed dome network camera with IR LED illumination up to 20m, and NTSC video out for manual PT configuration. 2.4x optical zoom, day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. ADSR - Area-specific Data Size Reduction technology and Motion-Adaptive Noise Reduction. 8 in-built video & audio intelligent analytic functions, and linked events. IP66, NEMA250 and IK10-rated and operating temperature in -40° C to +55° C (-40° F to +131° F) with optional heater fitted. Powered by PoE+, PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. Available in Titanium White. Includes wall/ceiling plate for easy surface mounting. Optional heater unit HU652-VB sold separately.	\$ 1,439.36
CANON NETWORK CAMERA VB-H43B		9902B002	BLACK VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Black (B).	\$ 2,349.35
CANON NETWORK CAMERA VB-H43S		9902B001	SILVER VERSION Indoor PTZ network camera with 340° rotation. 20x optical zoom, auto focus, and day/night switching. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast. 6 in-built video & audio intelligent analytic functions. Powered by PoE, 24V AC and 12V DC (Power supply not included). Two way audio, Input/Output ports and SD/SDHC/SDHX Card slot for Edge storage. Available in Silver.	\$ 2,349.35
CANON NETWORK CAMERA VB-S30VE		1387C001	Outdoor compact network camera with lite-PTZ operation. 3.5x optical zoom, auto focus, digital night mode and built-in Omni-directional microphone. Multiple H.264 and Motion JPEG streams; max Full HD 1080p resolution at 30fps. Smart Shade Control - dynamic contrast, ADSR - Area-specific Data Size Reduction technology. 7 in-built video & audio intelligent analytic functions and linked events. IP66, IK10-rated and operating temperature in -25° C to +50° C (-14° F to + 122° F). Powered by PoE (Power supply not included). Audio output port and in-built microphone, Input/Output ports and micro SD/SDHC/SDHX Card slot for Edge storage. 1m pigtail cable connection. Available in Titanium White.	\$ 736.00
AXIS P7701		0319-004	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G.726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	\$ 499.00
AXIS P7701 VIDEO DEC BB BULK 20PCS		0319-051	AXIS P7701 BARE BOARD in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$ 9,980.00

AXIS P7701 VIDEO DECODER BARE BONE		0319-041	Bare bone 1 channel video decoder (PCB without any mechanics). Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	\$ 499.00
AXIS M7011 Video Encoder		0764-001	Single channel video encoder with H.264 (High, Main and Base profile) and Motion JPEG support. Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS. AVHS and ACAP support. No midspan included.	\$ 199.00
AXIS M7014 Video Encoder		0415-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 299.00
AXIS M7014 VIDEO ENCODER BULK 10PCS		0415-021	AXIS M7014 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 2,899.00
AXIS M7016 VIDEO ENCODER		0541-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 999.00
AXIS P7214 Video Encoder		0417-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	\$ 399.00
AXIS P7214 VIDEO ENCODER BULK 10PCS		0417-021	AXIS P7214 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 3,869.00
AXIS P7214 VIDEO ENC BARE BONE		0417-031	Four-channel bare bone video encoder (PCB without mechanics). Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. No power supply included.	\$ 399.00
AXIS P7224 Video Encoder Blade		0418-001	AXIS P7224: Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 399.00
AXIS P7216 VIDEO ENCODER		0542-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. SFP slot for optional fiber connection and/or network redundancy. Unit includes 4 x micro SD card slots for edge storage. PTZ support. Unit has 4 x ARTPEC chips and 4 x IP addresses. Includes power supply.	\$ 1,299.00
AXIS P7224 VID ENC BLADE BULK 10PCS		0418-021	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	\$ 3,869.00
AXIS Q7401 VIDEO ENCODER		0288-004	1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage.. Includes power supply.	\$ 399.00
AXIS Q7401 VIDEO ENCODER BARE BONE		0288-041	Bare bone 1 channel video encoder (PCB without mechanics). Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage.. No power supply.	\$ 399.00
AXIS Q7401 VIDEO ENCODER BARE BONE BULK 20PCS		0288-051	AXIS Q7401 BARE BONE in 20-pack. Cannot be sold separately as single packs. No power supplies.	\$ 7,980.00

AXIS Q7401 VIDEO ENCODER BULK 10PCS		0288-021	AXIS Q7401 in 10-pack. Power supply not included. Cannot be sold separately as single packs	\$ 3,990.00
AXIS Q7404 VIDEO ENCODER		0291-004	Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply.	\$ 899.00
AXIS Q7404 BULK 10PCS		0291-024	AXIS Q7404 in 10-pack. Cannot be sold separately as single packs. Power supplies included.	\$ 8,540.00
AXIS Q7411 VIDEO ENCODER		0518-004	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	\$ 399.00
AXIS Q7411 VIDEO ENCODER BULK 10PCS		0518-021	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	\$ 3,869.00
AXIS Q7414 VIDEO ENCODER BLADE		0354-001	Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	\$ 999.00
AXIS Q7414 VIDEO ENCODER BULK 10PCS		0354-021	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	\$ 9,491.00
AXIS Q7424-R MKII VIDEO ENCODER		0742-001	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps.	\$ 899.00
AXIS Q7424-R MKII VID ENC BULK 10P		0742-021	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors. AXIS Q7424-R MkII is an update to the original AXIS Q7424-R. The addition of 100 Mbps on the SFP slot is the only difference. The original product only has support for 1 Gbps. 10 PCS.	\$ 8,541.00
AXIS Q7436 VIDEO ENCODER BLADE		0584-001	6 channel video encoder blade. Multiple, individually configurable H.264 (Base, Main and High profile) and Motion JPEG streams; max. D1 resolution at 60/50 fps per channel. Video motion detection. Active tampering alarm. Coax PTZ Control (Coaxitron). Compatible with the following video encoder chassis: AXIS Q7920, AXIS Q7900 and AXIS 291 1U	\$ 1,199.00
AXIS Q7436 VIDEO ENCODER BLADE BULK 10 PCS		0584-021	AXIS Q7436 in 10-pack. Cannot be sold separately as single packs.	\$ 11,399.00
AXIS Q7436/Q7920 KIT		0656-004	14 x AXIS Q7436 Video Encoder Blade mounted in an AXIS Q7920 Video Encoder Chassis. Country specific power cable.	\$ 18,599.00
AXIS 291 1U VIDEO SERV RACK		0267-004	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	\$ 399.00
AXIS 291 1U VIDEO SERVER RACK < GENERIC >		0267-001	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output. No power cable.	\$ 399.00
AXIS Q7920 VIDEO ENCODER CHASSIS		0575-004	5 U rack-mount video encoder chassis, providing an expandable solution for migrating large-scale analog installations to network video. Holds up to 14 hot-swappable video encoder blades supporting up to 84 analog cameras.	\$ 2,599.00

AXIS S1016 MkII		0202-820	Axis Camera Station S1016 Recorder workstation tested and validated with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 16 channels, three year hardware warranty and on-site hardware replacement service. International keyboard and mouse included.	\$ 3,499.00
AXIS S1032 MkII		0202-830	Axis Camera Station S1032 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 32 channels, three year hardware warranty and on-site hardware replacement service.	\$ 6,899.00
AXIS S1048 MkII		0202-840	Axis Camera Station S1048 Recorder rack server validated and tested with AXIS products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes licenses for 48 channels, three year hardware warranty and on-site hardware replacement service.	\$ 9,599.00
EXT. WARRANTY AXIS M3047-P	New	0808-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS M3048-P	New	01004-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 40.00
AXIS S9001 MkII		0202-850	Compact Desktop Terminal with small form factor to be used with Axis S1032 or Axis S1048 recording servers. The terminal is preloaded with AXIS Camera Station software client and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, international keyboard and mouse.	\$ 1,999.00
AXIS S9002		0202-860	High performance Desktop Terminal to be used with Axis S1032 or Axis S1048 recording servers. Optimized for surveillance purposes with four monitors and supports up to three 4K streams. The terminal is preloaded with AXIS Camera Station software client and all other necessary software e.g. Windows 10IoT. Includes three year hardware warranty and on-site hardware replacement service, international keyboard and mouse.	\$ 3,199.00
AXIS S2008		0937-004	AXIS Camera Station S2008 Appliance is an eight channel compact desktop Client/ Server including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 4 TB storage, Universal licenses for 8 channels and three year hardware warranty.Supports up to 4k ultra HD.	\$ 2,599.00
AXIS S2016		0938-004	AXIS Camera Station S2016 Appliance is an sixteen channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT. Includes 8 TB storage, Universal licenses for 16 channels and three year hardware warranty.Supports up to 4k ultra HD.	\$ 4,199.00

AXIS S2024		0939-004	<p>AXIS Camera Station S2024 Appliance is a twenty four channel Client/ Server for rack-mount including an integrated managed PoE switch validated and tested with Axis products. Preloaded with AXIS Camera Station software with preconfigured AXIS Camera Station settings and all other necessary software e.g. Windows 10IoT.</p> <p>Includes 12 TB storage, Universal licenses for 24 channels and three year hardware warranty.Supports up to 4k ultra HD.</p>	\$ 4,999.00
EXT. WARRANTY AXIS 214 PTZ 60HZ		0246-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 104.00
EXT. WARRANTY AXIS A1001		0540-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 36.00
EXT. WARRANTY AXIS A4011-E READER		0745-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 22.00
EXT. WARRANTY AXIS A8004-VE		0673-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 75.00
EXT. WARRANTY AXIS C3003-E		0767-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 30.00

EXT. WARRANTY AXIS FA54 MAIN UNIT		0878-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS F34 MAIN		0778-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS F34 SURVEILLANCE SYSTEM		0779-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS F41		0658-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS F44		0659-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS F44 DUAL AUDIO INPUT		0936-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00

EXT. WARRANTY AXIS M1004-W		0554-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 12.00
EXT. WARRANTY AXIS M1013		0519-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 11.00
EXT. WARRANTY AXIS M1014		0520-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 14.00
EXT. WARRANTY AXIS M1025		0555-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT. WARRANTY AXIS M1033-W		0521-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 17.00
EXT. WARRANTY AXIS M1034-W		0522-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 20.00

EXT. WARRANTY AXIS M1045-LW		0812-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 14.00
EXT. WARRANTY AXIS M1054		0338-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS M1065-L		0811-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 17.00
EXT. WARRANTY AXIS M1065-LW		0810-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT. WARRANTY AXIS M1113		0340-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS M1113-E		0431-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00

EXT. WARRANTY AXIS M1114		0341-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 33.00
EXT. WARRANTY AXIS M1114-E		0432-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 39.00
EXT. WARRANTY AXIS M1124		0747-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 21.00
EXT. WARRANTY AXIS M1124-E		0748-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 27.00
EXT. WARRANTY AXIS M1125		0749-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 25.00
EXT. WARRANTY AXIS M1125-E		0750-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 31.00

EXT. WARRANTY AXIS M1144-L		0436-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS M1145		0590-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS M1145-L		0591-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS M2014-E		0549-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS M2025-LE		0911-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 20.00
EXT. WARRANTY AXIS M2025-LE BLACK		0988-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 20.00

EXT. WARRANTY M2026-LE		0912-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS M2026-LE BLACK		0989-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS M3004-V		0516-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 14.00
EXT. WARRANTY AXIS M3005-V		0517-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT. WARRANTY AXIS M3006-V		0514-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS M3007-P		0543-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00

EXT. WARRANTY AXIS M3007-PV		0515-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS M3027-PVE		0556-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS M3014		0285-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS M3024-LVE		0535-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS M3025-VE		0536-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS M3026-VE		0547-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00

EXT. WARRANTY AXIS M3037-PVE		0548-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS M3044-V		0802-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.	\$ 12.00
EXT. WARRANTY AXIS M3044-WV		0803-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 14.00
EXT. WARRANTY AXIS M3045-V		0804-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 16.00
EXT. WARRANTY AXIS M3045-WV		0805-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT. WARRANTY AXIS M3046-V		0806-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.	\$ 22.00

EXT. WARRANTY AXIS P3227-LV	New	0885-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 49.00
EXT. WARRANTY AXIS P3227-LVE	New	0886-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 59.00
EXT. WARRANTY AXIS P3228-LV	New	0887-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 59.00
EXT. WARRANTY AXIS M3104-L		0865-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 15.00
EXT. WARRANTY AXIS M3104-LVE		0866-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT WARRANTY AXIS M3105-L		0867-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 19.00

EXT. WARRANTY AXIS M3105-LVE		0868-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 22.00
EXT. WARRANTY AXIS M3106-L		0869-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 25.00
EXT. WARRANTY AXIS M3106-LVE		0870-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 28.00
EXT. WARRANTY AXIS M5013		0398-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 40.00
EXT. WARRANTY AXIS M5013-V		0552-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS M5014		0399-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00

EXT. WARRANTY AXIS M5014-V		0553-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 56.00
EXT. WARRANTY AXIS M7011		0764-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 16.00
EXT. WARRANTY AXIS M7016 VIDEO ENCODER		0541-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS M7014 VIDEO ENCODER		0415-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 18.00
EXT. WARRANTY AXIS P1204		0531-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS P1214		0532-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00

EXT. WARRANTY AXIS P1214-E		0533-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 30.00
EXT. WARRANTY AXIS P1224-E		0654-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 30.00
EXT. WARRANTY AXIS P1244		0896-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 18.00
EXT. WARRANTY AXIS P1254		0924-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 18.00
EXT. WARRANTY AXIS P1264		0925-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 18.00
EXT. WARRANTY AXIS P1353		0523-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 42.00

EXT. WARRANTY AXIS P1353-E		0527-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 57.00
EXT. WARRANTY AXIS P1354		0524-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00
EXT. WARRANTY AXIS P1354-E		0528-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 57.00
EXT. WARRANTY AXIS P1355		0525-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS P1355-E		0529-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 69.00
EXT. WARRANTY AXIS P1357		0526-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00

EXT. WARRANTY AXIS P1357-E		0530-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 69.00
EXT. WARRANTY AXIS P1364		0689-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P1364-E		0739-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS P1365		0690-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P1365 Mk II		0897-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P1365-E		0740-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00

EXT. WARRANTY AXIS P1365-E Mk II		0898-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.	\$ 60.00
EXT. WARRANTY AXIS P1405-E		0620-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P1405-LE		0621-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P1405-LE Mk II		0961-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P1425-E		0622-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P1425-LE		0623-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00

EXT. WARRANTY AXIS P1425-LE Mk II		0960-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P1427-E		0624-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P1427-LE		0625-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 49.00
EXT. WARRANTY AXIS P1428-E		0637-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 59.00
EXT. WARRANTY AXIS P1435-E		0776-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P1435-LE		0777-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00

EXT. WARRANTY AXIS P1435-LE 22MM		0890-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P3214-V		0612-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS P3214-VE		0613-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P3215-V		0614-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P3215-VE		0615-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P3224-LV		0759-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00

EXT. WARRANTY AXIS P3224-LV MKII		0990-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P3224-LVE MKII	EOL	0991-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P3224-V MKII		0950-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS P3224-VE MKII	EOL	0951-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P3225-LV		0761-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00
EXT. WARRANTY AXIS P3225-LV MKII		0954-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00

EXT. WARRANTY AXIS P3225-LVE		0760-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 51.00
EXT. WARRANTY AXIS P3225-LVE MKII		0955-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 51.00
EXT. WARRANTY AXIS P3225-V MKII		0952-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P3225-VE MKII		0953-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 45.00
EXT. WARRANTY AXIS P3228-LVE	New	0888-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 69.00
EXT. WARRANTY AXIS Q8685-LE 24V AC/DC NET CAM	New	0864-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 416.00
AXIS M30 CASING B WHITE 5P	New	01153-001	Original white casing for AXIS M3047/48-P. 5 pcs.	\$ 79.00
AXIS Q3505-SVE SCREW KIT	New	01200-001	Screw Kit for AXIS Q3505-SVE. Includes 2x anti-loss mounting screws in marine-grade stainless steel SS316, and 1x TR20 resitorx insert bits.	\$ 11.00

EXT. WARRANTY AXIS P3354 6MM		0465-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00
EXT. WARRANTY AXIS P3354 12MM		0467-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 42.00
EXT. WARRANTY AXIS P3364-V 6MM		0481-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P3364-VE 6MM		0482-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 58.00
EXT. WARRANTY AXIS P3364-LV 6MM		0485-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS P3364-LVE 6MM		0476-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 64.00

EXT. WARRANTY AXIS P3364-V 12MM		0471-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P3364-VE 12MM		0484-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 58.00
EXT. WARRANTY AXIS P3364-LV 12MM		0486-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS P3364-LVE 12MM		0473-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 64.00
EXT. WARRANTY AXIS P3365-V		0586-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P3365-VE		0587-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00

EXT. WARRANTY AXIS P3367-V		0406-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 70.00
EXT. WARRANTY AXIS P3367-VE		0407-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 72.00
EXT. WARRANTY AXIS P3384-V		0511-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS P3384-VE		0512-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 70.00
EXT. WARRANTY AXIS P3707-PE		0815-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable. Edit descriptions	\$ 72.00
EXT. WARRANTY AXIS P3904-R		0640-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00

EXT. WARRANTY AXIS P3904-R M12		0638-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 27.00
EXT. WARRANTY AXIS P3905-R		0641-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS P3905-R M12		0639-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 33.00
EXT. WARRANTY AXIS P3905-RE		0662-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P3905-RE M12		0663-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P3915-R		0643-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00

EXT. WARRANTY AXIS P3915-R M12		0642-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P5414-E 60HZ		0588-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 128.00
EXT. WARRANTY AXIS P5415-E 60HZ		0589-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 160.00
EXT. WARRANTY AXIS P5512 60HZ		0409-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 88.00
EXT. WARRANTY AXIS P5512-E 60HZ		0411-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 120.00
EXT. WARRANTY AXIS P5514 60HZ		0769-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 80.00

EXT. WARRANTY AXIS P5514-E 60HZ		0771-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 96.00
EXT. WARRANTY AXIS P5515 60HZ		0770-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 96.00
EXT. WARRANTY AXIS P5515-E 60HZ		0772-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 112.00
EXT. WARRANTY AXIS P5522 60HZ		0420-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 120.00
EXT. WARRANTY AXIS P5522-E 60HZ		0422-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 152.00
EXT. WARRANTY AXIS P5532 60HZ		0310-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 160.00

EXT. WARRANTY AXIS P5532-E 60HZ		0312-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 192.00
EXT. WARRANTY AXIS P5534 60HZ		0314-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 200.00
EXT. WARRANTY AXIS P5534-E 60HZ		0316-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 232.00
EXT. WARRANTY AXIS P5544 60HZ		0443-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 240.00
EXT. WARRANTY AXIS P5624-E 60HZ		0671-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 128.00
EXT. WARRANTY AXIS P5624-E MK II 60HZ		0932-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 128.00

EXT. WARRANTY AXIS P5635-E 60HZ		0670-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 160.00
EXT. WARRANTY AXIS P5635-E MK II 60HZ		0929-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 160.00
EXT. WARRANTY AXIS 291 1U VIDEO SERV RACK		0267-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS P7216 VIDEO ENCODER		0542-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00
EXT. WARRANTY AXIS P7224 VIDEO ENC BLADE		0418-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS P7214 VIDEO ENCODER		0417-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00

EXT. WARRANTY AXIS P7701		0319-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 30.00
EXT. WARRANTY AXIS P8221		0321-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 21.00
EXT. WARRANTY AXIS P8514 BLACK		0455-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P8514 CHROME		0456-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P8514 WHITE		0454-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 39.00
EXT. WARRANTY AXIS P8524 BLACK METRIC		0688-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00

EXT. WARRANTY AXIS P8524 BLACK IMPERIAL		0657-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P8524 SILVER IMPERIAL		0653-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P8524 SILVER METRIC		0687-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS P8535 BLACK IMPERIAL		0712-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P8535 BLACK METRIC		0714-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P8535 SILVER IMPERIAL		0711-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00

EXT. WARRANTY AXIS P8535 SILVER METRIC		0713-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS P8804 STEREO SENSOR KIT		01007-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 36.00
EXT. WARRANTY AXIS Q1604		0439-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q1604-E		0463-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00
EXT. WARRANTY AXIS Q1614		0550-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 66.00
EXT. WARRANTY AXIS Q1614-E		0551-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 84.00

EXT. WARRANTY AXIS Q1615		0629-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 66.00
EXT. WARRANTY AXIS Q1615 Mk II		0883-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q1615-E		0630-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 84.00
EXT. WARRANTY AXIS Q1615-E Mk II		0884-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00
EXT. WARRANTY AXIS Q1635		0661-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 87.00
EXT. WARRANTY AXIS Q1635-E		0674-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 105.00

EXT. WARRANTY AXIS Q1659 10-22MM F		0967-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 354.00
EXT. WARRANTY AXIS Q1659 24MM F/2.8		0962-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 300.00
EXT. WARRANTY AXIS Q1659 35MM F/2		0963-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 354.00
EXT. WARRANTY AXIS Q1659 50MM F/1.4		0964-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 324.00
EXT. WARRANTY AXIS Q1659 70-200MM F/2.8		0968-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 504.00
EXT. WARRANTY AXIS Q1659 85MM F/1.2		0965-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 489.00

EXT. WARRANTY AXIS Q1659 100MM F/2.8		0966-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 390.00
EXT. WARRANTY AXIS Q1755 60HZ		0304-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 90.00
EXT. WARRANTY AXIS Q1755-E 60HZ		0348-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 108.00
EXT. WARRANTY AXIS Q1765-LE		0509-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 84.00
EXT. WARRANTY AXIS Q1765-LE PTMOUNT		0644-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 84.00
EXT. WARRANTY AXIS Q1775		0751-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00

EXT. WARRANTY AXIS Q1775-E		0752-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 96.00
EXT. WARRANTY AXIS Q1910		0334-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 180.00
EXT. WARRANTY AXIS Q1910-E		0335-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1922 10MM 8.3 FPS		0504-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1922 10MM 30 FPS		0506-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1922 19MM 8.3 FPS		0500-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00

EXT. WARRANTY AXIS Q1922 19MM 30 FPS		0502-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1922-E 10MM 8.3 FPS		0505-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1922-E 10MM 30 FPS		0507-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1922-E 19MM 8.3 FPS		0501-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1922-E 19MM 30 FPS		0503-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1922-E 35MM 8.3 FPS		0479-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 504.00

EXT. WARRANTY AXIS Q1922-E 35MM 30 FPS		0477-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 504.00
EXT. WARRANTY AXIS Q1922-E 60MM 8.3 FPS		0480-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 848.00
EXT. WARRANTY AXIS Q1922-E 60MM 30 FPS		0478-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 636.00
EXT. WARRANTY AXIS Q1931-E 35MM 8.3 FPS		0598-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1931-E 60MM 8.3 FPS		0599-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 372.00
EXT. WARRANTY AXIS Q1931-E 7MM 8.3 FPS		0596-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00

EXT. WARRANTY AXIS Q1931-E 13MM 8.3 FPS		0597-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1931-E 7MM 30 FPS		0600-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1931-E 13MM 30 FPS		0601-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1931-E 35MM 30 FPS		0602-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 252.00
EXT. WARRANTY AXIS Q1931-E 60MM 30 FPS		0603-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 373.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 13MM 30 FPS		0684-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00

EXT. WARRANTY AXIS Q1931-E PT MOUNT 35MM 30 FPS		0685-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 252.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 60MM 30 FPS		0686-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 372.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 7MM 30 FPS		0683-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1932-E 10MM 30 FPS		0608-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E 19MM 30 FPS		0609-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E 35MM 30 FPS		0610-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 479.00

EXT. WARRANTY AXIS Q1932-E 60MM 30 FPS		0611-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 599.00
EXT. WARRANTY AXIS Q1932-E 10MM 8.3 FPS		0604-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E 19MM 8.3 FPS		0605-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E 35MM 8.3 FPS		0606-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00
EXT. WARRANTY AXIS Q1932-E 60MM 8.3 FPS		0607-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 7MM 8.3 FPS		0679-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00

EXT. WARRANTY AXIS Q1931-E PT MOUNT 60MM 8.3 FPS		0682-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 372.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 35MM 8.3 FPS		0681-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 252.00
EXT. WARRANTY AXIS Q1931-E PT MOUNT 13MM 8.3 FPS		0680-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 210.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 10MM 8.3 FPS		0700-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 19MM 8.3 FPS		0701-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 35MM 8.3 FPS		0702-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00

EXT. WARRANTY AXIS Q1932-E PT MOUNT 60MM 8.3 FPS		0703-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 10MM 30 FPS		0704-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 19MM 30 FPS		0705-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 420.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 35MM 30 FPS		0706-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00
EXT. WARRANTY AXIS Q1932-E PT MOUNT 60MM 30 FPS		0707-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 599.00
EXT. WARRANTY AXIS Q1941-E 13MM 30 FPS		0787-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00

EXT. WARRANTY AXIS Q1941-E 7MM 30 FPS		0786-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E 60MM 8.3 FPS		0785-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 318.00
EXT. WARRANTY AXIS Q1941-E 35MM 30 FPS		0788-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 228.00
EXT. WARRANTY AXIS Q1941-E 60MM 30 FPS		0789-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 318.00
EXT. WARRANTY AXIS Q1941-E 35MM 8.3 FPS		0784-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 228.00
EXT. WARRANTY AXIS Q1941-E 13MM 8.3 FPS		0783-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00

EXT. WARRANTY AXIS Q1941-E 7MM 8.3 FPS		0782-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E 19MM 8.3 FPS		0876-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E 19MM 30 FPS		0877-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 7MM 8.3 FPS		0969-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 7MM 30 FPS		0973-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 13MM 8.3 FPS		0970-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00

EXT. WARRANTY AXIS Q1941-E PT MOUNT 13MM 30 FPS		0974-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 19MM 8.3 FPS		0978-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 19MM 30 FPS		0979-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 35MM 8.3 FPS		0971-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 228.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 35MM 30 FPS		0975-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 228.00
EXT. WARRANTY AXIS Q1941-E PT MOUNT 60MM 8.3 FPS		0972-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 318.00

EXT. WARRANTY AXIS Q1941-E PT MOUNT 60MM 30 FPS		0977-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 318.00
EXT. WARRANTY AXIS Q1942-E 10MM 8.3 FPS		0915-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 300.00
EXT. WARRANTY AXIS Q1942-E 10MM 30 FPS		0916-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 300.00
EXT. WARRANTY AXIS Q1942-E 19MM 8.3 FPS		0917-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 300.00
EXT. WARRANTY AXIS Q1942-E 19MM 30 FPS		0918-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 300.00
EXT. WARRANTY AXIS Q1942-E 35MM 8.3 FPS		0919-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 360.00

EXT. WARRANTY AXIS Q1942-E 35MM 30 FPS		0920-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 360.00
EXT. WARRANTY AXIS Q1942-E 60MM 8.3 FPS		0921-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1942-E 60MM 30 FPS		0922-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 10MM 8.3 FPS		0980-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 300.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 10MM 30 FPS		0981-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 300.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 19MM 8.3 FPS		0982-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 300.00

EXT. WARRANTY AXIS Q1942-E PT MOUNT 19MM 30 FPS		0983-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 300.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 35MM 8.3 FPS		0984-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 360.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 35MM 30 FPS		0985-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 360.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 60MM 8.3 FPS		0986-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q1942-E PT MOUNT 60MM 30 FPS		0987-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 450.00
EXT. WARRANTY AXIS Q2901-E 19MM 8.3 FPS		0647-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 312.00

EXT. WARRANTY AXIS Q2901-E 9MM 8.3 FPS		0645-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 312.00
EXT. WARRANTY AXIS Q2901-E PT MOUNT 9MM 8.3 FPS		0646-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 312.00
EXT. WARRANTY AXIS Q2901-E PT MOUNT 19MM 8.3 FPS		0648-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 312.00
EXT. WARRANTY AXIS Q3504-V 9MM		0665-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 48.00
EXT. WARRANTY AXIS Q3504-VE 9MM		0667-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 57.00
EXT. WARRANTY AXIS Q3505-SVE 9MM MKII		0773-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 81.00

EXT. WARRANTY AXIS Q3505-SVE 22MM MKII		0774-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 87.00
EXT. WARRANTY AXIS Q3505-V 9MM		0616-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q3505-V 9MM MKII		0872-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q3505-VE 9MM		0618-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q3505-VE 9MM MkII		0874-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 69.00
EXT. WARRANTY AXIS Q3505-V 22MM		0617-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 66.00

EXT. WARRANTY AXIS Q3505-V 22MM MKII		0873-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 66.00
EXT. WARRANTY AXIS Q3505-VE 22MM		0619-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 75.00
EXT. WARRANTY AXIS Q3505-VE 22MM MkII		0875-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 75.00
EXT. WARRANTY AXIS Q3615-VE		0743-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 81.00
EXT. WARRANTY AXIS Q3617-VE		0744-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 93.00
EXT. WARRANTY AXIS Q3708-PVE		0801-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 120.00

EXT. WARRANTY AXIS Q3709-PVE		0664-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 144.00
EXT. WARRANTY AXIS Q6000-E 60HZ		0636-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 128.00
EXT. WARRANTY AXIS Q6000-E 60HZ SOLO		0781-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 144.00
EXT. WARRANTY AXIS Q6000-E 60HZ Mk II		01006-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 128.00
EXT. WARRANTY AXIS Q6042-C 60HZ		0562-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 280.00
EXT. WARRANTY AXIS Q6042-E 60HZ		0560-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 240.00

EXT. WARRANTY AXIS Q6042-S 60HZ		0579-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 440.00
EXT. WARRANTY AXIS Q6042 60HZ		0558-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 199.00
EXT. WARRANTY AXIS Q6044 60HZ		0570-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 228.00
EXT. WARRANTY AXIS Q6044-E 60HZ		0572-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 272.00
EXT. WARRANTY AXIS Q6044-C 60HZ		0574-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 311.00
EXT. WARRANTY AXIS Q6044-S 60HZ		0581-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 464.00

EXT. WARRANTY AXIS Q6045 60HZ		0564-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 244.00
EXT. WARRANTY AXIS Q6045-E 60HZ		0566-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 248.00
EXT. WARRANTY AXIS Q6045 Mk II 60HZ		0692-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 244.00
EXT. WARRANTY AXIS Q6045-C Mk II 60HZ		0696-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 328.00
EXT. WARRANTY AXIS Q6045-E MkII 60HZ		0694-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 288.00
EXT. WARRANTY AXIS Q6045-S 60HZ		0583-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00

EXT. WARRANTY AXIS Q6045-C 60HZ		0568-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 328.00
EXT. WARRANTY AXIS Q6045-S Mk II 60HZ		0698-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00
EXT. WARRANTY AXIS Q6052 60HZ		0900-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 168.00
EXT. WARRANTY AXIS Q6052-E 60HZ		0902-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 208.00
EXT. WARRANTY AXIS Q6054 60HZ		0904-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 188.00
EXT. WARRANTY AXIS Q6054-E 60HZ		0906-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 224.00

EXT. WARRANTY AXIS Q6055 60HZ		0908-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 204.00
EXT. WARRANTY AXIS Q6055-C 60HZ		0943-600	<p>"2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable."</p>	\$ 328.00
EXT. WARRANTY AXIS Q6055-E 60HZ		0910-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 248.00
EXT. WARRANTY AXIS Q6114-E 60HZ		0650-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 216.00
EXT. WARRANTY AXIS Q6115-E 60HZ		0652-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 240.00
EXT. WARRANTY AXIS Q6128-E 60HZ		0799-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 240.00

EXT. WARRANTY AXIS Q6155-E 60HZ US		0934-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 256.00
EXT. WARRANTY AXIS Q7401 VIDEO ENCODER		0288-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS Q7404 VIDEO ENCODER		0291-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS Q7411 VIDEO ENCODER		0518-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 24.00
EXT. WARRANTY AXIS Q7414 VIDEO ENC BLADE		0354-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 60.00
EXT. WARRANTY AXIS Q7424-R VIDEO ENCODER		0487-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00

EXT. WARRANTY AXIS Q7424-R MKII VIDEO ENC		0742-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 54.00
EXT. WARRANTY AXIS Q7436 VIDEO ENC BLADE		0584-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 72.00
EXT. WARRANTY AXIS Q7436/Q7920 KIT		0656-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,116.00
EXT. WARRANTY AXIS Q7920		0575-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 156.00
EXT. WARRANTY AXIS Q8414-LVS WHITE		0710-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00
EXT. WARRANTY AXIS Q8414-LVS METAL		0709-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 78.00

EXT. WARRANTY AXIS Q8631-E 24V AC 35MM 30 FPS		0725-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q8631-E 230V AC 35MM 30 FPS		0726-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q8631-E 120V AC 35MM 30 FPS		0727-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q8631-E 24V AC 35MM 8.3 FPS		0722-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q8631-E 230V AC 35MM 8.3 FP		0723-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 600.00
EXT. WARRANTY AXIS Q8632-E 24V AC 35MM 8.3 FPS		0728-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 880.00

EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 8.3 FP		0729-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 880.00
EXT. WARRANTY AXIS Q8632-E 24V AC 35MM 30 FPS		0731-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 880.00
EXT. WARRANTY AXIS Q8632-E 230V AC 35MM 30 FPS		0732-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 880.00
EXT. WARRANTY AXIS Q8632-E 120V AC 35MM 30 FPS		0733-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 880.00
EXT. WARRANTY AXIS Q8665-E 120V AC		0717-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 400.00
EXT. WARRANTY AXIS Q8665-E 24V AC		0715-600	<p>2 years extension of the warranty period</p> <p>Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years.</p> <p>Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided.</p> <p>Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked.</p> <p>Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.</p>	\$ 400.00

EXT. WARRANTY AXIS Q8665-LE 100V AC		0721-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 520.00
EXT. WARRANTY AXIS Q8665-LE 120V AC		0720-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 520.00
EXT. WARRANTY AXIS Q8665-LE 230V AC		0719-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 520.00
EXT. WARRANTY AXIS Q8665-LE 24V AC		0718-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 480.00
EXT. WARRANTY AXIS Q8665-E 230V AC		0716-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 400.00
EXT. WARRANTY AXIS Q8685-E 24V AC/DC		0862-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 288.00
AXIS ADAPTER BRACKET B FOR YP3040	New	5901-251	Adapter bracket to YP3040 PAN TILT MOTOR for use with AXIS T93 camera housings. Suitable for indoor and outdoor use. Note that this bracket is included with P/N:5901-201 but not with P/N:5502461.	\$ 29.00

EXT. WARRANTY AXIS Q8721-E 35MM 8.3 FPS		0488-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,498.00
EXT. WARRANTY AXIS Q8721-E 35 MM 30 FPS		0489-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,498.00
EXT. WARRANTY AXIS Q8721-E 60MM 8.3 FPS		0490-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,674.00
EXT. WARRANTY AXIS Q8721-E 60MM 30 FPS		0491-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,674.00
EXT. WARRANTY AXIS Q8722-E 35MM 8.3 fps		0492-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,858.00
EXT. WARRANTY AXIS Q8722-E 35MM 30 fps		0493-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 1,858.00

EXT. WARRANTY AXIS Q8722-E 60MM 8.3 fps		0494-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 2,034.00
EXT. WARRANTY AXIS Q8722-E 60MM 30 fps		0495-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 2,034.00
EXT. WARRANTY AXIS V5914 60HZ < US >		0632-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 160.00
EXT. WARRANTY AXIS V5915 60HZ < US >		0634-600	2 years extension of the warranty period Note 1: Maximum warranty on cameras/encoders/decoders/access control is 5 years including standard warranty. No possibility to extend total warranty beyond 5 years. Note 2: The warranty code must be redeemed within 6 months after purchase (=code delivery). After that the code will be voided. Note 3: Extended warranty must be registered within 6 months from product purchase. After that the registration is locked. Note 4: Extended Warranty is non-cancellable, non-changeable and non-returnable.	\$ 208.00
ACAP AXIS PERIMETER DEFENDER 1 LICENSE		0333-606	Single unit license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 299.00
ACAP AXIS PERIMETER DEFENDER 1 E-LICENSE		0333-608	Single unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 299.00
ACAP AXIS PERIMETER DEFENDER 10 LICENSE		0333-607	Ten (10) unit license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 2,989.00
ACAP AXIS PERIMETER DEFENDER 10 E-LICENSE		0333-609	Ten (10) unit e-license for AXIS Perimeter Defender, a scalable and flexible video analytics application for perimeter surveillance and protection. Visit www.axis.com for supported products and application download.	\$ 2,989.00
Axis Cross Line Detection		0333-011	Single unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$ 29.00
Axis Cross Line Detection 10-pack		0333-031	Ten (10) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$ 279.00
Axis Cross Line Detection 50-pack		0333-051	Fifty (50) unit license for AXIS Cross Line Detection, a basic cross line video analytic. Visit www.axis.com for supported products and application download.	\$ 1,359.00

AXIS H. 264 50-user decoder license pack		0160-050	A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.	\$ 45.00
AXIS H.264 +AAC decoder 50-user decoder license pack		0160-060	A license document that grants installation of AXIS AVC/H.264 and ACC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.	\$ 55.00
AXIS MPEG-4 +AAC decoder 50-user license		0160-040	A license document that grants installation of AXIS MPEG-4 and AAC decoder onto 50 separate computers. Applicable for all Axis products that supports MPEG-4. Required for models that supports AAC audio encoding (e.g. models: 207, 207W, 207MW, 212PTZ, 216FD, 223M)	\$ 69.00
AXIS STORE DATA MGR 10P CORE E-LICE		01147-101	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data from retail analytics-enabled cameras.	\$ 499.00
AXIS STORE DATA MGR 1P E-LICENSE		01147-111	AXIS Store Data Manager is a server side tool that is used to collect and arrange analytics data. This article is for additional channels to be added to AXIS Store Dara Mgr 10P Core	\$ 29.00
AXIS STORE REPORTER E-LICENSE		01147-061	AXIS Store Reporter is a web-based tool that is used for graphical representation and reporting of statistical data gathered from Axis retail analytics applications. It is sold on a per channel basis. A license is valid until 31 Dec 2018. After this date the license will have to be renewed.	\$ 129.00
AXIS PEOPLE COUNTER E-LICENSE		01147-011	AXIS People Counter is a cost-efficient and scalable video analytics application for people counting. This business-improving application, installed on a network camera, enables accurate monitoring and analysis of customer flows. It is ideal for e.g. quick evaluation of marketing efforts, improving staff and store planning, or evaluating conversion rate if combined with point-of-sale data.	\$ 379.00
AXIS 3D PEOPLE COUNTER E-LICENSE		01147-021	AXIS 3D People Counter is a cost-efficient and scalable video analytics application for people counting in challenging conditions. This business-improving application, installed on a compatible network camera, enables precise monitoring and analysis of customer flows in crowded environments or in difficult lighting situations. The application is designed for AXIS P804 Stereo Sensor Kit.	\$ 379.00
AXIS QUEUE MONITOR E-LICENSE		01147-031	AXIS Queue Monitor is a cost-efficient and scalable video analytics application for queue measurement and analysis. This application, installed on a network camera, provides statistics about queue duration and queue fluctuations over the course of the day, facilitating both staff planning and the comparison between store locations.	\$ 459.00
AXIS DEMOGRAPHIC IDENTIFIER E-LICE		01147-041	AXIS Demographic Identifier is a cost-efficient and scalable video analytics application for detecting and analyzing faces of store visitors, displaying gender and approximate age.	\$ 459.00
AXIS OCCUPANCY ESTIMATOR E-LICENSE		01147-051	AXIS Occupancy Estimator is a cost-efficient and scalable video analytics application for gathering and analyzing occupancy data. This application, installed on a network camera, is a valuable tool for improving service planning in places like shopping malls or entertainment venues.	\$ 429.00
AXIS TAILGATING DETECTOR E-LICENSE		01147-071	AXIS Tailgating Detector is a cost-efficient video analytics application for ensuring that only one person at a time is entering in an automated access control system. Preventing unauthorized entering, the camera-integrated application is ideal for subways, gyms, or other places where access cards are used	\$ 429.00
AXIS DIRECTION DETECTOR E-LICENSE		01147-081	AXIS Direction Detector is a cost-efficient and scalable video analytics application for detecting people moving in the wrong direction. This camera-integrated application reduces the need for physical barriers or extra staff in for example retail stores or airports, where it registers the number of people passing by and in what direction	\$ 429.00
AXIS RANDOM SELECTOR E-LICENSE		01147-091	AXIS Random Selector is a camera-integrated video analytics application for randomly singling out individuals for inspection. The application eliminates any bias in the selection and inspection of, for instance, employees leaving a store, and may thereby reduce employees' discomfort.	\$ 429.00

ACS CORE DEVICE E-LICENSE		0879-010	<p>One (1) AXIS Camera Station version 5.0 Core Device license. Applicable for AXIS devices. A total of 32 Core Device licenses may be registered on a system.</p> <p>AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.</p> <p>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 79.00
ACS UNIVERSAL DEVICE E-LICENSE		0879-020	<p>One (1) Universal Device license applicable for AXIS Camera Station version 5.0 and up.</p> <p>AXIS Camera Station is a monitoring and recording system mid-size installations optimized to take full advantage of Axis leading network cameras and video encoders. It combines easy setup with an intuitive user interface for efficient operation, quick investigation and high definition identification.</p> <p>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 149.00
ACS 4 TO UNIVERSAL UPG E-LICENSE		0879-040	<p>One (1) upgrade license applicable for existing licenses of AXIS Camera Station, version 1,2,3, 4. Each existing license in combination with this upgrade license enables upgrade to a AXIS Camera Station version 5 Universal Device license.</p> <p>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 19.00
ACS CORE TO UNIVERSAL UPG E-LICENSE		0879-030	<p>This license is primarily used when merging two or more version 5 systems into one large system. One (1) Upgrade license applicable for AXIS Camera Station version 5 Core Device license upgrade to Universal Device license.</p> <p>Delivered as eLicense key. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 79.00
AXIS Camera Station 4 license base pack eLicense	EOL	0202-600	<p>AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. Base pack with a license for 4 Axis network video channels. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 399.00
AXIS Camera Station 10 license base pack eLicense	EOL	0202-601	<p>AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. Base pack with a license for 10 Axis network video channels. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 999.00
AXIS Camera Station 1 license add-on eLicense	EOL	0202-602	<p>AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 1 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 99.00
AXIS Camera Station 5 license add-on eLicense	EOL	0202-603	<p>AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 5 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 499.00
AXIS Camera Station 20 license add-on eLicense	EOL	0202-607	<p>AXIS Camera Station version 1,2,3,4 licenses. Not applicable for version 5. License for 20 additional Axis network video channel to AXIS Camera Station 4 or 10 license base pack. Requires the base pack to be pre-installed. eLicense. Note: eLicenses are non-cancellable, non-changeable and non-returnable.</p>	\$ 1,979.00
AXIS F4005-E CLEAR DOME 5PCS		5801-461	Standard clear dome for AXIS F4005-E, 5 pcs	\$ 79.00
ACC TOP COVER AXIS 209FD-R 10PCS		5500-301	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags	\$ 249.00
SPR DOME CLEAR AXIS 215 PTZ-E		5700-291	Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws.	\$ 99.00
ACC DOME AXIS 216FD GLASS SMOKED		5005-001	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00

ACC DOME AXIS 216FD GLASS CLEAR		5005-011	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301	\$ 29.00
ACC DOME AXIS 216FD-V GLASS SMOKED		5005-061	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V	\$ 69.00
ACC DOME AXIS 225FD GLASS SMOKED		5003-011	Smoked dome glass for AXIS 225FD	\$ 59.00
ACC MOUNT KIT 23XD DOME IN SMOKE		21774	Smoked dome, indoor for AXIS 231/232D.	\$ 28.00
ACC DOME 23XD INDOOR PLASTIC CLEAR		21777	Clear dome, indoor for AXIS 231/232D (included with AXIS 231D/232D), available as spare part.	\$ 28.00
AXIS M3004-V/05-V CLEAR DOME		5800-631	Original top cover with clear dome for AXIS M3004-V/05-V	\$ 19.00
AXIS M3006 CLEAR DOME 5PCS		5800-731	Original white top cover with clear dome for AXIS M3006, 5pcs.	\$ 249.00
AXIS M3007 CLEAR DOME 5PCS		5800-741	Original white top cover with clear dome for AXIS M3007, 5pcs.	\$ 249.00
AXIS M3024 CLEAR DOME 5PCS		5800-711	Standard clear domes for AXIS M3024, 5 pcs	\$ 249.00
AXIS M3025/26 CLEAR DOME 5PCS		5800-721	Standard clear domes for AXIS M3025, M3026. 5 pcs	\$ 249.00
AXIS M3027 CLEAR DOME 5PCS		5800-751	Standard clear domes for AXIS M3027, 5 pcs	\$ 249.00
AXIS M3044-V/45-V/46-V CL DOME 5P		5801-841	Standard clear dome for AXIS M3044-V/45-V/46-V, 5 pcs	\$ 99.00
AXIS M30 DOME COVER CASING A 5PCS		5901-241	Original white casing with clear dome for M3044/45/46-V-WV and AXIS Companion Dome cameras. 5 pcs.	\$ 149.00
RJ12 PLUG SHIELDED 10 PCS	New	01182-001	Shielded RJ12 connectors for use with AXIS modular cameras. 10-pack.	\$ 29.00
TOP COVER AXIS M311X-R 10PCS		5700-641	Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs	\$ 249.00
TOP COVER AXIS M311X-VE		5800-361	ORIGINAL TOP COVER FOR AXIS M311X-VE, INCLUDING OPENING TOOL AND ALLEN KEY.	\$ 29.00
TOP COVER M311X-VE NOCAP 10 PCS		5800-061	Original top cover including dome and screws for AXIS M311X-VE No Cap. 10 pcs.	\$ 249.00
TOP COVER M311X-VE 10 PCS		5800-051	Original top cover including dome and screws for AXIS M311X-VE. 10 pcs.	\$ 249.00
AXIS M501X DOME		5800-111	Spare part AXIS M501X dome, pre-mounted in the white top casing. Opening tool and gasket are included.	\$ 29.00
AXIS P32-V CLEAR DOME A 5P		5506-131	Standard clear dome for AXIS P32-V Series, 5 pcs	\$ 169.00
AXIS P32-VE CLEAR DOME A 5P		5506-121	Standard clear dome for AXIS P32-VE Series, 5 pcs	\$ 169.00
AXIS P32-LV SEMI SMOKED DOME A 5P		5504-981	Semi smoked domes for AXIS P32-LV Series, 5 pcs	\$ 169.00
AXIS P32-LVE SEMI SMOKED DOME A 5P		5504-991	Semi smoked domes for AXIS P32-LVE Series, 5 pcs	\$ 169.00
SPR AXIS P3343 DOME KIT		5700-321	Dome Kit for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	\$ 29.00
SPR AXIS P3343-V DOME KIT		5700-311	Dome kit for AXIS P3343-V, AXIS P3344-V, AXIS P3363-V and AXIS P3364-V as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 69.00
SPR DOME KIT AXIS P3343-VE		5700-341	Dome Kit for AXIS P3343-VE, P3344-VE, AXIS P3363-VE and AXIS P3364-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 69.00
SPR AXIS P3346 DOME KIT		5700-901	Dome Kit for AXIS P3346 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	\$ 34.00
SPR AXIS P3346-V DOME KIT		5700-911	Dome kit for AXIS P3346-V, P3367-V and AXIS P3384-V as spare part. Includes a clear bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	\$ 74.00
SPR AXIS P3346-VE DOME KIT		5700-921	Dome Kit for AXIS P3346-VE, P3367-VE, AXIS P3384-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	\$ 74.00
AXIS P3364-LV DOME KIT		5800-691	Dome kit for AXIS P3364-LV. The dome is pre-mounted in the standard white top cover casing.	\$ 74.00
AXIS P3364-LVE DOME KIT		5800-681	Dome kit for AXIS P3364-LVE. The dome is pre-mounted in a standard white top cover casing.	\$ 74.00
AXIS P3707-PE CLEAR DOME KIT		5801-521	Dome kit for AXIS P3707-PE. The dome is pre-mounted in the standard white top cover casing.	\$ 99.00
SPR TOP COVER AXIS P39-R 10 PCS		5801-111	Original top cover including dome and screws for AXIS P39-R Series. 10 pieces.	\$ 249.00
AXIS P54 CLEAR DOME		5800-771	Clear dome for AXIS P54-series.	\$ 49.00
AXIS P5512-E DOME KIT		5800-281	Dome kit for AXIS P5512-E. Clear-/smoked dome and dome cover included.	\$ 49.00
AXIS Q6128 CLEAR DOME 1P		5801-871	Standard clear dome for AXIS Q6128-E.	\$ 64.00
AXIS P553X CLEAR DOME		5800-251	Original clear dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	\$ 34.00
AXIS P553X SMOKED DOME		5800-191	Original smoked dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	\$ 34.00
AXIS DOME CLEAR P5544		5800-391	Sparepart dome for AXIS P5544. Note that this product does not contain the fisheye lens.	\$ 49.00
AXIS P5624-E/35-E CLEAR DOME		5506-141	Clear dome for AXIS P56 Series cameras.	\$ 49.00
SPR BUBBLE KIT SMOKED T95A		5700-131	Replacement smoked bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	\$ 131.00

SPR BUBBLE KIT CLEAR T95A		5700-121	Replacement clear bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	\$ 131.00
AXIS Q3505-V CLEAR DOME 5P		5505-611	Standard clear domes for AXIS Q35-V Series, 5 pcs	\$ 179.00
AXIS Q3505-VE CLEAR DOME 5P		5505-631	Standard clear dome for AXIS Q3505-VE. 5pcs	\$ 199.00
AXIS Q36-VE CLEAR DOME		5801-511	Standard clear dome for AXIS Q36 Series.	\$ 49.00
AXIS Q37 CLEAR DOME A		5507-311	Standard clear dome with anti-scratch hard coating. Compatible with AXIS Q3708-PVE and Q3709-PVE. Single pack.	\$ 49.00
AXIS Q6000-E CLEAR DOME		5506-641	Clear dome for AXIS Q6000-E	\$ 79.00
AXIS Q603X HD DOME KIT		5700-811	HD optimized dome kit for AXIS Q603X as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	\$ 89.00
AXIS Q603X-E CLEAR DOME C		5800-081	Stand alone HD quality clear dome without line for the AXIS Q603X-E.	\$ 79.00
AXIS Q603X-E SMOKED DOME C		5800-341	Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	\$ 79.00
AXIS Q60-E/C CLEAR DOME D		5800-481	Clear dome cover for AXIS Q60XX-E/C series	\$ 79.00
AXIS Q60-E/C SMOKED DOME D		5503-961	Stand alone smoked dome for AXIS Q60XX-E/C series	\$ 79.00
AXIS Q604X-S CLEAR DOME A		5700-751	Original clear dome for AXIS Q604X-S cameras	\$ 69.00
AXIS Q8414-LVS CLEAR DOME 5P		5506-331	Standard clear dome for AXIS Q8414-LVS. 5 pcs.	\$ 99.00
AXIS Q8414-LVS IR WINDOW A 5P		5506-341	Standard IR window with microphone hole and water-stop membrane for AXIS Q8414-LVS. 5 pcs.	\$ 149.00
AXIS T96B05 FRONT KIT 5 PCS		5506-851	Spare part window and window holder for AXIS T96B05 Outdoor Housing and AXIS P3905-RE. 5 Pcs. Includes screws.	\$ 169.00
AXIS A8105-E CLEAR DOME 5PCS		5801-471	AXIS A8105-E Clear Dome is sold as spare parts to the AXIS A8105-E Network Video Door Station and comes in packs of five clear dome covers. It enables easy on-site replacement in case the original dome cover has been damaged or vandalized.	\$ 35.00
ACC ALLEN-KEY M3 TAMP PROOF 10PACK		5500-491	Allen-key for AXIS 209FD-R 10-pack	\$ 39.00
AXIS M10 BRACKET KIT 5P		5901-211	Contains 5pcs wall-and-corner mount bracket and 5pcs table-top stand. Compatible with AXIS M10 Series.	\$ 39.00
AXIS PT-MOUNT BRACKET A 5P	EOL	5507-651	Standard mount bracket including screws for AXIS Q1765-LE PT Mount and AXIS Q19 Series PT Mount models. 5pcs.	\$ 59.00
AXIS Q604X RECESSED MOUNT		5505-161	Spare part indoor recessed mount for mounting AXIS Q60 indoor cameras in drop ceilings.	\$ 89.00
P1214/P1214-E/P1224-E MOUNT BRACKET 5PCS		5503-991	Mount bracket for AXIS P1214, P1214-E and P1224-E. Allows to mount the sensor unit in different horizontal and vertical angles.	\$ 59.00
AXIS M501X MOUNTING KIT		5800-121	Original ceiling mount kit for both hard- and drop ceilings for the AXIS M501X.	\$ 15.00
AXIS Q35-VE SKIN COVER A BLACK 5PCS	Description changed	01158-001	Skin covers in black, compatible with AXIS Q35-VE/LVE outdoor cameras. Simple to repaint in other colours, and prevents unwanted access to the cameras' screws. Black in color. 5 pieces per pack.	\$ 79.00
AXIS Q8414-LVS BACK CHASSIS WHITE		5506-311	Spare part powder coated white stainless steel back chassis with gaskets for AXIS Q8414-LVS.	\$ 199.00
AXIS Q8414-LVS BACK CHASSIS METAL		5506-321	Spare part brushed stainless steel metal back chassis with gaskets for AXIS Q8414-LVS.	\$ 199.00
AXIS T98A MOUNTING BRACKET		5800-351	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	\$ 59.00
STAINLESS STEEL STRAPS 700MM 1 PAIR		5700-981	Original stainless steel straps for AXIS T91A47 60 110 mm and AXIS T91A67. Mounting tool (P/N 21776) is required.	\$ 14.00
STAINLESS STEEL STRAPS 1450MM 1 PAIR		5800-811	Original stainless steel straps for AXIS T91A47 110-400 mm. The straps also fit the AXIS T91A67. Mounting tool (P/N 21776) is required.	\$ 24.00
MAIN BODY CUP M3011/14 10PCS		5700-511	Metal cup for AXIS M3011 and AXIS M3014 Network Cameras. 10 pcs.	\$ 210.00
SPR AXIS P3343-VE SCREW KIT		5700-351	Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	\$ 5.00
SPR AXIS P3343-V SCREW KIT		5700-301	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	\$ 4.00
AXIS T94B02S MOUNTING BRACKET 5P		5901-281	Spare part mounting brackets for AXIS M20 Series, 5-pack. Includes 5x mounting brackets with 5x Gasket C M20.	\$ 59.00
AXIS T94F01S MOUNTING BRACKET		5505-171	Standard mount bracket for AXIS M3006-V, AXIS M3007-P/-PV, AXIS M3024-LVE/3025-VE/3026-VE	\$ 19.00
AXIS T94G01S MOUNTING PLATE		5506-081	Sparepart mounting bracket for AXIS Q1765-LE, Q1931-E, Q1932-E	\$ 29.00
AXIS T94K01S MOUNTING BRACKET 4P		5505-551	Sparepart mounting bracket for AXIS Q3505-V. 4 pcs	\$ 119.00
AXIS T94M01S MOUNTING BRACKET 4P		5505-561	Sparepart mounting bracket for AXIS Q3505-VE. 4 pcs	\$ 139.00
AXIS T94S01S MOUNTING BRACKET 4P		5506-061	Sparepart mounting bracket for AXIS P32-V Series. 4 pcs	\$ 69.00
AXIS T94T01S MOUNTING BRACKET 4P		5506-071	Sparepart mounting bracket for AXIS P32-VE Series. 4 pcs	\$ 89.00

STAINLESS STEEL STRAP 570MM 1 PAIR		5700-701	Marine-grade (SS 316L) stainless steel straps for mounting on poles between 105-178 mm (4.1-7.0 inches) in diameter. These are of hose clamp type and have no need for special mounting tool. 1 pair of straps included.	\$ 24.00
MOUNTING BRACKET AXIS P33XX-VE		5700-691	Original AXIS P33XX-VE mounting bracket for wall or hard ceiling.	\$ 29.00
AXIS T94K01L CAMERA CHANGE KIT A 5P		5506-391	Spare part kit for changing between compatible cameras in AXIS T94K01L Recessed Mount. Included in AXIS T94K01L Recessed Mount. 5 change kits.	\$ 59.00
AXIS T94M01L CAMERA CHANGE KIT A 5P		5506-401	Spare part kit for changing between compatible cameras in AXIS T94M01L Recessed Mount. Included in AXIS T94M01L Recessed Mount. 5 change kits.	\$ 59.00
AXIS T94V01S MOUNTING BRACKET		5801-911	Standard mounting bracket for AXIS Q36 Series Network Cameras.	\$ 39.00
AXIS M1025	Description changed	0555-004	Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; full HDTV 1080p or 2 MP resolutions at 30 fps. Video motion detection. Connects over wired Ethernet and supports Power over Ethernet. Memory card slot for edge storage. HDMI output (Micro) for public view monitors. Includes stand and clamp. Camera powered by PoE. Power supply not included.	\$ 299.00
ACC DESSICANT BAG 100PCS		5500-591	Dry bags for AXIS 209FD-R, 100 pcs	\$ 40.00
AXIS P1204 SENSOR UNIT		5503-801	Original sensor unit for AXIS P1204 with premounted cable. Cover skin and mounting kit is included.	\$ 199.00
AXIS P1214 SENSOR UNIT		5503-811	Original sensor unit for AXIS P1214 with premounted cable. Flush mount bracket included.	\$ 199.00
AXIS P1214-E SENSOR UNIT		5503-821	Original sensor unit for AXIS P1214-E with premounted cable. Flush mount bracket and sensor unit housing included.	\$ 199.00
SPR P1224-E SENSOR UNIT		5800-991	Original sensor unit for AXIS P1224-E with premounted cable. Flush mount bracket included.	\$ 199.00
AXIS P3225-LVE MKII	Description changed	0955-001	Day/night fixed dome with support for WDR – Forensic Capture, Lightfinder and OptimizedIR with built-in IR illumination. IK10 vandal-resistant outdoor casing. Varifocal 3-10.5 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams. HDTV 1080p at 30 fps with WDR, and up to 60 fps with WDR disabled. Axis' Zipstream technology for reduced bandwidth and storage needs. Video motion detection and active tampering alarm. Memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes mounting bracket for wall/ceiling or junction boxes.	\$ 699.00
ACC MAINS ADAPTOR AXIS 214		5500-211	Mains adapter, AXIS 214, spare-part	\$ 39.00
ACC MAINS ADAPTOR PS-P		5500-704	Power supply PS-P for AXIS 215 PTZ	\$ 39.00
ACC PS-RACK		22512	Power supply for the Axis Video Server Rack	\$ 499.00
POWER SUPPLY AXIS Q872X-E 120V		5503-461	IP66 rated power supply for AXIS Q872X-E with 120 V AC input.	\$ 379.00
ACC MALE RJ45 AXIS 209FD-R		5502-061	Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and AXIS 209FD-R/MFD-R Network Cameras.	\$ 15.00
MAINS CABLE IEC-C13		5800-201	Mains cable for AXIS One-Port Midspan, AXIS T8123/24, AXIS 291, AXIS Q7900, AXIS Video Server Rack, AXIS PoE Midspan 8-Port/16-Port, Power Supply AXIS T8412.	\$ 15.00
AXIS PATCH CABLE A 200MM 6PCS		5506-451	Set of patch cables for AXIS T8085 PS57 RACK MOUNT 500W 1U to connect AXIS T8646 POE+ OVER COAX BLADE	\$ 79.00
ACC MALE RJ45 AXIS 209FD-R 10PCS		5502-051	Vibration resistant male RJ-45 connector suitable for AXIS 209FD-R/MFD-R Network Camera. 10 pack	\$ 149.00
CABLE GLAND A M16 5PCS		5800-961	M16 cable gland for cable diameter of 4.5 to 10mm. IP68. 5 pcs.	\$ 19.00
ACC STAND PLASTIC AXIS 210/211	EOL	23452	Plastic stand for AXIS 210 and 211 (A) Network Cameras	\$ 14.00
AXIS P3367-VE CASING KIT		5800-601	The kit contains a complete AXIS P3367-VE enclosure, heater and cable cover. The kit could also be used for converting an indoor version of AXIS P3346, P3367, P3384 and P3365 to an outdoor VE version.	\$ 215.00
AXIS P54-SERIES WEATHER COVER		5505-151	Sparepart weather cover for Axis P54-Series.	\$ 39.00
CONN KIT AXIS P1311		5500-851	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF.	\$ 9.00
CONN KIT AXIS Q7404		5700-161	Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one 2P 3.81MM. In total 13 connectors.	\$ 35.00
AXIS M3004 LENS		5800-641	Original M12 lens for AXIS M3004 2.8mm. Focus tool included.	\$ 49.00
AXIS M3005 LENS		5800-651	Original M12 lens for AXIS M3005 2.8mm. Focus tool included.	\$ 49.00
AXIS M311X-R 2MM M12 LENS		5700-711	Original lens for AXIS M311X-R as spare part	\$ 79.00

LENS M12 2.8-6MM 5PCS		5801-651	Varifocal lens 2.8-6MM, F2.0, M12 thread. Standard lens for AXIS F1015.	\$ 249.00
LENS M12 2.8MM F2.0 10PCS		5801-921	Standard lens for AXIS F4005-E, AXIS F1005-E and AXIS P1214-E.	\$ 199.00
LENS PINHOLE M12 3.7MM 10PCS		5801-661	Pinhole lens 3.7MM, F2.5, M12 thread. Standard lens for AXIS F1025. 10pcs	\$ 249.00
AXIS T93F TOP COVER		5505-891	Spare part top part of the housing including window.	\$ 59.00
ACC LENS CS VARIF 3-8MM DC-IR D/N		5500-061	CS mount Varifocal 3-8 mm DC-Iris for 221	\$ 125.00
ACC LENS CS VARIF 3-8MM DC-IR		5500-051	CS mount Varifocal 3-8 mm DC-Iris for 211	\$ 99.00
LENS 3-8MM 13VG308ASIR		5700-601	Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343	\$ 75.00
LENS 3-8MM TG320312FCS-MPIR-12		5700-611	Original DC-IRIS IR-corrected Megapixel lens for P1344.	\$ 195.00
LENS CS 2.8-8MM F1.2 DC-I MP		5700-881	CS mounted Varifocal 2.8-8 mm DC-iris megapixel lens. Original lens for AXIS M1114.	\$ 149.00
POWER SUPPLY AXIS Q872X-E 230V		5503-451	IP66 rated power supply for AXIS Q872X-E with 230 V AC input.	\$ 379.00
LENS CS VF 2.8-8MM F1.2 P-IRIS		5800-671	Original CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1604/14 and AXIS P1355/57	\$ 149.00
LENS CS VF 2.8-8MM F1.2 DC-IR		5800-661	Original CS mounted varifocal DC-Iris lens 2.8-8mm for AXIS Q1602/04 and AXIS P1354/55	\$ 149.00
AXIS LENS FUJINON CS 2.8-8MM P-IRIS		5506-721	Standard CS mounted varifocal P-Iris lens 2.8-8mm for AXIS Q1615.	\$ 149.00
LENS CS 2.8-8.5MM P-IRIS		5801-491	Standard CS mounted varifocal P-Iris lens 2.8-8.5mm for AXIS P1364.	\$ 159.00
LENS CS 2.8MM M13F02820		5700-821	Fixed Iris Megapixel Lens 2.8mm, F2.0, CS mount. Original Lens for AXIS M1103/4.	\$ 49.00
LENS CS 2.9-8.2MM F1.4 DC SVGA		5700-871	Varifocal 2.9-8.2mm CS mounted SVGA DC-iris lens. Original lens for AXIS M1113	\$ 69.00
LENS CS 4-10MM P-IRIS		5801-011	Standard lens for AXIS Q1635-E.	\$ 249.00
LENS CS 6.0MM F1.8 MP		5700-861	CS mounted 6.0 mm megapixel lens. Original lens for AXIS M1103/4	\$ 49.00
AXIS LENS TAMRON C 4-13MM DC-IRIS		5506-731	Standard C mounted varifocal DC-Iris lens 4-13mm for AXIS Q1635.	\$ 399.00
POWER SUPPLY AXIS T8412	EOL	5700-704	Power supply for AXIS T8412 Installation Display	\$ 59.00
AXIS Q872x-E SUNSHIELD KIT		5800-321	Sunshield for AXIS Q872x-E as sparepart. Including screws and washer	\$ 299.00
AXIS P3343-VE/44-VE CASING KIT		5700-841	The kit contains mounting bracket, bottom casing, heater and cable cover required for converting an indoor version of AXIS P3343/P3344 to an outdoor VE version. Note: Dome kit is not included, has to be ordered separately.	\$ 139.00
AXIS P3364-VE CASING KIT		5506-471	The kit contains mounting bracket, bottom casing, heater and cable cover required for converting an indoor version of AXIS P3364-V to an outdoor VE version. Note: Dome kit is not included, has to be ordered separately.	\$ 139.00
AXIS Q6000 LENS M12 1.37MM		5506-981	Standard lens kit M12 1.37mm for AXIS Q6000-E. Gasket included.	\$ 59.00
SPR BRACKET KIT AXIS Q60XX/P55XX		5700-851	Bracket kit for surface mounting a camera on a hard ceiling. Compatible with Q603X and P553X. Content: Bracket, screws with washers and wave springs.	\$ 24.00
CONN KIT AXIS M7014		5800-621	Terminal connectors for AXIS M7014. Includes 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$ 9.00
SPR CONN KIT AXIS Q7401		5500-831	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	\$ 19.00
CONN KIT AXIS P7214/Q7411		5800-611	Terminal connectors for AXIS P7214 and AXIS Q7411. Includes 1 pcs TERMINAL CONN 6P STR 2.50MM, 2 pcs TERMINAL CONN 2P STR 2.50MM, rubber feet and mounting screws for the encoder.	\$ 9.00
SPR CONN PUSH PULL PLUG IDC-8 IP67		5700-371	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP67 rated.	\$ 49.00
NETWORK CABLE WITH GASKET 5M		5700-331	Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45 connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T92/3-E housings.	\$ 10.00
AXIS Q60XX-C MULTI CONNECT CABLE 5M		5800-491	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$ 139.00
AXIS Q60XX-C MULTI CONNECT CABLE 7M		5800-821	Cable between AXIS Q60XX-C and connection box AXIS T8605	\$ 179.00
SPR COVERT CAMERA M7001		5700-471	Cover Camera for AXIS M7001 as spare part.	\$ 149.00
AXIS T91G61/T91L61 SCREW KIT		5901-391	Screw kit for installing AXIS P55-E Series with either AXIS T91L61 or AXIS T91G61 Wall Mounts. Single-pack includes 3x bayonet screws, 3x securing screws, 3x springs and an installation guide.	\$ 5.00
AXIS P5512 DOME KIT		5800-141	Dome kit for AXIS P5512. Clear-/smoked dome and ome cover included.	\$ 49.00
AXIS P5544 LENS KIT		5800-401	Spare part lens kit for AXIS P5544	\$ 399.00

AXIS Q6000-E SOLO KIT		5801-321	Kit for making a stand-alone AXIS Q6000-E MkII installation without PTZ camera inside. Includes a metal cover lid, an internal adapter plate, and IP66-rated RJ45 push-pull connector. Use this kit together with an AXIS Q6000-E MkII network camera (not included) and the AXIS T8133 Midspan 30 W 1-port (not included).	\$ 119.00
AXIS Q603X-E DOME COVER RING		5800-101	Dome cover ring for AXIS Q603X-E including screws.	\$ 18.00
AXIS Q60XX-C COOLING MODULE		5800-501	Peltier element, inside and outside fan for AXIS Q60XX-C	\$ 999.00
SPR ELECTRONIC KIT T95A00		5700-081	Electronic boards for replacement in AXIS T95A00 110-230 VAC. Includes 4 boards.	\$ 215.00
SPR ELECTRONIC KIT T95A10		5700-091	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	\$ 131.00
SPR HEATER/FAN KIT T95A00		5700-101	Replacement kit with 3 heaters and fans for AXIS T95A00	\$ 96.00
SPR HEATER/FAN KIT T95A10		5700-111	Replacement kit with 3 heaters and fans for AXIS T95A10	\$ 99.00
SPR SCREW AND GLAND KIT T95A		5700-151	Replacement cable gland plate, cable glands and screws for AXIS T95A	\$ 24.00
SPR MAINS ADAPTOR PS-V EUR		5700-221	Power supply PS-V for AXIS M10 series. White Sparepart	\$ 39.00
AXIS T8005 POWER SUPPLY 5V 5W USB		5901-191	Switching power supply, 5W with microUSB connector. Including interchangeable regional power plugs for world wide use.	\$ 39.00
MAINS ADAPTOR PS-H		5500-331	5V DC 2A power supply with 1.35x3.5 plug. Center (+) polarity.	\$ 39.00
SPR POWER SUPPLY 1U 310W FRONT		5700-071	Replacement power supply for AXIS Q7900 encoder rack	\$ 329.00
SPR POWER SUPPLY 1U 300W BL. FRONT		5800-861	Replacement power supply for AXIS Q7920 Video Encoder Chassis	\$ 329.00
AXIS T93G TOP COVER		5506-971	Spare part top part of the AXIS T93G housing including window.	\$ 49.00
SPR SUNSHIELD KIT T95A		5700-141	Replacement sunshield and lid for AXIS T95A	\$ 59.00
AXIS SUNSHIELD B		5800-971	Sunshield compatible with AXIS Q1765-LE, Q1931-E/32-E/41-E and Q2901-E	\$ 29.00
AXIS SUNSHIELD C		5800-981	Sunshield compatible with AXIS Q1765-LE PT Mount	\$ 29.00
AXIS P5512-E SUNSHIELD		5800-151	Sunshield for AXIS P5512-E.	\$ 24.00
SUNSHIELD KIT AXIS P553X-E		5700-961	Sunshield for AXIS P553X-E including mounting screws.	\$ 29.00
SUNSHIELD AXIS Q603X-E		5700-951	Sunshield for AXIS Q603X-E.	\$ 29.00
AXIS Q60XX-C SUNSHIELD		5800-471	Sunshield for AXIS Q60xx-C series	\$ 39.00
AXIS Q604X-S SUNSHIELD		5504-671	Stainless steel sunshield for AXIS Q604X-S	\$ 293.00
SUNSHIELD KIT T92E		5700-941	Sunshield for AXIS P134X-E, AXIS Q1755-E and AXIS Q192X-E. Includes mounting screws and Torx key.	\$ 35.00
AXIS T94U02S MOUNTING BRACKET		5506-671	Standard mounting bracket for AXIS Q3505-SVE made of stainless steel. Including gasket.	\$ 169.00
AXIS WEATHERSHIELD KIT D		5506-761	Weathershield with screws for protecting the dome of an AXIS Q35-VE camera from rain, snow and sun.	\$ 20.00
AXIS WEATHERSHIELD KIT E		5506-751	Weathershield with screws for protecting the dome of an AXIS P32-VE camera from rain, snow and sun.	\$ 18.00
AXIS WEATHERSHIELD KIT M		5507-321	Standard weathershield for AXIS Q3709	\$ 34.00
AXIS WEATHERSHIELD KIT N		5801-851	Standard weather shield for AXIS M2025/26 and AXIS Companion Bullet	\$ 24.00
AXIS WEATHERSHIELD KIT Q		5801-451	Standard weather shield for Axis Q36 Series, protecting the dome from rain, snow and sun.	\$ 24.00
WEATHERSHIELD KIT P3343/44-VE		5800-011	Original weathershield for AXIS P3343, AXIS P3344-VE, AXIS P3363-VE and AXIS P3364-VE. Screws included.	\$ 20.00
WEATHERSHIELD KIT P3346/67-VE		5800-021	Original weathershield for AXIS P3346, AXIS P3367-VE and AXIS P3384-VE. Screws included.	\$ 20.00
FRONT GLASS KIT AXIS T92E20/21		5700-831	Complete Front Kit for AXIS T92E20/21. Content: Front Cover, Front Glass, Gasket & Screws.	\$ 20.00
ELECTRONIC KIT AXIS T92E20		5700-971	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	\$ 179.00
FRONT KIT T92E24		5800-041	Front kit including metal frame, window, heater, gasket and screws for AXIS T92E24 Thermal camera housing. Compatible with the 60mm TA-lens.	\$ 949.00
AXIS T92E EXTENSION KIT		5506-101	Extension front for AXIS T92E20 outdoor housing, allowing longer lenses than the standard housing. The kit includes aluminum front and extension part, window, gasket and screws.	\$ 39.00
AXIS M20 FRONT KIT A		5901-291	Replacement front window assembly for AXIS M2025-LE, M2026-LE. The kit comes with both a black and a white front cover ring. Includes one window and sealing gasket.	\$ 29.00
AXIS P14 FRONT KIT A		5801-151	Standard front for AXIS P1405-E, P1405-LE, P1405-LE MKII, P1425-E, P1425-LE, P1425-LE MKII, P1427-E, P1427-LE, P1435-LE. Includes front ring, window and gasket.	\$ 29.00
AXIS P14 FRONT KIT B		5801-891	Standard front for AXIS P1428-E and AXIS P1435-E. Includes front ring, window and gasket.	\$ 29.00
AXIS Q1765-LE FRONT KIT		5801-101	Sparepart front window for AXIS Q1765-LE	\$ 29.00

DROP CEILING KIT AXIS P553X/4X		5800-131	Original kit for mounting a AXIS P553X/4X pan tilt zoom camera in a soft/drop ceiling	\$ 79.00
SPR FAN CASSETTE AXIS Q7900 E2		5800-271	Original spare part fan cassette for AXIS Q7900 E2.	\$ 199.00
SPR FAN CASSETTE AXIS Q7920		5800-851	Original spare part fan cassette for AXIS Q7920.	\$ 99.00
AXIS T98A05 CABINET DOOR		5800-521	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone. Used in T98A15-VE Cabinets.	\$ 129.00
AXIS T98A06 CABINET DOOR		5800-531	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P13XX-E, AXIS Q16XX-E, AXIS Q17XX-E, AXIS Q191X-E, AXIS Q192X-E. Used in T98A16-VE Cabinets.	\$ 129.00
AXIS T98A07 CABINET DOOR		5800-541	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE and the outdoor bullet-style Q1765 and Q1931 cameras. Used in T98A17-VE Cabinets.	\$ 129.00
AXIS T98A08 CABINET DOOR		5800-551	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits. Used in T98A18-VE Cabinets.	\$ 129.00
AXIS T98A09 CABINET DOOR		5800-871	Cabinet door for AXIS T98A. Compatible products: AXIS P54-Series. Used in T98A19-VE Cabinets.	\$ 129.00
AXIS P135X CONN KIT		5800-381	Terminal connectors for AXIS P135X-series. Includes 1 pcs TERMINAL CONNECTOR 4P STR 2.50MM, 1 pcs TERMINAL CONNECTOR 2P STR 3.81MM, 2 pcs TERMINAL CONNECTOR 2P STR 2.50MM	\$ 9.00
AXIS T8123/4-E MIDSPAN SPARE KIT		5800-371	2pcs RJ-45 waterproof plugs and 1pcs grounding wire for outdoor midspan T8123/4-E	\$ 29.00
FRONT KIT 60MM AXIS Q872X-E		5800-311	Frontkit for AXIS Q872X-E with 60mm lens as spare part.	\$ 1,499.00
FRONT KIT 35MM AXIS Q872X-E		5800-301	Frontkit for AXIS Q872X-E with 30mm lens as spare part	\$ 699.00
PT IR ILLUMINATOR KIT B		5800-921	Spare part illuminator kit for AXIS Q8665-LE. NOTE: it is not possible to upgrade a Q8665-E to become LE version	\$ 1,299.00
AXIS Q86-E LIGHT SENSOR BOX 120 V		5505-771	Light sensor box with integrated power supply for controlling IR illuminators and power AXIS Q8665-LE. Input power 120V AC.	\$ 640.00
AXIS Q8665-E BASE UNIT 24 V AC		5801-171	Spare part base unit for AXIS Q86-E 24 V AC.	\$ 1,199.00
AXIS Q8665-LE BASE UNIT 24V AC		5801-191	Spare part base unit for AXIS Q86-LE 24 V AC.	\$ 1,199.00
AXIS Q8665-E BASE UNIT 120 V AC		5801-181	Spare part base unit for AXIS Q86-E 120 V AC.	\$ 1,199.00
AXIS Q8631-E/32-E HOUSING TOP		5801-291	Spare part top housing with germanium window for AXIS Q8631-E/32-E.	\$ 599.00
AXIS Q8665 HOUSING TOP		5801-281	Spare part top housing with glass window for AXIS Q8665-E/-LE.	\$ 399.00
AXIS Q8665-LE ILLUMINATOR		5801-261	Spare part IR illuminator for AXIS Q8665-LE. Note. This is a single pack.	\$ 799.00
AXIS Q8665-LE ILLUMINATOR BRACKET	EOL	5801-271	Spare part IR illuminator bracket for AXIS Q8665-LE	\$ 299.00
AXIS Q8631/32/65 SUNSHIELD		5801-311	Spare parte sunshield for AXIS Q8631-E/32-E/65-E/65-LE	\$ 59.00
AXIS Q8665 WIPER		5801-201	Spare part wiper blade for AXIS Q8665-E/-LE including the stainless steel holder	\$ 59.00
AXIS Q8631/32/65 CAMERA CONN CABLE KIT		5801-241	Spare part kit consisting of Network-, communication- and power cable for AXIS Q8631/32/65.	\$ 59.00
AXIS Q8631/32/65 SEAL AND GASKET KIT		5801-231	Spare part kit for AXIS Q8631/32/65 consisting of mount bracket gasket, base unit cable glands, IR glands and housing gasket	\$ 79.00
AXIS Q8631/32/65 SCREW KIT	EOL	5801-211	Spare part screw kit for AXIS Q8631/32/65 consisting of all external screws and washers of the cameras	\$ 69.00
AXIS Q8721-E/22-E BASE		5800-951	Base assembly for the AXIS Q8721-E/22-E.	\$ 699.00
AXIS CONNECTOR A 2P2.5 STR 10PCS		5505-261	Axis male connector for legacy IO port . Pitch: 2.50 mm. 2pos terminal block. 10pack.	\$ 19.00
AXIS CONNECTOR A 4P2.5 STR 10PCS		5800-891	Axis male connector for limited and full IO port . Pitch: 2.50 mm. 4pos terminal block. 10pack.	\$ 19.00
AXIS CONNECTOR A 6P2.5 STR 10PCS		5505-271	Axis male connector for extended IO port . Pitch: 2.50 mm. 6pos terminal block. 10pack	\$ 59.00
AXIS CONNECTOR A 2P3.81 STR 10PCS		5800-901	Axis male connector for low voltage power. Pitch: 3.81 mm. 2pos terminal block. 10pack	\$ 19.00
AXIS CONNECTOR A 3P3.81 STR 10PCS		5505-281	Axis male connector for low voltage power. Pitch: 3.81 mm. 3pos terminal block. 10pack	\$ 29.00
AXIS CONN A 4P3.81 STR IN/OUT 10P		5505-291	Axis male connector for audio. Pitch: 3.81 mm. 2+2pos terminal block. 10pack	\$ 39.00
AXIS CONNECTOR A 4P3.81 STR 10PCS		5505-251	Axis male connector for low voltage power. Pitch: 3.81 mm. 4pos terminal block. 10pack	\$ 29.00
AXIS CONNECTOR A 2P5.08 STR 10PCS		5505-301	Axis male connector for low voltage power. Pitch: 5.08 mm. 2pos terminal block. 10pack	\$ 29.00
SPR 5 PORT GB ETHERNET SWITCH KIT		5800-881	Spare part internal switch for the AXIS Q8721-E/22-E Dual cameras,including brackets.	\$ 599.00
1.5 inch to M30 Male adapter		5502-441	Adapter to convert M30 to 1.5" thread. Used to convert VT Dome mounts to 1.5" NPT thread. Black color.	\$ 19.00
AXIS Q1765 FOOT CHASSIS		5506-091	Sparepart foot chassis for AXIS Q1765-LE and AXIS Q193X-E. Note. This sales part does not include the mounting bracket (5506-081 AXIS T94G01S Mounting plate)	\$ 39.00

AXIS ADAPTER RJ45 MALE TO MALE		5506-891	Adapter for connecting Q6000-E to PTZ camera	\$ 15.00
AXIS ACI CONDUIT COVER A 10PCS		01175-001	Spare part plastic side covers for compatible AXIS T91- and AXIS T94- series of mounting accessories. 10 pcs per pack.	\$ 19.00
AXIS POE ACTIVE SPLITTER 5V AF		5008-001	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS M1011-W, AXIS M1031-W, AXIS M1043-W and AXIS 1044-W.	\$ 59.00
AXIS POE MIDSPAN 8-PORT		5012-004	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	\$ 599.00
AXIS POE MIDSPAN 16-PORT		5012-014	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	\$ 799.00
AXIS T8120 15W MIDSPAN 1-PORT		5026-204	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf.	\$ 59.00
AXIS T8120 15W MIDSPAN 10PCS		5026-224	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf. 10 pcs.	\$ 529.00
AXIS T81B22 DC 30W MIDSPAN		5023-121	PoE midspan for PTZ dome- and fixed outdoor cameras. IEEE802.3af compliant (max. 15W) at 12/24V DC input. IEEE802.3at compliant (max. 30W) at 12V DC input. Temp spec: -20 °C to 65 °C (-4 °F to 149 °F).	\$ 99.00
AXIS T8123-E OUTDOOR MIDSPAN 30w		5030-234	Outdoor ready IP66-rated midspan compliant with IEEE802.3af and 802.3at. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 30W. Temperature specification: -40°C to 55°C (-40° to 131°F) for 30W and -40°C to 65°C (-40°F to 149°F) for 15.4W.	\$ 249.00
AXIS T8133 30W MIDSPAN		5900-294	Single port midspan for Power over Ethernet Plus (PoE+) IEEE 802.3at Type 2 Class 4. Replaces AXIS T8123.	\$ 79.00
AXIS T8134 MIDSPAN 60W		5900-334	High PoE 1-port midspan 60W. Compliant with 802.3at and PoE 802.3af.	\$ 149.00
AXIS T8154 60W SFP MIDSPAN		5901-004	AXIS T8154 60 W SFP Midspan is a compact, plug-and-play media converter with PoE. With its integrated power supply, it minimizes the amount of cabling and facilitates installation. AXIS T8154 offers data input through SFP or RJ45, and delivers High PoE 60 W. It works with all Axis network products supporting Power over Ethernet	\$ 199.00
AXIS T8124-E OUTDOOR MIDSPAN 60W		5031-244	Outdoor ready IP66-rated midspan for AXIS Q60-E. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 60W. Temperature specification: -40°C to 50°C (-40° to 122°F).	\$ 319.00
AXIS T8125 AC 24V MIDSPAN 60W		5900-251	60W PoE midspan for 24V AC input.	\$ 159.00
AXIS T8127 60 W SPLITTER 12/24 V DC		5500-001	PoE splitter. Can deliver both 12 and 24 V DC (user selectable) from High PoE 60W midspan. Useful to power and connect non-PoE devices like IP cameras, magnetic locks for access control systems, WiFi AP, thin clients etc.	\$ 89.00
AXIS T8129 PoE EXTENDER		5025-281	Power over Ethernet extender repeats the data signal and forward the PoE to the camera, PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	\$ 199.00
AXIS T8516 PoE+ NETWORK SWITCH		5801-694	PoE+ managed gigabit network switch, optimized for Axis network products. 2 SFP/RJ45 uplink ports and 16 PoE+ ports with 250W power supply. Built in DHCP server for plug-and-play camera setup. Easy system configuration for effective installation of Axis network products.	\$ 699.00
AXIS T8640 POE+ OVER COAX ADAP		5026-401	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input (for optional power supply). The package contains one base unit and one device unit.	\$ 414.00
AXIS T8641 POE+ OVER COAX BASE		5028-411	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	\$ 207.00

AXIS T8642 POE+ OVER COAX DEVI		5027-421	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	\$ 207.00
AXIS T8646 POE+ OVER COAX BLADE		5026-461	Ethernet over COAX blade (6ch) that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. For use with Axis video encoder chassis together with our AXIS T8082 or AXIS T8085 power supplies. Requires one AXIS T8642 POE+ OVER COAX DEVICE for every channel at the camera end.	\$ 699.00
AXIS T8646 POE+ OVER COAX BLADE KIT		5026-471	A Kit that contains one (1) AXIS T8646 POE+ OVER COAX BLADE and six (6) AXIS T8642 POE+ OVER COAX DEVICE for a complete 6 channel solution.	\$ 1,699.00
AXIS T8310 CONTROL BOARD		5020-001	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	\$ 1,149.00
AXIS T8311 JOYSTICK		5020-101	Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later.	\$ 399.00
AXIS T8312 KEYPAD		5020-201	Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	\$ 449.00
AXIS T8313 JOG DIAL		5020-301	Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later.	\$ 399.00
AXIS T8604 MEDIA CONVERTER SWITCH		5027-041	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	\$ 399.00
AXIS T8605 MEDIA CONVERTER SWITCH		5028-051	Original Media converter switch for AXIS Q60-C series. 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports (only active when connected to an AXIS Q60-C camera) and a combined communication and powering port for the camera. Temp spec. -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount	\$ 449.00
AXIS T8606 MEDIA CONV SWITCH 24VDC		5901-261	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F). 24 V DC power in.	\$ 399.00
AXIS T8607 MEDIA CONV SWITCH 24VDC		5901-271	Media converter switch . 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports and a combined communication and powering port for the camera. Temp spec. -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount. 24 V DC power in.	\$ 449.00
AXIS T8611 SFP MODULE LC.LX		5801-801	Small Form Factor Pluggable (SFP) transceiver module. Single mode 1310nm, 10km. Industrial grade.	\$ 99.00
AXIS T8612 SFP MODULE LC.SX		5801-811	Small Form Factor Pluggable (SFP) transceiver module. Multi mode 850nm, 550m. Industrial grade.	\$ 79.00
AXIS T8613 SFP MODULE 1000BASE-T		5801-821	Small Form Factor Pluggable (SFP) transceiver module. Ethernet RJ-45 . Industrial grade	\$ 99.00
AXIS T8331 PIR MOTION DETECTOR		5506-931	Indoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	\$ 39.00
AXIS T8331-E PIR MOTION DETECTOR		5506-941	Outdoor PIR detector especially made for Axis cameras to enhance motion detection. Easy plug and play connectivity to Axis I/O camera port.	\$ 129.00
AXIS DOME MICROPHONE A		5505-061	A dynamic microphone for sound pickup . Mounted on the inside of the dome of AXIS Q35-V cameras and plugged into the 3.5 mm microphone jack.	\$ 29.00
ACC CABLE I/O AUDIO 5M P3343-VE		5502-331	Audio and I/O extension cable for AXIS P33 Series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.	\$ 39.00

AXIS T8351 MICROPHONE 3.5MM		5031-511	AXIS T8351 Microphone 3.5mm is an omnidirectional microphone with a 3.5mm connector, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. Flexible to install, AXIS T8351 adapts to different installation scenarios thanks to a vast range of included accessories and to its dust-and-water proof casing.	\$ 139.00
AXIS T8353A MICROPHONE 3.5MM		5032-531	AXIS T8353A Microphone 3.5mm is an omnidirectional microphone with a 3.5mm adaptor, compatible with all Axis network video products supporting a 3.5mm jack for microphone input. AXIS T8353A Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 449.00
AXIS T8353B MICROPHONE PHANTOM POWER		5033-541	AXIS T8353B Microphone Phantom Power is an omnidirectional microphone with an XLR contact and a pigtail adaptor. Power ranges between 12-48V DC. It is compatible with phantom power devices, such as AXIS P8221 Network I/O Audio Module. AXIS T8353B Microphone offers great details and resolution, the capsule has a neutral sonic character and is very natural sounding. The discreet microphone is very reliable even in demanding environments.	\$ 449.00
AXIS T8353 MOUNT		5505-041	Mounting accessory for AXIS T8353 Microphones	\$ 19.00
AXIS AUDIO EXTENSION CABLE A 5M		5505-131	Audio extension cable for Axis 3.5mm mono microphones. Length 5m (197 in)	\$ 19.00
AXIS MULTICABLE A I/O AUDIO PWR 1M		5505-031	Multi-connector cable for power (12VDC), audio and I/O port. 1m (40 in)	\$ 79.00
AXIS MULTICABLE A I/O AUDIO PWR 5M		5505-021	Multi-connector cable for power (12VDC), audio and I/O port. 5m (197 in)	\$ 99.00
AXIS MULTICABLE B I/O AUDIO PWR 2.5M		5505-511	Multi-connector cable for AC/DC power, audio in/out and I/O connectivity. 2.5m (8.2 ft)	\$ 79.00
AXIS MULTICABLE C I/O AUDIO PWR 1M		5506-201	Multi-connector cable for power, audio and I/O connectivity. 1m (3.3 ft)	\$ 109.00
ACC EXTENSION CABLE PS-H 1.8M		5500-141	1.8 meter extension Cable for PS-H and PS-L products	\$ 7.00
AXIS MULTICABLE C I/O AUDIO PWR 5M		5506-191	Multi-connector cable for power, audio and I/O connectivity. 5m (16.4 ft)	\$ 139.00
AXIS T8415 WIRELESS INSTALLATION TOOL		5506-231	Camera installation made easy. Battery driven Wi-Fi access point with PoE+ to camera for use with AXIS Installation application on your iOS or Android device.	\$ 599.00
AXIS T8415 WIRELESS INST TOOL KIT		5506-881	Kit including AXIS T8415 Wireless Installation Tool, one extra AXIS Installation Tool Battery 12V3.4Ah and one AXIS Installation Bag.	\$ 699.00
USB POWER CABLE 1M		5505-661	USB power cable to power our M10 cameras. Perfekt to use with AXIS M1025 as PVM. Connect camera to a TV through HDMI and use this cable to the USB port on the TV to power the camera, no need for external power supply. DC plug 1.35x3.5mm. Length 1M (3.3 ft). White color.	\$ 14.00
AXIS P55/Q60 MULTI CONN CABLE 5M		5502-491	Multi-connector cable for power, audio and I/O. Used for indoor AXIS P55-series and Indoor Q60-series PTZ Dome Network Camera.	\$ 109.00
AXIS T8415 INSTALLATION BAG		5506-871	Durable soft bag to carry the AXIS T8415 Wireless Installation Tool, with space for extra battery, charger, network cables etc.	\$ 49.00
AXIS INSTALLATION TOOL BATTERY 12V3.4Ah		5506-551	Additional battery for AXIS T8415 Wireless Installation Tool.	\$ 99.00
ACC MAINS ADAP PS-P T-C		5502-261	Power supply PS-P T-C for AXIS Q1755 and AXIS Q7404	\$ 39.00
AXIS Q603X-E CABLE RJ45 OUTDOOR 5M		5502-731	Outdoor CAT6 Ethernet cable. IP66 rated male push pull connector for AXIS Q603X-E and AXIS P55-E, IP20 rated male RJ45 connector for midspan. Length: 5 meters. Color: black.	\$ 79.00
AXIS INSTALLATION CHARGER ADAPTOR 12V1A		5506-561	Charging adaptor for AXIS T8415 Wireless Installation Tool.	\$ 49.00
AXIS Q603X-E CABLE RJ45 OUTDOOR 15M		5504-731	Outdoor CAT6 Ethernet cable. IP66 rated male push pull connector for AXIS Q603X-E and AXIS P55-E, IP20 rated male RJ45 connector for midspan. Length:15 meters. Color: black.	\$ 149.00
AXIS Q60XX-C MULTI CONNECT CABLE 12M		5504-651	Cable between AXIS Q60XX-C and connection box AXIS T8605. Length: 12m (39ft).	\$ 249.00
AXIS CABLE 24 VDC/24-240 VAC 22M		5801-741	Heavy duty power cable, 22m (72ft) in length, 3-wire, 12AWG, jacket diameter 10mm (0.4in). Suitable for outdoor installation. UL20626 up to 90°C (194°F) ambient temperature. Designed for use with AXIS Positioning Cameras and Positioning Units, such as AXIS Q8685-E. Material: TPE insulation, copper wire, PVC-free and halogen-free. Color: Black.	\$ 199.00

AXIS P8221		0321-004	Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply.	\$ 349.00
AXIS T8006 PS12		5030-064	Power supply with extended temperature specification -40°C to +75°C (-40°F to +167°F) providing 12 V DC to units such as AXIS T8604 and AXIS Q7424-R.	\$ 89.00
AXIS P8221 BULK 10PCS		0321-021	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies not included.	\$ 3,449.00
NETWORK CABLE COUPLER INDOOR		5503-771	Female/female RJ45 coupler. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$ 11.00
NETWORK CABLE COUPLER INDOOR SLIM		5503-272	Female/female RJ45 coupler. Slim and compact size. For indoor use. Perfect when you need to extend a pre-terminated cable.	\$ 19.00
AXIS SURVEILLANCE CARD 64 GB		5801-951	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 69.00
AXIS SURVEILLANCE CARD 64 GB 10P		5801-961	AXIS Surveillance Card 64 GB is a high endurance microSDXC™ card optimized for video surveillance. It has support for health status monitoring with Axis cameras. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter. 10pack.	\$ 645.00
AXIS SURVEILLANCE microSDXC CARD 128 GB		5901-161	AXIS Surveillance microSDXC™ Card 128 GB is a high endurance microSDXC™ card optimized for video surveillance. The card enables flexible edge recording solutions with de-centralized video recording, eliminating the need of an onsite server, DVR or NVR. Optimizes bandwidth usage as video is recorded onboard each camera even when bandwidth is limited or absent. Combined with Axis Zipstream technology, even high quality video or longer retention times can be used effectively. Includes SD card adapter.	\$ 109.00
NETWORK CABLE COUPLER IP66		5503-431	Compact IP66-rated female/female RJ45 cable coupler. Perfect when you need to extend a pre-terminated outdoor cable.	\$ 29.00
AXIS T98A15-VE MEDIA CONVERTER CABINET A (120 V AC)		5505-351	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00
AXIS T98A16-VE MEDIA CONVERTER CABINET A (120 V AC)		5505-361	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00
ACC MAINS ADAP PS-K TERM-CONN		5503-681	Power supply for AXIS P1311/43/44 and AXIS Q7401 as a spare part.	\$ 39.00
AXIS T98A17-VE MEDIA CONVERTER CABINET A (120 V AC)		5505-371	Pre-assembled T98A Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00
AXIS T98A18-VE MEDIA CONVERTER CABINET A (120 V AC)		5505-381	Pre-assembled T98A18-VE Surveillance cabinet with following system components: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3) AXIS T8604 Media Converter, (4) Power cable and DIN clip for midspan AXIS T8124, (5) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00
AXIS T8007 PS24		5503-104	Indoor mains power supply. Output 24V DC 1.5A.	\$ 69.00
ACC MAINS ADAPTOR AXIS PS24		5000-001	24VAC power adapter for outdoor use. Output max 63VA.	\$ 149.00

AXIS T98A19-VE MEDIA CONVERTER CABINET A (120 V AC)		5505-391	Pre-assembled T98A Surveillance cabinet with following system compoents: (1) Breaker and surge protection, (2), 12 VDC DIN PSU, (3)AXIS T8604 Media Converter, (4) Internal cables and mounts. Tested and verified with Axis cameras.	\$ 899.00
AXIS T8003 PS57		5029-034	Power supply for the AXIS T8640 Coax Over Ethernet Adapter. If connected to the base end COAX adapter part, it powers up the connection, the device end unit and the PoE camera and thereby removes the need for a separate midspan. Can also be connected to the device end, to secure enough power (max 30W) to the connected PoE camera (COAX cable quality/long distance).	\$ 54.00
AXIS T8008 PS12		5503-661	Power supply for AXIS Q60XX-C series -40 to +75C (-40 to 167F). In 90-264V AC 47-63Hz. Out 12,5V DC 85W.	\$ 399.00
AXIS T8008 PS24		5801-701	24V DC power supply 250W with extended temperature (-40 to +75C (-40 to 167F)).	\$ 399.00
AXIS T8051 Power Converter AC/DC to DC		5505-051	AC/DC to DC power converter for AXIS Q35-VE, 24 V AC or 12/24 V DC input. Backbox designed to match perfectly with camera.	\$ 199.00
AXIS T8081 PS57 MODULE 1000W		5504-804	Power Supply module (1KW) for use with AXIS T8082 PS57 CHASSIS 2KW 1U	\$ 999.00
AXIS T8082 PS57 CHASSIS 2KW 1U		5504-844	19" rack power supply solution consisting of a power supply chassis (T8080), 2x1 KW power supply modules (AXIS T8081) and one power distribution board (T8088) for use with AXIS T8646 POE+ OVER COAX BLADE.	\$ 2,999.00
AXIS T8085 PS57 500W 1U		5504-864	Power supply 500W for use with AXIS T8646 POE+ OVER COAX BLADE in a 1U rack.	\$ 1,299.00
AXIS T8061 ETHERNET SURGE PROTECTOR		5801-641	Protect your Ethernet networks device, i.e. cameras, switches, midspans, etc..., from lightning. Protects up to 10KV surge, IP66 and UL certified.	\$ 99.00
CONNECTOR M12 FEMALE 4P 10PCS		5502-141	Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	\$ 149.00
CONNECTOR M12 MALE 4P 10PCS		5502-131	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P . Field installable with screw-in contacts. 10 pcs	\$ 149.00
AXIS 10-PIN PUSH-PULL SYSTEM CONN		5506-251	10-pin system connector for power, audio and I/O.	\$ 39.00
AXIS T90C10 FIXED DOME IR-LED		5024-101	IR-illuminator for AXIS P334X-VE cameras. 18-56 VDC input. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m power cable cable with gaskets.	\$ 349.00
AXIS T90C20 FIXED DOME IR-LED		5024-201	IR-illuminator for AXIS P334X-VE cameras. PoE IEEE802.3af compliant. Operating temperature -40 °C to 55 °C (-40 °F to 131 °F). IP66-, Nema 4X rated, vandal resistant. Premounted 5m network cable cable with gaskets.	\$ 349.00
AXIS T90A32 IR-LED 30-60 DEG	EOL	5013-321	IR LED Illuminator for use with the Axis Day/Night network cameras. 850 nm semi-covert. Adjustable angle between 30 to 60 degrees. Range 53 meters in 60 degrees and 80 meters in 30 degrees. Includes power supply with photocell and wall / ceiling bracket. Input 100-240 VAC. Consumption 50 W. Cable length 2.5m. Outdoor	\$ 999.00
AXIS T90B15 W-LED		5505-481	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 10 m to 50 m (33 ft to 164 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50 °C to 50°C (-58 °F to 122 °F).	\$ 320.00
AXIS T90B20 IR-LED		5505-451	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 20 m to 120 m (66 ft to 394 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).	\$ 449.00
AXIS T90B25 W-LED		5505-491	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 15 m to 90 m (49 ft to 295 ft). Made of IK09 impact resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).	\$ 449.00
AXIS T90B30 IR-LED		5505-461	IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 30 m to 220 m (98 ft to 722 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).	\$ 799.00

AXIS T90B35 W-LED		5505-501	White LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°, 35°, 60° & 80° beam angles. Beam distance ranges 20 m to 150 m (66 ft to 492 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).	\$ 799.00
AXIS T90B40 IR-LED		5505-471	Two panel IR LED illuminator for Axis network cameras. Included interchangeable diverging lenses providing 10°-140° beam angles. Beam distance ranges 45 m to 310 m (148 ft to 1010 ft). Made of IK09 impact-resistant aluminium and polycarbonate. IP66 and NEMA 4X ratings. Operating temperature -50°C to 50°C (-58 °F to 122 °F).	\$ 1,599.00
AXIS WL LENS A 120 DEG		5505-671	Accessory lens providing 120° beam angle, beam distance 10 m (33 ft). Compatible with AXIS T90B15 W-LED.	\$ 25.00
AXIS WL LENS B 120 DEG		5505-681	Accessory lens providing 120° beam angle, beam distance is 15 m (49 ft). Compatible with AXIS T90B25 W-LED.	\$ 29.00
AXIS IR LENS B 120 DEG		5505-701	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B20 IR-LED.	\$ 29.00
AXIS WL LENS C 120 DEG		5505-691	Accessory lens providing 120° beam angle, beam distance 20 m (66 ft). Compatible with AXIS T90B35 W-LED.	\$ 34.00
AXIS IR LENS C 120 DEG		5505-711	Accessory lens compatible with AXIS T90B30 IR-LED providing 120° beam angle, beam distance 30 m (98 ft). Also compatible with AXIS T90B40 IR-LED (two lenses are required as the illuminator has two panels). The beam angle can be adjusted between 120° and 180°, with a beam distance stretching from 65 m to 45 m (213 ft to 148 ft). This sales part includes one lens.	\$ 34.00
AXIS T90B REMOTE CONTROL		5800-931	The remote control is compatible with all Axis T90B illuminators and provides the possibility to adjust settings of light intensity, photocell sensitivity and more conveniently from the ground level. No lift or ladder required. The remote control feature can be disabled after the installation is finalized to avoid tampering.	\$ 39.00
PT IR ILLUMINATOR KIT A		5503-441	Infra red illuminator kit compatible with AXIS Q87 E. Kit contents: One 50 degree and one 10 degree illuminator that together cover the field of view of the camera when zoomed in or out. Range approx. 100 meters. IR mount brackets for the positioning unit.	\$ 1,679.00
AXIS DOOR SWITCH A		5503-841	Intrusion door switch for AXIS T98A, connection to I/O port.	\$ 29.00
AXIS DOME INTRUSION SWITCH B		5505-071	Intrusion switch for AXIS Q35-V and -VE as well as P33-VE cameras. Connects to camera I/O connector.	\$ 19.00
MAINS CABLE ANGL C13-OPN 0.5M		5506-244	Angled C13 mains cable for use when limited space. Open ends for installation in terminal blocks etc. Use when installing midspan into AXIS T98A Surveillance cabinet.	\$ 14.00
AXIS STEREO-TO-MONO ADAPTER		5801-681	AXIS Stereo-to-mono Adapter. Spare part to AXIS F44 Dual Audio Input Main Unit. Allows two microphones or line inputs to be connected to AXIS F44 Dual Audio Input.	\$ 29.00