

US VERSION

DTR650™ Portable

Standard Package Includes:

- Standard Battery - Li-ion, 1500 mAh Battery, 3.6V (53964)
- Standard Charger - 1 Hour Rapid Charger (53969)
- Drop-In Charging Tray (53962)
- Stubby 900 Antenna (8505241U06)
- Swivel Belt Holster (53961)
- CD-Rom User Guide
- Quick Reference Card
- One Year Warranty

Product Features:

- 900 MHz ISM Frequency-Hopping Digital Spread Spectrum
- 12 Alert Tones plus VibraCall™
- Battery Meter
- License Free Communication
- Backlit Display
- Private Calling: One-to-One Communication
- Public Group Calling: One-to-Many (up to 100 Group IDs)
- Private Group Calling: One-to-Many (selected from Contacts)
- Public Group Scan with Scan List
- Remote Disable
- Remote Monitoring
- Remote Time / Date Update
- SMS (Short Messaging Service), 5-10 Quick notes
- Contact List: Capacity 150 Shared Private / Public Group / Private Group
- CPS Required to Modify Quick Notes

Programmable Features:

- Call Tones
- Monitor
- OTA fleet cloning
- Accessory Talk Permit Tone (TFT) independent volume control
- Disable Radio PTT when using accessory with remote PTT
- Option to disable front-panel radio programming
- Cloning copies all configuration
- Read Private ID (reads fields other than just PID)



are
onal units

ent on
count will

Models

Model #	Band Split	Band	Power	Conv. Channels	Display	Keypad	MSRP
AAH73WCF9NA5_N	N/A	900 MHz	On-Site Digital	N/A	Yes	Limited	\$350.00

US VERSION

CP200d™ Portable

Standard Package Includes:

- Standard Battery (Li-Ion, 2250 mAh, 7.5V - NNTN4497_R)
- Standard Charger CEC Compliant (90 Minute Rapid Rate - PMPN4173A)
- Standard Antenna (VHF Heliflex NAD6502_R / UHF Whip PMAE4016)
- 3" Belt Clip (HLN8255)
- 2 Year Warranty + 1 Year Service from the Start - LITE

Product Features:

- 6.25e / 12.5 kHz only Channel Spacing
- 2 Programmable Side Buttons
- LED Battery Indicator

Analog Features:

- Companding X-Pand™ Technology
- Time-Out-Timer
- Busy Channel Lockout
- Internal VOX
- Single Priority Scan
- Adjustable Power Levels
- MDC1200 PTT ID (Encode)
- Quik Call II Call Alert (Decode)
- Quik Call II Selective Call (Decode)

Digital Features:

- Optional for Analog models
- Standard for Digital models
- Basic Privacy
- Radio Check (Decode)
- Remote Monitor (Decode)
- Radio Inhibit (Decode)
- Dual Priority Scan
- Transmit Interrupt (Decode)

Programmable Features:

- High / Low Power
- Channel Scan
- LED Battery Indicator
- Squelch Levels
- Repeater / Talkaround
- Volume Set
- Tight / Normal Squelch
- VOX On / Off
- Nuisance Channel Delete
- Voice Announcement Scan (Digital Mode)



Analog Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH01JDC9JC2_N	136-174 MHz	VHF	5W	16	No	No	\$485.00
AAH01QDC9JC2_N	403-470 MHz	UHF	4W	16	No	No	\$518.33

Digital Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH01JDC9JA2_N	136-174 MHz	VHF	5W	16	No	No	\$568.33
AAH01QDC9JA2_N	403-470 MHz	UHF	4W	16	No	No	\$601.67

CP200d™ Portable

Options: TO COMPLETE AN ORDER YOU MUST SELECT ONE (1) CHOICE FOR EACH OPTION

Battery Options

Options	Description	MSRP
STDBAT0752	Standard Battery - Li-Ion, 2250 mAh Battery (NNTN4497_R)	\$0.00
QA03815	Slim Li-Ion, 1600 mAh Battery (NNTN4970)	\$0.00
QA03816	NiMH, 1400 mAh Battery (NNTN4851)	\$0.00

Antenna Options

Options	Description	MSRP
STDANT0752	Standard Whip Antenna (UHF-PMAE4016, VHF-NAD6502_R)	\$0.00
QA00194	VHF Stubby Antenna, 146-162 MHz (HAD9742)	\$0.00
QA00189	VHF Stubby Antenna, 162-174 MHz (HAD9743)	\$0.00
QA03800	UHF Stubby Antenna, 403-433 MHz (PMAE4002)	\$0.00
QA00190	UHF Stubby Antenna, 430-480 MHz (PMAE4003)	\$0.00
H112	Omit Antenna	-\$3.50

Charger Options

Options	Description	MSRP
STDCHG0752	Standard Charger CEC Compliant - 90 Minute Rapid Rate w/ Switch Mode Power Supply	\$0.00
H951	Omit Standard Charger	-\$15.00

Shipping Options

Options	Description	MSRP
STDBOX0752	Standard Model Box	\$0.00
H415	Bulk Packaging	\$0.00

Warranty Options

Options	Description	MSRP
STORS0752	Standard 2 Year Warranty + 1Year SFSLITE (3 years of coverage)	\$0.00
QA00510	Omit 1Year SFS LITE	-\$18.33

CP200d™ Portable

General Options

Options	Description	MSRP
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip (PMMN4013)	\$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip (PMMN4029)	\$75.00
QA04002	Lightweight Headset with Swivel Boom Microphone (PMLN6538)	\$60.00
HKVN4223	Analog to Digital Upgrade	\$83.00
Q884	1 Year Service from the Start - LITE (US Only)	\$34.00
H885	2 Year Service from the Start - LITE (US Only)	\$65.00

Quantity Discount Program

You may "mix and match" any combination of SL300/CP185/CP200d portable models and/or CM200d/CM300d mobile models ("Radio Units") on a single order and receive the appropriate quantity discount for each model. Quantity discounts are calculated and granted at the time a new

Service from the Start LITE

MOTOTRBO portable and mobiles radios ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Service from the Start -LITE (SFS) option. If you desire additional years of SFS, you may choose one of the above general options. Please note that

FCC/IC Information:

(136-174 MHz) ABZ99FT3092 / 109AB-99FT3092
 (403-470 MHz z) ABZ99FT4094 / 109AB-99FT4094

Environmental Specifications:

Operating Temperature: -30° to +60° C (Radio Only)
 Sealing: IP54

US VERSION

SL300 Portable

Standard Package Includes:

- Standard Battery (Li-ion, 2200 mAh - PMNN4468)
- Standard Micro-USB Wall Charger (25009298001)
- VHF Stubby / UHF Stubby Antenna (Must Select Option)
- Standard Carry Holster (PMLN7190)
- Battery Door Cover (PMLN7074)
- 2 Year Warranty + 1 Year Service from the Start - LITE

Product Features:

- Digital (3W) and Analog (2W) Mode
- 2 Zones (Display Model)
- Dual Capacity Direct Mode
- 6.25e / 12.5 kHz Channel Spacing
- 1 Programmable Side Button. Display Model Includes Menu List
- Basic Privacy
- Busy Channel Lockout
- Emergency
- LED Battery Indicator
- Lone Worker
- MDC1200
- Quik Call II
- Radio Check (Decode)
- Radio Inhibit (Decode)
- Remote Monitor (Decode)
- Scan - Priority / Dual Priority
- Time-Out-Timer
- Voice Announcement
- Uses MOTOTRBO CPS
- Radio Management Capable

Programmable Features:

- All Alert Tones On/Off
- Brightness (Display Model)
- Emergency On/Off
- High / Low Power
- Monitor
- Nuisance Channel Delete
- One Touch Button
- Permanent Monitor
- Privacy On/Off
- Repeater / Talkaround
- Scan On/Off
- Scrambling On/Off
- Site Lock On/Off
- Tight / Normal Squelch
- Voice Announcement On/Off
- Volume Set
- VOX On / Off
- Zone Toggle (Display Model)



Digital Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH88JCC9JA2_N	136-174 MHz	VHF	3W (D) 2W (A)	2	No	No	\$ 356.33

AAH88JCP9JA2_N	136-174 MHz	VHF	3W (D) 2W (A)	99	Yes	No	\$ 396.33
AAH88QCC9JA2_N	403-470 MHz	UHF	3W (D) 2W (A)	2	No	No	\$ 382.07
AAH88QCP9JA2_N	403-470 MHz	UHF	3W (D) 2W (A)	99	Yes	No	\$ 432.07

SL300 Portable

Options: TO COMPLETE AN ORDER YOU MUST SELECT ONE (1) CHOICE FOR EACH OPTION

Battery Options

Options	Description	MSRP
STDBAT0546	Standard Battery - Li-Ion, 2200 mAh (PMNN4468)	\$0.00

Antenna Options

Options	Description	MSRP
QA04760	VHF Stubby Antenna, 136-144MHz 5cm (PMAD4144)	\$0.00
QA04761	VHF Stubby Antenna, 144-156MHz 5cm (PMAD4145)	\$0.00
QA04762	VHF Stubby Antenna, 156-174MHz 5cm (PMAD4146)	\$0.00
QA04763	UHF Stubby Antenna, 403-425MHz 4.5cm (PMAE4093)	\$0.00
QA04764	UHF Stubby Antenna, 420-445MHz 4.5cm (PMAE4094)	\$0.00
QA04765	UHF Stubby Antenna, 435-470MHz 4.5cm (PMAE4095)	\$0.00
H112	Omit Antenna	-\$3.50

Carry Options

Options	Description	MSRP
STDBLT0546	Standard Swivel Carry Holster (PMLN7190)	\$0.00
QA04882	ALT: Flexible Hand Strap (PMLN7076)	\$7.50
QA04883	ALT: Nylon Wrist Strap (PMLN6074)	\$5.00
H301	Omit Swivel Carry Holster	-\$3.50

Charger Options

Options	Description	MSRP
STDCHG0546	Standard Charger - Micro-USB Wall Charger (25009298001)	\$0.00
QA04770	ALT: Drop-In Single Unit Charger (PMLN7109)	\$25.00
H951	Omit Standard Charger	-\$5.00

Shipping Options

Options	Description	MSRP
STDBOX0546	Standard Model Box	\$0.00
H415	Bulk Packaging	\$0.00

Warranty Options

Options	Description	MSRP
STDRSA0546	Standard 2 Year Warranty + 1Year SFSLITE (3 years of coverage)	\$0.00
QA00510	Omit 1Year SFS LITE	-\$18.33

SL300 Portable

General Options

Options	Description	MSRP
QA04755	Swivel Earpiece with Mic/PTT (PMLN7189)	\$ 29.00
QA04757	Earbud with Mic/PTT, Mag One (PMLN7156)	\$ 20.00
Q884	1 Year Service from the Start - LITE (US Only)	\$ 34.00
H885	2 Year Service from the Start - LITE (US Only)	\$ 65.00

Quantity Discount Program

You may "mix and match" any combination of SL300/CP185/CP200d portable models and/or CM200d/CM300d mobile models ("Radio Units") on a single order and receive

Service from the Start LITE

MOTOTRBO portable and mobiles radios ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Service from the Start -LITE (SFS)

FCC/IC Information:

(136-174 MHz) AZ489FT3835 / 109U-89FT3835
 (403-470 MHz) AZ489FT4922 / 109U-89FT4922

Environmental Specifications:

Operating Temperature: -30° to +60° C (Radio Only)
 Sealing: IP54

US VERSION

BPR™ 40 Portable

Standard Package Includes:

- 8 Channel Model (Mag One Battery NiMH, 1200 mAh - PMNN4071_R
- 16 Channel Model (Mag One Battery Li-ion, 1500 mAh - PMNN4075_R
- Mag One Tri - Chemistry Rapid Charger Kit (includes PMLN5041_R Base/
- Mag One Antenna (VHF PMAD4051_R / UHF PMAE4020_R)
- Mag One Spring Belt Clip (PMLN4743)
- Operating Instruction Manual
- Warranty:
- Portable: One Year
- Mag One Accessories (except batteries): Six Months
- All Other Accessories (includes Mag One Battery and Motorola accessories): One

Product Features:

- 8 or 16 Channels
- 12.5 kHz only Channel Spacing
- 2 Programmable Buttons
- Adjustable Power Levels (ships with 1W)
- Priority Scan
- Small Size and Light Weight

Programmable Features:

- Nuisance Channel Delete
- PL/DPL Enable
- High/Low Power
- Volume Set
- Scan
- Talkaround

Frequencies Not Allowed:

VHF	UHF
158.91000	453.46500
173.27500	457.15000
173.26875	460.84375
	464.52500
	469.11500

Default Frequencies:

VHF	UHF
151.625	464.500

Additional frequencies can be added using the Ci

All frequencies must be divisible by 5.0 or 6.25 kl

Caution: Frequencies on the VHF band in the US have been assigned by the FCC with channel centers every 7.5 kHz, which means some of these



are

Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH84KDS8AA1_N	150-174 MHz	VHF	5W	8	No	No	#####
AAH84KDJ8AA1_N	150-174 MHz	VHF	5W	16	No	No	#####
AAH84RCS8AA1_N	450-470 MHz	UHF	4W	8	No	No	#####
AAH84RCJ8AA1_N	450-470 MHz	UHF	4W	16	No	No	#####

General Options

Options	Description	MSRP
Q884	1 Year Service from the Start - LITE (US Only)	\$34.00
H885	2 Year Service from the Start - LITE (US Only)	\$65.00
H886	3 Year Service from the Start - LITE (US Only)	\$97.00

Service from the Start LITE

SfS LITE 1, 2 or 3 years of extended hardware repair coverage beginning at date of shipment.

FCC/IC Information:

VHF: AZ489FT3810 / 109U-89FT3810

UHF: AZ489FT4873 / 109U-89FT4873

Environmental Specifications:

Operating Temperature: -30° C to +60° C (Radio Only)

Sealing: IPX4

VL50™ Portable

Standard Package Includes:

- Standard Battery (1100 mAh Li-ion, 3.6V - 56557)
- Standard Charger (120V Double Unit Charger - 56553)
- Swivel Belt Holster (HCLN4013)
- User Guide (6881096C37)
- One Year Warranty

Product Features:

- Up to 8 Channels
- 12.5 kHz Channel Spacing
- Scan
- 83 DPL, 38 PL Codes
- VibraCall Alert
- Battery Meter
- Radio Signal Strength Indicator
- Enhanced VOX (No accessory needed)
- 7 Selectable Call Tones

Default Frequencies:

UHF	
464.5000	467.8500
464.5500	467.8750
467.7625	467.9000
467.8125	467.9250



Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
P24VPC03D2_A	464.5-467.9 MHz	UHF	1W	8	Yes	No	\$255.00

US VERSION

CP185™ Portable

Standard Package Includes:

- Standard Battery (Li-Ion, 1750T mAh, PMNN4476A)
- Rapid Rate Charger CEC Complaint (< 3 Hours - Base: PMPN4132A, Supply: 25009297001)
- Standard Antenna (VHF Heliflex NAD6502_R / UHF Stubby PMAE4003_R) *See General Notes
- 2" Spring Action Belt Clip (HLN9844)
- Quick Reference Guide (68007024011)
- 2 Year Warranty

Product Features:

- Built-in Simple Voice Scrambling
- Internal VOX
- 12.5 kHz only Channel Spacing
- Companding-Expanding (X-Pand™)
- 8-Character Alphanumeric Display
- 16 Channels
- 2 Programmable Side Buttons
- 3 Programmable Front Buttons
- Front Pannel Feature and Button Configuring Mode
- Battery Saver
- Normal and Priority Scan (1 List)
- Multi-Channel Capability
- High Power
- Talkaround Capability
- Ergonomically Designed
- Busy Channel Lockout
- Low Battery Alert
- Receive Only Channel
- MDC 1200/Quik Call II/DTMF Signalling (Signalling models only)

Programmable Features:

- Backlight
- Channel Alias
- Channel Scan
- Keypad Lock
- Monitor
- Nuisance Channel Delete
- Power Level
- Repeater / Talkaround
- Reverse Burst
- Scrambling Code Select
- Scrambling On/Off
- Squelch Level
- Sticky Monitor
- TPL/DPL Enable
- Volume Set
- VOX On / Off

Default Frequencies:

157.680 464.475

Additional frequencies can be added using the CPS. All frequencies must be divisible by 5.0 or 6.25 kHz.

Caution: Frequencies on the VHF band in the US have been assigned by the FCC with channel centers every 7.5 kHz, which means some of these frequencies are not evenly divisible by 6.25 kHz or 5 kHz. In order for a radio to be able to synthesize frequencies that are not evenly divisible by 6.25 kHz or 5 kHz, it requires a more sophisticated synthesizer and hardware than the one offered with this model.



Frequencies Not Allowed:

140.000	155.175	167.030	446.440	460.000
155.010	155.505	169.995	446.445	467.785
155.050	159.995	170.000	455.895	467.900
155.030	160.000	170.005	456.010	468.010
155.015	160.005	173.985	456.015	468.125
155.170	161.450	#####	456.125	468.240
155.180	167.025		458.195	470.000
				479.900

Standard Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH03KEF8AA7_N	136-174 MHz	VHF	2-5W	16	Yes	Limited	\$315.00
AAH03RDF8AA7_N	435-480 MHz	UHF	2-4W	16	Yes	Limited	\$332.00

Signalling Models

Model #	Band Split	Band	Power	Conv Chan	Display	Keypad	MSRP
AAH03KEC4AB7_N	136-174 MHz	VHF	2-5W	16	No	No	\$315.00

AAH03KEF4AB7_N	136-174 MHz	VHF	2-5W	16	Yes	Limited	\$315.00
AAH03RDC4AB7_N	435-480 MHz	UHF	2-4W	16	No	No	\$332.00
AAH03RDF4AB7_N	435-480 MHz	UHF	2-4W	16	Yes	Limited	\$332.00

CP185™ Portable

Options: TO COMPLETE AN ORDER YOU MUST SELECT ONE (1) CONFIGURATION OPTION

Configuration Options

Options	Description	MSRP
STDPKG0133	Li-Ion 1750T mAh Battery (PMNN4476)	\$0.00
QA01113	Li-Ion High Cap.2150 mAh Battery (PMNN4080)	\$17.00
QA01114	NiMH 1300 mAh Battery (PMNN4082)	-\$5.00

General Options

Options	Description	MSRP
HA00041	Retail Temple Transducer (PMLN5003)	\$79.00
QA00531	Remote Speaker Microphone with Ear Jack, Coiled Cord and Swivel Clothing Clip (PMMN4013)	\$73.50
QA00532	Remote Speaker Microphone with IP57 Rating, Coiled Cord and Swivel Clothing Clip (PMMN4029)	\$75.00
QA04002	Lightweight Headset with Swivel Boom Microphone (PMLN6538)	\$57.00
QA01116	Lightweight Single Muff Adjustable Headset w/Swivel Boom Microphone (HMN9013)	\$57.00
QA01117	UHF Whip (16.5 cm) 430-520Mz (PMAE4016)	\$11.75
QA01315	VHF Stubby (9 cm) 136-155 MHz (PMAD4012)	\$13.25
QA01316	VHF Stubby (9 cm) 155-174 MHz (PMAD4013)	\$13.25
QA01318	VHF Heliflex 136-162 MHz (HAD9338)	\$11.75
QA04755	Swivel Earpiece with Mic/PTT (PMLN7189)	\$29.00
Q884	1 Year Service from the Start - LITE (US Only)	\$34.00
H885	2 Year Service from the Start - LITE (US Only)	\$65.00
H886	3 Year Service from the Start - LITE (US Only)	\$97.00

Quantity Discount Program

You may "mix and match" any combination of SL300/CP185/CP200d portable models and/or CM200d/CM300d mobile models ("Radio Units") on a single order

Service from the Start LITE

MOTOTRBO portable and mobiles radios ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a 1-year Service from the Start

General Notes

The UHF Stubby standard antenna PMAE4003_R, provides a coverage range of 430 to 470 MHz. Should you need coverage up to 480 MHz, the QA01117 antenna

FCC Information:

VHF: AZ489FT3882
 UHF: AZ489FT4883

Environmental Specifications:

Operating Temperature: -30° to +60° C (Radio Only)
 Sealing: IP54

US VERSION


CM200d™ Mobile

Standard Package Includes:

- Standard Microphone (PMMN4090)
- Standard Low Profile Mounting Bracket (RLN6469)
- Standard Power Cable (HKN4137)
- 2 Year Warranty + 1 Year Service from the Start - LITE

Product Features:

- 6.25e / 12.5 kHz Channel Spacing
- 16 Channels
- 2 Programmable Buttons
- LED Indicators
- Radio Management (Optional)



Analog Features:

- Auto/Priority/Dual Priority Scan
- Quik Call II™ Call Alert/Selective Call (Decode)
- MDC1200 PTT ID (Numeric ID - Encode)
- Audio Indicator Tones
- Time-Out Timer
- VOX
- Busy Channel Lockout

Digital Features:

- Digital Conventional
- Optional for Analog models
- Standard for Digital models
- Basic Privacy
- Radio Check (Decode)
- Remote Monitor (Decode)
- Radio Inhibit (Decode)
- Dual Priority Scan
- Transmit Interrupt (Decode)
- Dual Capacity Direct Mode

Frequencies Not Allowed:

- 153.600 MHz +/- 10 kHz
- 172.800 MHz +/- 10 kHz
- 422.400 MHz +/- 10 kHz

Programmable Features:

- Escalart
- Local/Distance Mode
- Repeater / Talkaround
- Silent Monitor
- Volume Set
- Voice Announcement
- High / Low Power
- Nuisance Channel Delete
- Scan On / Off
- Tight / Normal Squelch
- VOX On / Off

Analog Models

Model #	Band Split	Band	Power	Conv Chan	Display	MSRP
AAM01JNC9JC1_N	136-174 MHz	VHF	25W	16	N/A	\$501.67
AAM01JQC9JC1_N	136-174 MHz	VHF	45W	16	N/A	\$560.00
AAM01QNC9JC1_N	403-470 MHz	UHF	25W	16	N/A	\$551.67

AAM01QPC9JC1_N	403-470 MHz	UHF	40W	16	N/A	\$610.00
----------------	-------------	-----	-----	----	-----	----------

Digital Models

Model #	Band Split	Band	Power	Conv Chan	Display	MSRP
AAM01JNC9JA1_N	136-174 MHz	VHF	25W	16	N/A	\$585.00
AAM01JQC9JA1_N	136-174 MHz	VHF	45W	16	N/A	\$643.33
AAM01QNC9JA1_N	403-470 MHz	UHF	25W	16	N/A	\$635.00
AAM01QPC9JA1_N	403-470 MHz	UHF	40W	16	N/A	\$693.33

CM200d™ Mobile

Options: TO COMPLETE AN ORDER YOU MUST SELECT ONE (1) CHOICE FOR EACH OPTION

Microphone Options

Options	Description	MSRP
STDMIC0751	Standard Compact Microphone (PMMN4090)	\$0.00
QA03848	Enhanced Keypad Microphone (PMMN4089)	\$51.00
QA03850	Heavy Duty Microphone (PMMN4091)	\$31.00
B71	Omit Microphone	-\$10.00

Bracket Options

Options	Description	MSRP
STDBKT0751	Standard Mounting Bracket (RLN6469)	\$0.00
B65	Omit Standard Mounting Bracket	-\$4.00

Cable Options

Options	Description	MSRP
STDCBL0751	Standard Power Cable (HKN4137)	\$0.00
B161	Omit Standard Power Cable	-\$8.00

Shipping Options

Options	Description	MSRP
STDBOX0751	Standard Model Box	\$0.00
B842	Bulk Packaging (minimum 2 radios per box)	\$0.00

Warranty Options

Options	Description	MSRP
STDRSA0751	Standard 2 Year Warranty + 1Year SFSLITE	\$0.00
GA00164	Omit 1Year SFS LITE	-\$18.33

CM200d™ Mobile

General Options

Options	Description	MSRP
HKVN4223	CM200d Analog to Digital Upgrade	\$83.00
G400	1 Year Service from the Start - LITE (US Only)	\$34.00
G24	2 Year Service from the Start - LITE (US Only)	\$65.00

Quantity Discount Program

You may "mix and match" any combination of SL300/CP185/CP200d portable models and/or CM200d/CM300d mobile models ("Radio

Service from the Start LITE

MOTOTRBO portable and mobiles radios ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a

FCC/IC Information:

VHF (1-25W): ABZ99FT3090 / 109AB-99FT3090
 VHF (25-45W): ABZ99FT3091 / 109AB-99FT3091
 UHF (1-25W): ABZ99FT4092 / 109AB-99FT4092
 UHF (25-40W) ABZ99FT4093 / 109AB-99FT4093

Environmental Specifications

Operating Temperature: -30° to +60° C

Sealing: IP54*

* With microphone sealing boot and rear accessory connector cover properly installed

US VERSION

CM300d™ Mobile

Standard Package Includes:

- Standard Microphone (PMMN4090)
- Standard Low Profile Mounting Bracket (RLN6469)
- Standard Power Cable (HKN4137)
- 2 Year Warranty + 1 Year Service from the Start - LITE

Product Features:

- 6.25e / 12.5 kHz Channel Spacing
- Alpha-Numeric Display
- White-lit Backlight
- 99 Channels
- 4 Programmable Buttons
- LED Indicators
- Radio Management (Optional)

Analog Features:

- Auto/Priority/Dual Priority Scan
- Quik Call II™ Call Alert/Selective Call (Decode)
- MDC1200 PTT ID (Numeric ID - Encode)
- Audio Indicator Tones
- Time-Out Timer
- VOX
- Busy Channel Lockout

Digital Features:

- Digital Conventional
- Optional for Analog models
- Standard for Digital models
- Basic Privacy
- Radio Check (Decode)
- Remote Monitor (Decode)
- Radio Inhibit (Decode)
- Dual Priority Scan
- Transmit Interrupt (Decode)
- Dual Capacity Direct Mode



Frequencies Not Allowed:

- 153.600 MHz +/- 10 kHz
- 172.800 MHz +/- 10 kHz
- 422.400 MHz

Programmable Features:

- Escalart
- Local/Distance Mode
- Repeater / Talkaround
- Silent Monitor
- Volume Set
- Voice Announcement
- High / Low Power
- Nuisance Channel Delete
- Scan On / Off
- Tight / Normal Squelch
- VOX On / Off

Analog Models

Model #	Band Split	Band	Power	Con v Cha n	Display	MSRP
AAM01JNH9JC1_N	136-174 MHz	VHF	25W	99	Yes	\$560.00

AAM01JQH9JC1_N	136-174 MHz	VHF	45W	99	Yes	\$618.33
AAM01QNH9JC1_N	403-470 MHz	UHF	25W	99	Yes	\$610.00
AAM01QPH9JC1_N	403-470 MHz	UHF	40W	99	Yes	\$668.33

Digital Models

Model #	Band Split	Band	Power	Con v Cha n	Display	MSRP
AAM01JNH9JA1_N	136-174 MHz	VHF	25W	99	Yes	\$643.33
AAM01JQH9JA1_N	136-174 MHz	VHF	45W	99	Yes	\$701.67
AAM01QNH9JA1_N	403-470 MHz	UHF	25W	99	Yes	\$693.33
AAM01QPH9JA1_N	403-470 MHz	UHF	40W	99	Yes	\$751.67

CM300d™ Mobile

Options: TO COMPLETE AN ORDER YOU MUST SELECT ONE (1) CHOICE FOR EACH OPTION

Microphone Options

Options	Description	MSRP
STDMIC0866	Standard Compact Microphone (PMMN4090)	\$0.00
QA03848	Enhanced Keypad Microphone (PMMN4089)	\$51.00
QA03850	Heavy Duty Microphone (PMMN4091)	\$31.00
B71	Omit Microphone	-\$10.00

Bracket Options

Options	Description	MSRP
STDBKT0866	Standard Mounting Bracket (RLN6469)	\$0.00
B65	Omit Standard Mounting Bracket	-\$4.00

Cable Options

Options	Description	MSRP
STDCBL0866	Standard Power Cable (HKN4137)	\$0.00
B161	Omit Standard Power Cable	-\$8.00

Shipping Options

Options	Description	MSRP
STDBOX0866	Standard Model Box	\$0.00
B842	Bulk Packaging (minimum 2 radios per box)	\$0.00

Warranty Options

Options	Description	MSRP
STDRSA0866	Standard 2 Year Warranty + 1Year SFSLITE	\$0.00
GA00164	Omit 1Year SFS LITE	-\$18.33

CM300d™ Mobile

General Options

Options	Description	MSRP
HKVN4223	CM200d Analog to Digital Upgrade	\$83.00
G400	1 Year Service from the Start - LITE (US Only)	\$34.00
G24	2 Year Service from the Start - LITE (US Only)	\$65.00

Quantity Discount Program

You may “mix and match” any combination of SL300/CP185/CP200d portable models and/or CM200d/CM300d mobile models (“Radio

Service from the Start LITE

MOTOTRBO portable and mobiles radios ship with a standard 2-year parts and labor warranty. Additionally, they ship standard with a

FCC/IC Information:

VHF (1-25W): AZ492FT3805 / 109U-92FT3805
 VHF (25-45W): ABZ99FT3046 / 109AB-99FT3046
 UHF (1-25W): AZ492FT4856 / 109U-92FT4856
 UHF (25-40W): ABZ99FT4048 / 109AB-99FT4048

Environmental Specifications

Operating Temperature: -30° to +60° C
 Sealing: IP54