

# Visiplex, Inc.

## RETAIL PRICE LIST

EFFECTIVE DATE: April 20, 2017

1287 Barclay Boulevard  
Buffalo Grove, IL 60089  
Phone: (847) 229-0250 or (877) 918-PAGE  
Fax: (847) 229-0259  
E-mail: [sales@visiplex.com](mailto:sales@visiplex.com)  
Web site: [www.visiplex.com](http://www.visiplex.com)

*Prices are subject to change without notification. Prices do not include shipping, handling, taxes or insurance.*

## Desktop Systems Option Summary

Option	Description
<b>VS3001</b>	Dial-Up Alphanumeric Modem Input and External Modem Option. Supports Serial Communication to the System via Modem by Dial In to the System Modem.
<b>VS3002</b>	Wide Area Interface and External Modem Option. Supports Alphanumeric Messaging to Supported Wide Area Pagers and Cell Phones using TAP Protocol via Modem Connection.
<b>VS3003</b>	Telephone Line Interface Option (RJ11 Input, *integrated). Supports Voice and Alphanumeric Messaging Using Telephone Keypad. The user is required to call the system and follow the system prompts for entering the requested device number and the message or alert that should be sent to the device.
<b>VS3004</b>	Pre-Programmed Alpha by Phone Messages Option. Supports Alphanumeric Messaging Using Telephone Keypad (Requires VS3003). The system can be programmed with alphanumeric messages represented by a number (for example, "05"). Users can call the system (see VS3003) and enter a numeric message or "*" followed by the message number (for example, "*05") to send an alphanumeric message using the phone keypad. For systems equipped with numeric keypad, this feature is available also through the keypad using the "*" key.
<b>VS3005</b>	Hand-Held Microphone for Live Voice Messaging Option. Provides support for live voice message to the selected speakers.
<b>VS3006</b>	10 Pre-Programmed Messages via Keyboard Option. Supports One Key Paging Using F1 to F10 Keys.
<b>VS3008</b>	Free Text Messaging Software Option (*integrated). Supports Serial Port Data Analysis and Keyword Based Paging (Requires Serial Port). The incoming serial data is compared to a list of keywords. If a match is found, the system will respond by sending the incoming data to the assigned pager for the specific keyword.
<b>VS3009</b>	Additional Serial Port Option (RS232, *integrated). Supports Extended Automation using Serial Communication.
<b>VS3010</b>	On-Line Printer Interface Option (*integrated). Supports Automated Paging Activity Printer Output.
<b>VS3011</b>	Wireless 900 MHz and UHF Call Buttons and Call Stations Interface Option (Requires 900 MHz or UHF Receiver, *integrated). Supports Monitoring and Automated Messaging to Wireless Receivers.
<b>VS3012</b>	Discontinued - included with VS4500 and VS4810 (starting 05/15/15). Audio Input Activation Option (AUX, *integrated). Supports Automated Activation of Wireless Speakers from External Audio Source.
<b>VS3014</b>	Handset Microphone for Live Voice Messaging and Intercom Communication Option.
<b>VS3015</b>	Discontinued - included with VS4500 and VS4810 (starting 05/15/15). Expanded Memory and Pre-Programmed Audio Messages Option (*integrated).
<b>VS2511</b>	Weekly or Calendar Bell and Tone Schedule Option (*integrated). Supports Scheduled Activation of Eight Default Bells and Tones or up to 64 User Programmable Voice Messages (Includes Downloadable VSPS-06 Programming Software).

Option	Option Availability by Model Included / Add-On Number of Messages or Interfaces Available							
	<u>VS1810 &amp; VS1800</u>	<u>VS2500</u>	<u>VNS2500</u>	<u>VS3100</u>	<u>VS3200</u>	<u>VS4200</u>	<u>VS4500</u>	<u>VS4800 / VS4810</u>
VS3001	-	-	-	0 / 1	0 / 1	-	-	-
VS3002	-	-	-	0 / 1	0 / 1	-	0 / 1	0 / 1
VS3003	-	0 / 1	1 / 0	0 / 1- 2	0 / 1- 2	0 / 1	0 / 1	0 / 1- 2
VS3004	-	99 / 0	99 / 0	0 / 40	0 / 20	99 / 0	99 / 0	99 / 0
VS3005	-	-	1 / 0	-	-	0 / 1	0 / 1	0 / 1
VS3006	-	-	-	0 / 10	0 / 10	-	0 / 0	20 / 0
VS3008	-	-	-	0 / 50	0 / 50	-	0 / 99	0 / 99
VS3009	1 / 0	1 / 0	1 / 0	1 / 1-3	1 / 1-3	1 / 0	1 / 1	1 / 3
VS3010	-	-	-	0 / 1	0 / 1	-	-	-
VS3011	-	-	-	-	-	-	0 / 500	0 / 500
VS3012	-	-	-	-	-	-	1 / 1	1 / 1
VS3014	-	-	-	-	-	-	0 / 1	0 / 1
VS3015	-	-	-	-	-	-	1 / 1	1 / 1
VS2511	-	-	0 / 48	-	-	0 / 48	0 / 48	0 / 48

**Notes**

1. **VS2511** – number of daily events is listed.
2. Underlined P/N are discontinued models and presented for reference only.
3. VS3012 and VS3015 included with VS4500 and VS4810 (starting 05/15/15).

## PC Based Systems Option Summary

Option	Description
<b>VS5102</b>	Wide Area Interface and External Modem Option. Supports Alphanumeric Messaging to Supported Wide Area Pagers and Cell Phones using TAP Protocol via Modem Connection.
<b>VS5104</b>	Four Telephone Line Interface Option (RJ11 Input, *integrated). Supports Voice and Alphanumeric Messaging Using Telephone Keypad. The user is required to call the system and follow the system prompts for entering the requested device number and the message or alert that should be sent to the device.
<b>VS5131</b>	Pre-Recorded Voice Messages to PC Audio Output Option (*integrated). Supports Activation of Speakers or Audio Amplifier Connected to the PC Audio Output.
<b>VS5132</b>	Pre-Recorded Voice Messages to PABX or Telephone Subscribers Option (*integrated). Supports Pre-Recorded Voice Messages by Dial Out to Telephone or PABX Extension (Requires VS5104 Telephone Interface). Typical application is to send an alert to a subscriber telephone or to an existing wired PA system that requires dialing a PABX extension number to gain access to it.
<b>VS5133</b>	Email Notification Option (*integrated). Supports Email Messaging to Email and Supported Cell Phone Devices.
<b>VS5134</b>	Device Supervision and Monitoring Option (*integrated). Supports Wireless Monitoring and Supervision of System Devices Operation and Status (Requires Serial Port and Wireless Receiver). The system will send a status request to the remote devices according to a pre-determined schedule (any weekday/s on a specific time).
<b>VS5135</b>	Network Notification Alerts Option (*integrated). Supports Pop-Up Window Notifications to VNS2000 Client Users.
<b>VS5165</b>	Wireless 900 MHz and UHF Call Buttons and Call Stations Interface Option (Requires 900 MHz or UHF Receiver, *integrated). Supports Monitoring and Automated Messaging to Wireless Receivers.
<b>VS5166</b>	Data Stream Analyzer Messaging Software Option (Free Text, *integrated). Supports Serial Port Data Analysis and Keyword Based Paging (Requires Serial Port). The incoming serial data is compared to a list of keywords. If a match is found, the system will respond by sending the incoming data to the assigned pager for the specific keyword.
<b>VS5170</b>	Additional Serial Port Option (RS232, *integrated). Supports Extended Automation using Serial Communication.

Option Availability by Model		
Included / Add-On Number of Messages or Interfaces Available		
Option	<u>VS5100</u>	VNS5100
<b>VS5102</b>	-	0 / 1-15
<b>VS5104</b>	0 / 4-16 Lines, 500 Messages	0 / 4-32 Lines, 1000 Messages
<b>VS5131</b>	-	0 / 500
<b>VS5132</b>	-	0 / 500
<b>VS5133</b>	-	Optional
<b>VS5134</b>	-	Optional
<b>VS5135</b>	-	Optional
<b>VS5165</b>	0 / 999	0 / 999
<b>VS5166</b>	0 / 999	0 / 999
<b>VS5170</b>	2 / 14	2 / 248

**Notes**

1. Underlined P/N are discontinued models and presented for reference only.

## Hardware Interfaces Summary

Interface	Availability by Model Included / Add-On Number of Interfaces Available								
	<b>VS1810</b> & <u>VS1800</u>	<u>VS2500</u>	<u>VNS2500</u>	<u>VS3100</u> & <u>VS3200</u>	<u>VS4200</u>	<b>VS4500</b>	<b>VS4800</b> / <b>VS4810</b>	<u>VS5100</u>	<b>VNS5100</b>
<b>RS232</b>	1 / 0	1 / 0	1 / 0	1 / 1-3	1 / 0	1 / 1	1 / 3	2 / 14	2 / 200
<b>Alarm Points</b>	96 / 0	24 / 0	-	24 / 0	-	-	24 / 0	-	0 / 999
<b>Telephone Interface</b>	-	0 / 1	1 / 0	0 / 1-2	0 / 1-2	0 / 1	0 / 1-2	0 / 4-16	0 / 4-32
<b>Microphone</b>	-	-	1 / 0	-	0 / 1	0 / 1	0 / 1	-	1 / 0
<b>Printer Port</b>	-	-	-	1 / 0	-	-	1 / 0	1 / 0	1 / 0

**Notes**

1. **VS5100** and **VNS5100** require **VS1810** for alarm points monitoring.
2. Additional alarm points may be available using the **VS1810**.
3. Underlined P/N are discontinued models and presented for reference only.

## Options Pricing

Part Number	Description	Retail Price
<b>VS3002</b>	Wide Area Interface and External Modem Option. Supports Alphanumeric Messaging to Supported Wide Area Pagers and Cell Phones using TAP Protocol via Modem Connection.	\$288.00
<b>VS3003</b>	Telephone Line Interface Option (RJ11 Input). Supports Alphanumeric Messaging Using Telephone Keypad.	\$75.00
<b>VS3005</b>	Hand-Held Microphone for Live Voice Messaging Option.	\$49.00
<b>VS3008</b>	Free Text Messaging Software Option. Supports Serial Port Data Analysis and Keyword Based Paging (Requires Serial Port).	\$112.00
<b>VS3009</b>	Additional Serial Port Option (RS232). Supports Extended Automation using Serial Communication.	\$147.00
<b>VS3010</b>	On-Line Printer Interface Option. Supports Automated Paging Activity Printer Output.	\$147.00
<b>VS3011</b>	Wireless 900 MHz and UHF Call Buttons and Call Stations Interface Option (Requires 900 MHz or UHF Receiver). Supports Monitoring and Automated Messaging to Wireless Receivers.	\$75.00
<b>VS3014</b>	Handset Microphone for Live Voice Messaging and Intercom Communication Option.	\$165.00
<b>VS2511</b>	Weekly or Calendar Bell and Tone Schedule Option (*integrated). Supports Scheduled Activation of Eight Default Bells and Tones or up to 64 User Programmable Voice Messages (Includes Downloadable VSPS-06 Programming Software).	\$171.00

<b>VS5102</b>	Wide Area Interface and External Modem Option. Supports Alphanumeric Messaging to Supported Wide Area Pagers and Cell Phones using TAP Protocol via Modem Connection.	\$316.00
<b>VS5104</b>	Four Telephone Line Interface Option (RJ11 Input). Supports Messaging Using Telephone Keypad.	\$1135.00
<b>VS5131</b>	Pre-Recorded Voice Messages to PC Audio Output Option. Supports Activation of Speakers or Audio Amplifier Connected to the PC Audio Output.	\$582.00
<b>VS5132</b>	Pre-Recorded Voice Messages to PABX or Telephone Subscribers Option. Supports Pre-Recorded Voice Messages by Dial Out to Telephone or PABX Extension (Requires VS5104 Telephone Interface).	\$935.00
<b>VS5133</b>	Email Notification Option. Supports Email Messaging to Email and Supported Cell Phone Devices.	\$582.00
<b>VS5134</b>	Device Supervision and Monitoring Option. Supports Wireless Monitoring and Supervision of System Devices Operation and Status (Requires Serial Port and Wireless Receiver).	\$582.00
<b>VS5135</b>	Network Notification Alerts Option. Supports Pop-Up Window Notifications to VNS2000 Client Users.	\$582.00
<b>VS5165</b>	Wireless 900 MHz and UHF Call Buttons and Call Stations Interface Option (Requires 900 MHz or UHF Receiver). Supports Monitoring and Automated Messaging to Wireless Receivers.	\$347.00
<b>VS5166</b>	Data Stream Analyzer Messaging Software Option (Free Text). Supports Serial Port Data Analysis and Keyword Based Paging (Requires Serial Port).	\$582.00
<b>VS5170</b>	Additional Serial Port Option (RS232). Supports Extended Automation using Serial Communication.	\$155.00

## VS4500 Voice and Time Controller

The **VS4500** is designed specifically to provide wireless mass notification and time synchronization capabilities for educational, industrial, healthcare and security applications.

The VS4500 is designed to work as a stand-alone wireless voice messaging system or fully supervised and controlled by a single PC, generating voice or tone alerts while synchronizing wireless analog and digital clocks.

Part Number	Description	Retail Price
<b>VS4500</b>	Desktop / Wall Mount Voice, Tone, Time and Alphanumeric Controller for Messaging to PA Speakers, Clocks and Pagers. Includes 1 Serial (RS232) Port.	\$640.00
<b>Notes</b>		
<ol style="list-style-type: none"> <li>1. For available options, see <b>Desktop Systems Supported Options Summary</b> on page 1 and <b>Hardware Interfaces Summary</b> on page 4.</li> <li>2. For transmitter selection, see <b>Transmitters</b> section on page 16.</li> <li>3. For software selection, see <b>Application Software</b> section on page 16 (VSPS-06, VNS2000).</li> <li>4. Synchronizing to PC clock requires VSPS-06 or VSPS-02 software (free download). Synchronizing to GPS requires TS-ACC-051.</li> <li>5. Network LAN access is available with optional TS-ADA-051.</li> </ol>		

## VS4810 Desktop Alphanumeric, Voice And Time Controller

The Visiplex **VS4810** Advanced Desktop Alphanumeric Messaging System is the ideal, all-in-one messaging solution for healthcare, industrial, security applications, etc. Equipped with a full size keyboard for easy programming and operation, the VS4810 can accommodate up to 1000 pagers.

The VS4810 is also suitable application for assisted living, schools, hotels, etc. and can accommodate up to five hundreds wireless 900 MHz or UHF pendants with the optional 900MHz or UHF receiver and software interface.

Part Number	Description	Retail Price
<b>VS4810</b>	Desktop Voice, Tone, Time and Alphanumeric Controller for Messaging to PA Speakers, Clocks, Digital Displays and Pagers. Includes 24 Dry Contact Alarm Points and 1 Serial (RS232) Port.	\$835.00
<b>Notes</b>		
<ol style="list-style-type: none"> <li>1. For available options, see <b>Desktop Systems Supported Options Summary</b> on page 1 and <b>Hardware Interfaces Summary</b> on page 4.</li> <li>2. For transmitter selection, see <b>Transmitters</b> section on page 16.</li> <li>3. For software selection, see <b>Application Software</b> section on page 16 (VSPS-06, VNS2000).</li> <li>4. Synchronizing to PC clock requires VSPS-06 or VSPS-02 software (free download). Synchronizing to GPS requires TS-ACC-051.</li> <li>5. Voice paging requires VS3003 option.</li> <li>6. For 900MHz pendants selection, see <b>Wireless Devices</b> section on page 9.</li> </ol>		
<b>External Modules</b>		
<b>VS1810</b>	96 Dry Contacts or Analog Alarm Point Inputs Expansion Module.	\$499.00

## VNS5100 Multi-User Wireless Mass Notification System

The **VN5100 AlertWave** PC based Wireless Mass Notification System is designed specifically to provide wireless mass notification capabilities for educational, industrial, healthcare and security applications.

The VNS5100 is designed to work as a database-driven, fully network capable wireless tone and voice messaging system, fully supervised and controlled by a dedicated PC.

Part Number	Description	Retail Price
<b>VNS5100</b>	PC-Based Mass Notification Command Center with 10,000 Devices Database. Includes Two Serial (RS232) Ports, Microphone, Printer Port, Keyboard, Mouse and Management Software for Messaging, Reports, Programming Interface and Monitoring.	\$2265.00
<b>Notes</b>		
<ol style="list-style-type: none"> <li>1. The VNS5100 requires an external transmitter from the VS101-xxx series supporting serial PC connection. Other transmitters or transmitters located more than 10' from the VNS5100 also require a VS4500 or VS4810 configured as a slave encoder.</li> <li>2. For available options, see <b>PC Based Systems Supported Options Summary</b> on page 3 and <b>Hardware Interfaces Summary</b> on page 4.</li> <li>3. For transmitter selection, see <b>Transmitters</b> section on page 16.</li> <li>4. For software selection, see <b>Application Software</b> section on page 16 (VNS2000).</li> <li>5. Monitor is not included.</li> </ol>		
<b>External Modules</b>		
<b>VS1810</b>	96 Dry Contacts or Analog Alarm Point Inputs Expansion Module.	\$499.00

## System Auxiliary Components

Part Number	Description	Retail Price
<b>VS3041</b>	FM Radio Station Transmitter with External Audio Source Input.	\$375.00
<b>VS3042</b>	Programmable Weather And Emergency Alert Radio (AM/FM). Includes Dry-Contact Activation Cable.	\$79.00
<b>VS3043</b>	Six Push Button Module for Pre-Recorded Voice, Strobe Light or Alphanumeric Device Activation.	\$295.00



## Pagers & Receivers

Visiplex offers a variety of alphanumeric, numeric, vibrate and tone pagers to fit every application. Visiplex also offers wireless receivers that function as a regular pager but with dry contact or RS232 outputs to switch electronic devices On & Off.

Part Number	Description	Retail Price
<b>VP-210</b>	Two Line Alphanumeric Pager. Includes Disposable Alkaline Battery, Safety Lanyard and Carrying Case.	\$91.00
<b>VP-4</b>	Four Line Alphanumeric Pager with Optional 2 Line Large Size Display. Includes Disposable Alkaline Battery, Safety Lanyard and Carrying Case.	\$96.00
<b>VP-N</b>	Top-Read Numeric Display Tone and Vibrate Pager Displaying 12 Digits and 8 Symbols. Includes Disposable Alkaline Battery and Integrated Clip.	\$54.00
<b>VP-PAD</b>	Paddle Vibrate Pager with LED Indicators. * Please indicate if rechargeable batteries will be used.	\$104.00
<b>VP-PAD-Charger</b>	10 Unit Paddle Charger with Batteries.	\$116.00
<b>VP-VOI-WD1</b>	Standard (WD) Voice Pager with Monitor, 12.5 or 25 KHz. Optional Stored Voice.	\$426.00
<b>Leather Cases</b>		
<b>VP-LC-4</b>	Leather Case for VP-4 and VP-210.	\$12.00
<b>Receivers (POCSAG)</b>		
<b>VPR-01</b>	Wireless Receiver with RS232 and Dry Contact Output (POCSAG).	\$235.00
<b>VPR-02</b>	Wireless Dome Light Receiver for Visual Signaling.	\$189.00
<b>VPR-04</b>	Wireless Receiver for System Monitored Transmitters and Wall Stations.	\$235.00
<b>Notes</b>		
1. For extended warranty, see <b>Services &amp; Warranty</b> section on page 19.		
2. All pagers are in 462.7500 MHz or 457.5250 MHz. Other frequencies may require additional fee.		

## Wireless Devices

Visiplex offers a variety of wireless devices to be integrated with paging system to provide a sophisticated, easy to install, wireless solution.

The Direct Messaging, System Monitored & 900MHz wireless products provide enhanced range and penetration characteristics. Some of the products include infrared option to provide location information to the monitoring system.

Part Number	Description	Retail Price
<b>POCSAG (Direct Messaging and System Monitored)</b>		
<b>WPT-01</b>	Discontinued - See <b>CT-101</b> .	
<b>WPT-02</b>	Discontinued - See <b>CT-155</b> .	
<b>WPT-03</b>	Discontinued - See <b>CT-104</b> .	
<b>WPT-IR</b>	Discontinued - See <b>CT-108</b> .	
<b>WPR-IR</b>	Wireless Infrared Location Transmitter. Provides Location Information of WPT-IR Pendants to the Monitoring Paging System.	\$272.00
<b>CT-101</b>	Wireless Single Button Compact Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$75.00
<b>CT-102</b>	Wireless Two Button Compact Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$83.00
<b>CT-104</b>	Wireless Four Button Compact Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$83.00
<b>CT-105</b>	Wireless Single Dry-Contact Compact Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$83.00
<b>CT-106</b>	Wireless Window / Door Compact Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$83.00
<b>CT-107</b>	Wireless Single Button Compact Transmitter with Horizontal Position / Man Down Sensor. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$95.00
<b>CT-108</b>	Wireless Single Button Compact Transmitter with IR Location Sensor. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers.	\$89.00
<b>CT-151</b>	Wireless Single Button Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$91.00
<b>CT-152</b>	Wireless Two Button Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$95.00
<b>CT-154</b>	Wireless Four Button Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$95.00
<b>CT-155</b>	Wireless Pull Cord Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$91.00
<b>CT-156</b>	Wireless Push Button Call Cord Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$105.00
<b>CT-157</b>	Wireless Pull Down Switch Wall Station Transmitter. Supports System Monitored Mode or Direct Messaging to Pagers and Other Wireless Receivers (Requires Deep Plastic Single Gang Box for In Wall Installation).	\$91.00

<b>900 MHz (FA)</b>		
<b>WPT-I202</b>	Wireless Smoke Detector Transmitter (900 MHz).	\$191.00
<b>WPT-I214</b>	Wireless Four Button Pendant Transmitter (900 MHz).	\$120.00
<b>WPA-I623</b>	Discontinued – See <b>WPA-1001</b> .	\$14.00
<b>900 MHz (ES)</b>		
<b>WPT-EN1210</b>	Wireless Single Dry-Contact Input Universal Transmitter (900 MHz).	\$82.00
<b>WPT-EN1210C</b>	Wireless Emergency Push Button Call Cord Transmitter (900 MHz, Requires Extra Deep Plastic Single Gang Box for In Wall Installation).	\$161.00
<b>WPT-EN1210P</b>	Wireless Emergency Pull Cord Transmitter (900 MHz, Requires Extra Deep Plastic Single Gang Box for In Wall Installation).	\$138.00
<b>WPT-EN1210W</b>	Wireless Door / Window Transmitter with Internal Magnetic Switch (900 MHz).	\$86.00
<b>WPT-EN1223</b>	Wireless Single Button Pendant Transmitter, Water Resistant (900 MHz).	\$108.00
<b>WPT-EN1224</b>	Wireless Four Button Pendant Transmitter (900 MHz).	\$115.00
<b>WPT-EN1233</b>	Wireless Single Button Pendant Transmitter (900 MHz).	\$98.00
<b>WPT-EN1235</b>	Wireless Single Button Pendant Transmitter, Belt Clip (900 MHz).	\$104.00
<b>WPT-EN1242</b>	Wireless Smoke Detector Transmitter (900 MHz).	\$184.00
<b>WPT-EN1260</b>	Wireless Motion Detector Transmitter (900 MHz).	\$195.00
<b>WPR-EN4200</b>	Wireless 900 MHz Receiver for 900 MHz Transmitters (WPT-ENxxxx Series).	\$311.00
<b>WPRP-EN5040</b>	Wireless 900 MHz Repeater for 900 MHz Transmitters (WPT-ENxxxx Series). <b>Note:</b> WPA-1002 is required for outdoor or weather resistant installation.	\$434.00
<b>Accessories</b>		
<b>WPA-1001</b>	Velcro Wrist Strap for WPT-I223 and WPT-EN1223 Pendant Transmitter.	\$14.00
<b>WPA-1002</b>	NEMA Enclosure Kit for WPRP-EN5040 Repeater.	\$69.00
<b>WPA-1003</b>	Deep Electrical Box, Plastic, Almond.	\$16.00
<b>WPA-1004</b>	Extra Deep Electrical Box, Plastic, White.	\$18.00
<b>WPA-1005</b>	Bead Necklace for WPT-EN12xx Pendants and CT-1xx Compact Transmitters.	\$3.50
<b>WPA-1011</b>	Belt Clip for CT-10x Compact Transmitters.	\$7.00
<b>WPA-1012</b>	Wrist Strap for CT-10x Compact Transmitters.	\$14.00
<b>WPA-1013</b>	Wall Bracket for CT-10x Compact Transmitters.	\$7.00
<b>WPA-1021</b>	Lithium Battery for CT-1xx and WPT-EN123x Transmitters and Wall Stations.	\$5.00
<b>WPA-1022</b>	Lithium Battery for WPT-EN1210x, WPT-EN1242 and WPT-EN1260 Transmitters and Wall Stations.	\$7.00
<b>WPA-1025</b>	Programming USB Cable for CT-1xx Compact Transmitters and Wall Stations.	\$7.00
<b>WPA-1031</b>	Pull Cord Button for CT-155 Wall Station, Amber (Replaces Red Button).	\$0.00
<b>WPA-1032</b>	Pull Cord Button for CT-155 Wall Station, Blue (Replaces Red Button).	\$0.00
<b>WPA-1033</b>	Pull Cord Button for CT-155 Wall Station, Green (Replaces Red Button).	\$0.00
<b>WPA-1034</b>	Pull Cord Button for CT-155 Wall Station, Black (Replaces Red Button).	\$0.00
<b>Notes</b>		
1. For CT1-xx, WPT-01 and WPT-03 pendants programming, see <b>Application Software</b> section on page 16 (VSPS-06).		
2. System monitored CT-1xx compact transmitters require a VPR-04 receiver.		

## Wireless PA Amplifiers with Controlled Device

Part Number	Description	Retail Price
<b>VNS2200</b>	Wireless Controller / Amplifier with Single Addressable PA Speaker Output. Includes 110V/220V Power Adaptor (Weather-Resistant).	\$280.00
<b>VNS2210</b>	Wireless Controller / Amplifier with Single Addressable PA Speaker Output. Includes 110V/220V Power Adaptor.	\$238.00
<b>Packaged Products</b>		
<b>VNS2204-3</b>	Outdoor Wireless High Power PA Speaker Package. Includes VNS2200 Controller, VNS2083 Speaker and 110V/220V Power Adaptor.	\$371.00
<b>VNS2204-4</b>	Outdoor Wireless Horn PA Speaker Package. Includes VNS2200 Controller, VNS2084 Speaker and 110V/220V Power Adaptor.	\$379.00
<b>VNS2204-5</b>	Outdoor Wireless High Power Horn PA Speaker Package. Includes VNS2200 Controller, VNS2085 Speaker and 110V/220V Power Adaptor.	\$454.00
<b>VNS2204-7</b>	Outdoor Wireless Horn PA Speaker Package. Includes VNS2200 Controller, VNS2087 Speaker and 110V/220V Power Adaptor.	\$363.00
<b>VNS2204-8</b>	Outdoor Wireless High Power Horn PA Speaker Package. Includes VNS2200 Controller, VNS2088 Speaker and 110V/220V Power Adaptor.	\$423.00
<b>VNS2205-5</b>	Outdoor Wireless Clear Strobe Light (LED) Package. Includes VNS2200 Controller, VNS2282 Option, VNS2095-5 Strobe Light and 110V/220V Power Adaptor.	\$388.00
<b>VNS2205-6</b>	Outdoor Wireless Blue Strobe Light (LED) Package. Includes VNS2200 Controller, VNS2282 Option, VNS2095-6 Strobe Light and 110V/220V Power Adaptor.	\$388.00
<b>VNS2205-7</b>	Outdoor Wireless Red Strobe Light (LED) Package. Includes VNS2200 Controller, VNS2282 Option, VNS2095-7 Strobe Light and 110V/220V Power Adaptor.	\$388.00
<b>VNS2205-8</b>	Outdoor Wireless Amber Strobe Light (LED) Package. Includes VNS2200 Controller, VNS2282 Option, VNS2095-8 Strobe Light and 110V/220V Power Adaptor.	\$388.00
<b>VNS2214-1</b>	Wireless In-Wall or Ceiling PA Speaker Package. Includes VNS2210 Controller, VNS2081 Speaker and 110V/220V Power Adaptor.	\$290.00
<b>VNS2214-2</b>	Wireless Wall Mounted PA Speaker Package. Includes VNS2210 Controller, VNS2082 Speaker and 110V/220V Power Adaptor.	\$316.00
<b>VNS2214-3</b>	Wireless High Power Wall Mounted PA Speaker Package. Includes VNS2210 Controller, VNS2083 Speaker and 110V/220V Power Adaptor.	\$329.00
<b>VNS2214-4</b>	Wireless Horn PA Speaker Package. Includes VNS2210 Controller, VNS2084 Speaker and 110V/220V Power Adaptor.	\$337.00
<b>VNS2214-5</b>	Wireless High Power Horn PA Speaker Package. Includes VNS2210 Controller, VNS2085 Speaker and 110V/220V Power Adaptor.	\$412.00
<b>VNS2214-7</b>	Wireless Horn PA Speaker Package. Includes VNS2210 Controller, VNS2087 Speaker and 110V/220V Power Adaptor.	\$321.00
<b>VNS2214-8</b>	Wireless High Power Horn PA Speaker Package. Includes VNS2210 Controller, VNS2088 Speaker and 110V/220V Power Adaptor.	\$381.00
<b>VNS2215-5</b>	Wireless Clear Strobe Light (LED) Package. Includes VNS2210 Controller, VNS2282 Option, VNS2095-5 Strobe Light and 110V/220V Power Adaptor.	\$346.00
<b>VNS2215-6</b>	Wireless Blue Strobe Light (LED) Package. Includes VNS2210 Controller, VNS2282 Option, VNS2095-6 Strobe Light and 110V/220V Power Adaptor.	\$346.00
<b>VNS2215-7</b>	Wireless Red Strobe Light (LED) Package. Includes VNS2210 Controller, VNS2282 Option, VNS2095-7 Strobe Light and 110V/220V Power Adaptor.	\$346.00
<b>VNS2215-8</b>	Wireless Amber Strobe Light (LED) Package. Includes VNS2210 Controller, VNS2282 Option, VNS2095-8 Strobe Light and 110V/220V Power Adaptor.	\$346.00
<b>VNS2211</b>	Compact Bell Controller. Includes Backup Battery and Dry-Contact Closure. Supports Weekly or Calendar Bell And Tone Schedule.	\$507.00
<b>VNS2212</b>	Wireless 2-Way Intercom Station Package. Includes VNS2210 Controller, VNS2255 Option, VNS2267 Wall Station, 25 Feet Data Cable and 110V/220V Power Adaptor.	\$307.00
<b>Options</b>		
<b>VNS2241</b>	Low Power Distribution Panel. Support up to Eight VNS2210 Battery Equipped Devices.	\$21.00

VNS2242	Low Power Extension Cable with 2-wire to DC Plug Adapter, 50 Feet (Replaces Standard Power Supply).	\$17.00
VNS2243	Low Power Extension Cable with 2-wire to DC Plug Adapter, 100 Feet (Replaces Standard Power Supply).	\$28.00
VNS2251	NEMA Enclosure Option.	\$156.00
VNS2252	Backup Battery Option (*integrated).	\$28.00
VNS2254	Low Power Transmitter Option for Wireless Supervision (*integrated). Includes VNS2255 External Antenna Option.	\$69.00
VNS2255	External Antenna Option for Wireless Devices.	\$11.00
VNS2256	Solar Panel Charger with Internal Battery Option. Includes Solar Panel Mount (Replaces Standard Power Supply).	\$299.00
VNS2259	Poe Power Supply / Charger with Internal Battery Option (Replaces Standard Power Supply).	\$61.00
VNS2264	Ambient Noise Level Control Option. Supports Automatic Volume Adjustment to Environment Noise Level. Includes 10 Feet Data Cable and Wall / Ceiling Sensor Unit.	\$58.00
VNS2265	Secondary Receiver for FM Radio Reception Option (*integrated). Includes VNS2255 External Antenna Option.	\$99.00
VNS2267	Two-Way Wireless Intercom Communication and Supervision Option. Includes 25 Feet Data Cable, Wall Plate and VNS2255 External Antenna Option.	\$69.00
VNS2268	Discontinued – See VNS2269 Option.	\$129.00
VNS2269	Hands-Free Intercom Operation Option.	\$71.00
VNS2281	Secondary Speaker Output Option for Additional Speaker on a Single Receiver (*integrated).	\$42.00
VNS2282	Strobe Light / Siren / DC Voltage Controlled Device Output Option (*integrated).	\$32.00
VNS2284	Line Level Audio Output with Dry Contact Closure Option for Public Address and Fire Alarm Interface (*integrated).	\$295.00
VNS2285	Dry Contact Closure Option for Activation of Sirens or External Wired Devices (*integrated).	\$32.00
VNS2286	Two-Way Radio Interface Option for Voice Messaging Using 2-Way Radio (*integrated).	\$44.00
VNS2287	Two-Way Hand Held Radios (Pair) with PL Tone. Includes Belt Clips and Dual Desktop Charger.	\$94.00
VNS2288	USB Programming Port (*integrated). <b>Note:</b> Applicable to VNS2200 only. VNS2210 is equipped with USB port.	\$18.00
VS2511	Weekly or Calendar Bell and Tone Schedule Option (*integrated). Supports Scheduled Activation of Eight Default Bells and Tones or up to 64 User Programmable Voice Messages.	\$171.00
<b>Speakers</b>		
VNS2081	Ceiling or Wall Flush Mount Speaker for Indoor Use. Includes Mounting Bracket.	\$52.00
VNS2082	Wall Mounted Speaker. Includes Mounting Bracket.	\$78.00
VNS2083	High Power Wall Mounted Speaker. Includes Mounting Bracket.	\$91.00
VNS2084	Horn Speaker for Indoor or Outdoor. Includes Mounting Bracket.	\$99.00
VNS2085	High Power Horn Speaker for Indoor or Outdoor. Includes Mounting Bracket.	\$174.00
VNS2087	Horn Speaker for Indoor or Outdoor. Includes Mounting Bracket.	\$83.00
VNS2088	High Power Horn Speaker for Indoor or Outdoor. Includes Mounting Bracket.	\$143.00
<b>Controlled Devices</b>		
VNS2086	Dual Tone Siren for Indoor or Outdoor. Includes Mounting Bracket.	\$39.00
VNS2091	Discontinued – See VNS2091-1	\$39.00
VNS2092	Discontinued – See VNS2091-2	\$39.00
VNS2093	Discontinued – See VNS2091-3	\$39.00
VNS2094	Discontinued – See VNS2091-4	\$39.00
VNS2095	Discontinued – See VNS2095-5	\$76.00
VNS2096	Discontinued – See VNS2095-6	\$76.00
VNS2097	Discontinued – See VNS2095-7	\$76.00
VNS2098	Discontinued – See VNS2095-8	\$76.00

VNS2091-1	Strobe Light, Clear Lens.	\$43.00
VNS2091-2	Strobe Light, Blue Lens.	\$43.00
VNS2091-3	Strobe Light, Red Lens.	\$43.00
VNS2091-4	Strobe Light, Amber Lens.	\$43.00
VNS2095-5	Strobe Light, Clear Lens, Weatherproof.	\$76.00
VNS2095-6	Strobe Light, Blue Lens, Weatherproof.	\$76.00
VNS2095-7	Strobe Light, Red Lens, Weatherproof.	\$76.00
VNS2095-8	Strobe Light, Amber Lens, Weatherproof.	\$76.00

**Notes**

1. For programming software selection, see **Application Software** section on page 16 (VSPS-06).
2. VNS2255 antenna is recommended for improved reception.
3. VNS2255 antenna is required for VNS2254, VNS2261, VNS2263 options.

## Wireless Clocks

Part Number	Description	Retail Price
<b>Analog</b>		
TS4001	Octagon Regulator Wall Wireless Synchronized Analog Clock, Wood, Cherry.	\$199.00
TS4002	Discontinued	
TS4101	10" Wireless Synchronized Analog Clock, Black Hands, Plastic, Black.	\$102.00
TS4123	12.5" Wireless Synchronized Analog Clock, Black Hands, Wood, Natural.	\$116.00
TS4124	Discontinued - See <b>TS4146</b> 12.5" Wireless Synchronized Analog Clock, Black Hands, Wood, Cherry.	\$116.00
TS4125	Discontinued - See <b>TS4144</b> 12" Wireless Synchronized Analog Clock, Black Hands, Metal, Aluminum.	\$111.00
TS4142	14" Wireless Synchronized Analog Clock, Black Hands, Plastic, Black (12.5" Dial Face). Includes Two "C" Size Batteries and Built-In Lock.	\$85.00
TS4144	14" Wireless Synchronized Analog Clock, Black Hands, Plastic, Metallic Silver (12.5" Dial Face). Includes Two "C" Size Batteries and Built-In Lock.	\$89.00
TS4146	14" Wireless Synchronized Analog Clock, Black Hands, Wood, Cherry (12.5" Dial Face).	\$102.00
TS4147	14" Double Faced Wireless Synchronized Analog Clock, Black Hands, Plastic, Black (12.5" Dial Face). Includes Four "C" Size Batteries.	\$235.00
TS4161	Discontinued - See <b>TS4168</b> 16" Wireless Synchronized Analog Clock, Black Hands, Plastic, Black.	\$122.00
TS4165	Discontinued - See <b>TS4166</b> 16" Wireless Synchronized Analog Clock, Black Hands, Wood, Cherry.	\$147.00
TS4166	16" Wireless Synchronized Analog Clock, Black Hands, Wood, Cherry (12.5" Dial Face).	\$111.00
TS4168	16" Wireless Synchronized Analog Clock, Black Hands, Wood, Black (12.5" Dial Face).	\$111.00
TS4241	24" Wireless Synchronized Analog Clock, Black Hands, Plastic, Black.	\$202.00
TS1521	Wireless Analog Clock with Built-In Public Address Speaker for Time, Bell, Voice and Data Messaging. <b>Note:</b> VNS2255 antenna is recommended for improved reception.	\$426.00
<b>Digital &amp; LCD</b>		
TS5241	2.5", 4 Digit Wireless Synchronized LED Digital Clock.	\$241.00
TS5261	2.5", 6 Digit Wireless Synchronized LED Digital Clock.	\$338.00
TS5263	2.5", 6 Digit, Real Time / Elapsed Time / Down Timer LED Digital Clock (Optional Wireless Synchronization).	\$393.00
TS5441	4", 4 Digit Wireless Synchronized LED Digital Clock.	\$307.00
TS5461	4", 6 Digit Wireless Synchronized LED Digital Clock.	\$426.00

<b>TS5463</b>	4", 6 Digit, Real Time / Elapsed Time / Down Timer LED Digital Clock (Optional Wireless Synchronization).	\$525.00
<b>TS5446</b>	4", 4 Digit Quad-Face Wireless Synchronized LED Digital Clock.	\$1722.00
<b>TS5242</b>	Discontinued	
<b>VS1522</b>	Discontinued	\$532.00
<b>Options</b>		
<b>TS-OPT-003</b>	24-Hour Clock Face Option.	\$4.00
<b>TS-OPT-004</b>	Customized Analog Clock Face Option (one time charge for up to 1000 clocks).	\$1450.00
<b>TS-OPT-007</b>	110V AC Adapter for Analog Clock Option ("Green" power cell or two rechargeable "AA" batteries replace original clock batteries).	\$14.00
<b>TS-OPT-008</b>	24V AC Power for Analog Clock Option ("Green" power cell or two rechargeable "AA" batteries replace original clock batteries).	\$13.00
<b>TS-OPT-009</b>	Wireless Synchronization Option for Elapsed Time / Down Timer.	\$39.00
<b>TS-OPT-010</b>	Wireless Count Down Timer Option for Digital Clock.	\$24.00
<b>TS-OPT-011</b>	Red Seconds Hand Option (replaces Black Hand).	\$0.00
<b>TS-OPT-012</b>	Infrared Remote Control for Elapsed Timer Digital Clock Option (Replaces Wall Plate).	\$65.00
<b>TS-OPT-014</b>	PoE Power Supply Option for Analog or Digital Clock.	\$33.00
<b>TS-OPT-015</b>	Buzzer Option for Power Analog Clock, Digital Clock or Alphanumeric Display (*integrated). Supports Activation of Tones by Wireless Command.	\$17.00

## Clock Accessories

Part Number	Description	Retail Price
<b>TS-ACC-002</b>	Dual Face Bracket for Digital Clock, Wall Mount.	\$71.00
<b>TS-ACC-003</b>	Dual Face Bracket for Digital Clock, Ceiling Mount.	\$71.00
<b>TS-ACC-011</b>	Analog Clock Lock.	\$6.00
<b>TS-ACC-012</b>	Simplex Mounting Bracket for "Time Tone" Clock (Installed).	\$11.00
<b>TS-ACC-021</b>	Wire Guard for Analog Clock (up to 14").	\$40.00
<b>TS-ACC-022</b>	Wire Guard for Digital Clock (up to 2.5", 4 digits).	\$72.00
<b>TS-ACC-023</b>	Wire Guard for Analog Clock (up to 16").	\$50.00
<b>TS-ACC-024</b>	Wire Guard for Digital Clock (up to 4", 4 digits).	\$135.00

## Clock Batteries

Part Number	Description	Retail Price
<b>TS-BAT-001</b>	1.5V AA Lithium Battery.	\$6.00
<b>TS-BAT-002</b>	1.5V AA Alkaline Battery.	\$1.50
<b>TS-BAT-003</b>	1.5V C Alkaline Battery.	\$2.50
<b>TS-BAT-004</b>	Discontinued.	
<b>TS-BAT-005</b>	3.6V C Lithium Battery.	\$15.00

## Time Synchronization Receivers, Adaptors & Tone Generators

Part Number	Description	Retail Price
<b>TS-ADA-001</b>	Master Clock Synchronizer with RS-232 and Dry Contact Output.	\$228.00
<b>TS-ADA-028</b>	Wireless Synchronized Time RS-232 Adaptor (Includes Downloadable VSPS-02 Software).	\$228.00
<b>TS-ADA-029</b>	Wireless Synchronized Tone Generator Adaptor for Existing PA or Bell System (Includes Downloadable VSPS-06 Programming Software).	\$228.00
<b>TS-ADA-051</b>	LAN to Serial (RS232) Adaptor for Serial Communication over LAN.	\$210.00
<b>TS-ACC-051</b>	Serial GPS Receiver (Includes "L" Shape Bracket).	\$97.00

## Message Boards

Part Number	Description	Retail Price
<b>VS1501</b>	Wireless Red LED Display for Alphanumeric Messaging, One Line, 8 Characters. Includes VNS2255 External Antenna Option.	\$281.00
<b>VS1502</b>	Wireless Red LED Display for Alphanumeric Messaging, One Line, 16 Characters. Includes VNS2255 External Antenna Option.	\$321.00
<b>VS1503</b>	Wireless Red LED Display for Alphanumeric Messaging, Two Lines, 15 Characters. Includes VNS2255 External Antenna Option.	\$455.00
<b>VS1504</b>	Wireless Tri-Color LED Display for Alphanumeric Messaging, Two Lines, 15 Characters. Includes VNS2255 External Antenna Option.	\$556.00
<b>VS1511</b>	Discontinued.	
<b>VS1512</b>	Discontinued.	
<b>VS1513</b>	Discontinued.	
<b>VS1514</b>	Discontinued.	
<b>VS1522</b>	Discontinued	
<b>Notes</b>		
1. VNS2255 antenna is required for VS1501-VS1504 & VS1522.		



## Application Software

Visiplex Application software packages designed to provide users the ability to program products and expand their accessibility in today's advanced computer networks.

Part Number	Description	Retail Price
<b>VSPS-02</b>	<b>TimeSync</b> Software for Synchronizing Controller (VS4200, VS4500, VS4800, VS4810) or TS-ADA-029 to The PC Time OR Synchronizing The PC Time to The Controller (VS4200, VS4500, VS4800, VS4810) or TS-ADA-028 Time. <b>Note:</b> Up to 16 devices can be controlled. Serial communication over LAN requires TS-ADA-051 for each device controlled. VSPS-02 is available as free download from our website.	\$53.00
<b>VSPS-03</b>	Programming Hardware Package for WPT-01 and WPT-03 Wireless Devices.	\$53.00
<b>VSPS-06</b>	<b>VPS</b> Programming Software for Visiplex Encoders, VNS2200 Wireless Controllers, CT-1xx Compact Transmitters and WPT-xx Pendants. Supports Pager Database and Messages Programming, Backup, Restore and Bell/Tone Schedule Programming. <b>Note:</b> VSPS-06 is available as free download from our website.	\$88.00
<b>VS4500, VS4800 &amp; VS4810 Application Software</b>		
<b>VS5147</b>	<b>VNS2000 Professional Server Software for Desktop Encoders</b> (Single User). Supports Activity Reports, Email Forwarding to Wireless Devices, Visual System Monitor with User-Customized Images and Indicators.	\$818.00
<b>VS5148</b>	<b>VNS2000 Network Client/Server Software for Desktop Encoders</b> (25 Network Licenses Included). Supports Activity Reports, Email Forwarding to Wireless Devices, Visual System Monitor with User-Customized Images and Indicators.	\$1053.00
<b>VS5143</b>	<b>VNS2000 Network Client Software for Additional 25 Users.</b> Supports Messaging to Wireless Devices via the VNS2000 Server Software.	\$465.00
<b>VS5144</b>	<b>VNS2000 Administrator Software.</b> Supports Management and Administration Capabilities of the VNS2000 Server Settings and Databases through Local Network.	\$935.00
<b>VS5145</b>	<b>VNS2000 Network Client Software for Unlimited Users.</b> Supports Messaging to Wireless Devices via the VNS2000 Server Software.	\$1053.00
<b>VNS5100 Application Software and Options</b>		
<b>VS5142</b>	<b>VNS2000 Network Client/Server Software for PC Systems</b> (25 Network Licenses Included). Supports Activity Reports, Email Forwarding to Wireless Devices, Visual System Monitor with User-Customized Images and Indicators.	\$1171.00
<b>VS5143</b>	<b>VNS2000 Network Client Software for Additional 25 Users.</b> Supports Messaging to Wireless Devices via the VNS2000 Server Software.	\$465.00
<b>VS5144</b>	<b>VNS2000 Administrator Software.</b> Supports Management and Administration Capabilities of the VNS2000 Server Settings and Databases through Local Network.	\$935.00
<b>VS5145</b>	<b>VNS2000 Network Client Software for Unlimited Users.</b> Supports Messaging to Wireless Devices via the VNS2000 Server Software.	\$1053.00
<b>VS5131</b>	<b>Pre-Recorded Voice Messages to PC Audio Output Option.</b> Supports Activation of Speakers or Audio Amplifier Connected to the PC Audio Output.	\$582.00
<b>VS5132</b>	<b>Pre-Recorded Voice Messages to PABX or Telephone Subscribers Option.</b> Supports Pre-Recorded Voice Messages by Dial Out to Telephone or PABX Extension (Requires VS5104 Telephone Interface).	\$935.00
<b>VS5133</b>	<b>Email Notification Option.</b> Supports Email Messaging to Email and Supported Cell Phone Devices.	\$582.00
<b>VS5134</b>	<b>Device Supervision and Monitoring Option.</b> Supports Wireless Monitoring and Supervision of System Devices Operation and Status (Requires Serial Port and Wireless Receiver).	\$582.00
<b>VS5135</b>	<b>Network Notification Alerts Option.</b> Supports Pop-Up Window Notifications to VNS2000 Client Users.	\$582.00
<b>VS5136</b>	<b>Text to Speech Option.</b> Supports Conversion of Text Messages to Voice Messages For Playback on Wireless Voice Devices.	\$748.00
<b>VS5165</b>	<b>Wireless 900 MHz and UHF Call Buttons and Call Stations Interface Option</b> (Requires 900 MHz or UHF Receiver). Supports Monitoring and Automated Messaging to Wireless Receivers.	\$347.00

<b>VS5166</b>	<b>Data Stream Analyzer (Free Text) Messaging Software Option.</b> Supports Serial Port Data Analysis and Keyword Based Paging (Requires Serial Port).	\$582.00
---------------	---	----------

## Transmitters

Visiplex pocket paging systems can be interfaced with a variety of radio transmitters to provide up to 250 Watt of VHF or 300 Watt of UHF transmission power.

Part Number	Description	Retail Price
<b>VTX-2</b>	Internal 2 Watt Digital Transmitter, UHF / VHF.	\$406.00
<b>VTX-6</b>	Internal 6 Watt Digital Transmitter, UHF / VHF.	\$453.00
<b>VS101-8</b>	8 Watt UHF or 6 Watt VHF Paging Transmitter. Includes Power Supply, Chassis and Data Cable.	\$948.00
<b>VS101-10</b>	10 Watt Paging Transmitter, UHF / VHF. Includes Power Supply, Chassis and Data Cable.	\$765.00
<b>VS101-25</b>	25 Watt Paging Transmitter, UHF / VHF. Includes Power Supply, Chassis and Data Cable.	\$1725.00
<b>VS101-40</b>	40 Watt Paging Transmitter, UHF / VHF. Includes Power Supply, Chassis and Data Cable.	\$1995.00
<b>VS101-100</b>	100 Watt Paging Transmitter, UHF / VHF. Includes Power Supply, Chassis, Data Cable, 19" Rack and 19" Shelf.	\$6485.00
<b>VS101-350</b>	300 Watt UHF or 250 Watt VHF Paging Transmitter. Includes Power Supply, Chassis, 19" Rack and 19" Shelf.	\$10480.00
<b>VSRP-01</b>	Wireless Intercom / Repeater Interface Option for External Transmitter (Requires External Transmitter, *integrated). Includes Magnetic Mount Receive Antenna.	\$108.00
<b>Notes</b>		
1. Magnetic mount antenna is required for all units using internal transmitter.		

## Repeaters

Part Number	Description	Retail Price
<b>WPRP-1</b>	Low Power Wireless Data Repeater for Small Area Coverage, UHF / VHF (POCSAG). Includes Power Supply and Magnetic Mount Transmit Antenna.	\$547.00
<b>WPRP-2</b>	2 Watt Wireless Data Repeater for Medium Area Coverage, UHF / VHF (POCSAG). Includes Power Supply, Magnetic Mount Transmit Antenna and Rubber Duck Receive Antenna.	\$870.00
<b>WPRP-5</b>	5 Watt UHF or VHF Wireless Data Repeater (POCSAG) for Large Area Coverage. Includes Power Supply, Magnetic Mount Transmit Antenna and Rubber Duck Receive Antenna.	\$995.00
<b>VSRP-02</b>	Wireless Intercom / Repeater Interface Option for External Transmitter (Requires External Transmitter, *integrated). Includes Magnetic Mount Receive Antenna.  <b>Note:</b> The transmitter used determines transmission power.	\$632.00

## Antennas, Cables & Accessories

Part Number	Description	Retail Price
<b>Antennas</b>		
<b>VS635</b>	Base Station Antenna, UHF / VHF (Requires 2.25" OD Male Pipe for Mounting).	\$194.00
<b>VS636</b>	Base Station Antenna for High-Power Transmitters, UHF / VHF, 2.5db, Up to 500 Watt. Includes Mounting Bracket.	\$853.00
<b>VS638</b>	Magnetic Mount Antenna for Medium Coverage, UHF / VHF.	\$87.00
<b>VS654</b>	Complete Antenna Kit. Includes VS635 Antenna, VS641 Mounting Kit, VS653 Grounding Kit, VS642 Inline Lightning Arrestor and Two RF Connectors.	\$395.00
<b>VS655</b>	Complete High-Power Antenna Kit. Includes VS636 High-Power Antenna, VS653 Grounding Kit, VS642 Inline Lightning Arrestor and Two RF Connectors.	\$1091.00
<b>Cables</b>		
<b>VS660</b>	0.5" RG-8U Coax RF Transmission Line Assembly (1 Foot, 25 Feet Increments).	\$3.50
<b>VS661</b>	RG-58U Coax RF Transmission Line (1 Foot, 25 Feet Increments).	\$2.50
<b>VS652</b>	Transmitter Shielded Cable (1 Foot Increments).	\$1.50
<b>VS666</b>	Extension Cable (CAT5) - 50 Feet.	\$42.00
<b>VS667</b>	Extension Cable (CAT5) - 100 Feet.	\$58.00
<b>Accessories</b>		
<b>VS640</b>	Universal Mounting Clamp (Two Required for Each Antenna).	\$52.00
<b>VS641</b>	Base Station Antenna Mounting Clamp Set.	\$52.00
<b>VS642</b>	Inline Lightning Arrestor.	\$104.00
<b>VS653</b>	0.5" Hard Line Grounding Kit.	\$52.00

## Uninterrupted Power Supply

Part Number	Description	Retail Price
<b>VS56450</b>	450 Watt Uninterrupted Power Supply.	\$157.00
<b>VS56900</b>	900 Watt Uninterrupted Power Supply.	\$495.00

## Services & Warranty

Visiplex products are covered by a one-year factory warranty from the date of shipment. Warranty service is performed at Visiplex factory. Visiplex also offers Advanced Replacement Service Policies and extended warranty for some of the products.

Part Number	Description	Retail Price
<b>VS-LIC</b>	FCC License for One Main Site (10 Years, Secondary Sites Licensing is Available for Additional Cost).	\$435.00
<b>VSW30</b>	One Year Advanced Replacement Service Policy for VS1xxx ,VS2xxx, VNS2xxx, VS3xxx and VS4xxx Paging System Series. Allows customer to receive Loaner Unit within 48 hours while customer's system is being repaired.	\$295.00
<b>VSW51</b>	One Year Advanced Replacement Service Policy for VS5100 and VNS5100 Paging System Series. Allows customer to receive Loaner Unit within 48 hours while customer's system is being repaired.	\$1495.00
<b>VSW101</b>	One Year Advanced Replacement Service Policy for VS101-xx Transmitter (up to 40 Watt). Allows customer to receive Loaner Unit within 48 hours while customer's system is being repaired.	\$495.00
<b>VPW-201</b>	4 Year Visiplex Extended Warranty for up to 8 Watt System (Encoder and Transmitter).	\$395.00
<b>VPW-202</b>	4 Year Visiplex Extended Warranty for up to 40 Watt System (Encoder and Transmitter).	\$995.00
<b>VPW-203</b>	4 Year Visiplex Extended Warranty for up to 100 Watt System (Encoder and Transmitter).	\$2625.00
<b>VPW-221</b>	2 Year Visiplex Extended Warranty for Wireless PA Amplifier or Wireless Controlled Device.	\$35.00
<b>VPW-222</b>	4 Year Visiplex Extended Warranty for Wireless PA Amplifier or Wireless Controlled Device.	\$65.00
<b>VPW-241</b>	2 Year Visiplex Extended Warranty for Analog Clock.	\$35.00
<b>VPW-242</b>	4 Year Visiplex Extended Warranty for Analog Clock.	\$55.00
<b>VPW-243</b>	2 Year Visiplex Extended Warranty for Digital Clock.	\$75.00
<b>VPW-244</b>	4 Year Visiplex Extended Warranty for Digital Clock.	\$125.00
<b>VPW-262</b>	3 Year Visiplex Extended Pager Warranty.	\$35.00

**To receive an Advanced Replacement system to be used while your system is being repaired, please follow these steps:**

1. If you have not purchased an Advanced Replacement Service Policy for the specific product, send a purchase order for the value of the Advanced Replacement Service Policy.
2. Send a purchase order with the details and value of the system required. This purchase order is used to secure the system and will be charged only if the loaner system is not returned within 30 days.  
If you do not have NET 30 terms, you will have to provide a credit card to secure the system value.
3. The loaner system will be shipped to you. Send your system for repair with a valid RMA.
4. If your system is not covered by warranty, Visiplex will send you a quote for the value of the repair.
5. If you approve the quote, Visiplex will repair your system and send it back to you. No work will be done on your system unless the quote is approved.
6. After receiving your original system, send the loaner system back to us.
7. If you do not return the loaner system within 30 days, your account or credit card will be charged with the value of the loaner system.

## Standard Warranty

Unless otherwise specified at the time of original purchase, all equipment is warranted as to quality and performance for one year from the date of original shipment from our factory.

This factory warranty covers all parts, software, and/or labor (as specified at time of purchase) at our factory, as well as return shipping to you, the customer, but does not apply to any batteries or any damage, resulting from abuse of the equipment. Warranty coverage excludes free replacement of cosmetic items such as clips, logos, etc.

The warranty is void if:

1. There is evidence of abuse to the equipment (i.e., corrosion, unusual physical damage, signs of exposure to temperatures outside the range of specifications, etc.)
2. The equipment contains an unauthorized modification.
3. Identification numbers on the printed circuit boards or chassis have been altered or removed.
4. Evidence of the product having been exposed to, or submerged in water.
5. Equipment is damaged through acts of God, including, but not limited to: flood, lightning, hurricane, tornado, sustained high winds, acts of war, natural disasters, etc.

Should you experience problems with any product, we would suggest consulting your system or pager maintenance guide to correct any routine problems such as replacing batteries, cleaning contacts, checking AC voltage, etc.

If the problem persists, please call our technical support department for additional assistance, remote diagnostics help, etc. If your product must be returned for repair, our technical service department will provide you with a Returned Material Authorization (RMA) number and any other special instructions that will allow the repair to be handled as quickly as possible. All non-warranty products require a purchase order number in addition to an RMA number for repair work to be started.

For more information, or to obtain technical assistance on any warranty or non-warranty product, please write, call, fax or E-Mail to:

**Visiplex, Inc.**

**1287 Barclay Boulevard**

**Buffalo Grove, IL 60089**

**Phone: (847) 229-0250 or (877) 918-PAGE**

**Fax: (847) 229-0259**

**E-mail: [support@visiplex.com](mailto:support@visiplex.com)**

**Business Hours: Monday-Friday, 9:00 AM - 5:00 PM Central Time.**

### Restocking Policy & Terms of Sales

1. All returns must be approved prior to shipment and have a valid RMA.
2. No returns after 30 days or for damaged equipment or for special order items.
3. For returned *system(s)* there is a 25% restocking charge (for systems in new & unused condition).
4. For returned a *pager(s)*, *speaker(s)*, *clocks(s)* or other *receiver(s)* there is a 40% restocking charge (for items in new & unused condition).
5. All sales are subject to Visiplex Terms of Sales as can be found at Visiplex website ([www.visiplex.com](http://www.visiplex.com))